

your computer

MARCH
1989
\$3.95
NZ \$5.50 (Inc. GST)

Subscribe Now
and Save 30%!

MAKING YOUR MICRO WORK

SPECIAL FEATURE

LASER, DOT MATRIX
AND DAISY WHEEL
PRINTERS



IBM'S
MODEL
30 AT

Exit for Exports • Applix 1616 • A Perfect Batch
Mac School Magic! • DOS Lives! • OmniPage
Assembling QuickBasic • Splitting the Apple II?

It's time to make a Profound Commitment



PROFOUND COMPACT 8088/XT

- 10MHZ Processor
- 640K RAM
- 1 × 360 KB Mitsubishi Disk Drive
- 20MB Hard Drive
- 101 Style Keyboard
- MS DOS 4.01
- 14" Hi Resolution Swivel Base Monitor
- FREE Box Profound Diskettes
- FREE Microsoft Flight Simulator

\$1995.00 incl. sales tax

PROFOUND COMPACT 80286/AT

- 10MHZ Processor
- 640K RAM
- 1 × 1.2MB Mitsubishi Disk Drive
- 42MB Hard Drive
- 101 Style Keyboard
- MS DOS 4.01 & G.W. Basic
- OMT EGA Monitor
- FREE Box Profound Diskettes
- FREE Microsoft Windows 286

\$3695.00 incl. sales tax

PROFOUND TOWER 80386

- 16/20MHZ Processor
- 1MB RAM
- 1 × 1.2MB Mitsubishi Disk Drive
- 1 × 720 3½" Mitsubishi Disk Drive
- 44MB Voice Coil Hard Drive
- 101 Style Keyboard
- MS DOS 4.01 and G.W. Basic
- OMT EGA Monitor
- FREE Box Diskettes
- FREE Microsoft Mouse

\$6995.00 incl. sales tax

Available from the following Profound Dealers:

VIC

PRACTICAL SOFTWARE

5th Floor, 499 St Kilda Road, St Kilda, Vic. Tel. (03) 267 4844.

INPROTECH SERVICES

Suites 1 & 2, 974 Main Road, Eltham, Vic. Tel. (03) 439 4899.

INVOTEK COMPUTER SYSTEMS

959 Glenhuntly Road, South Caulfield, Vic. Tel. (03) 563 5556.

JGB COMPUTER SYSTEMS

12 Beach Street, Frankston, Vic. Tel. (03) 781 2488.

NSW

NETWORK SYSTEMS AUSTRALIA

Suite 6, 131-135 George Street, Liverpool, N.S.W. Tel. (02) 821 1922.

SA

CONLAN COMPUTERS

82 Hutt Street, Adelaide, S.A. Tel. (08) 223 7222.

COMPUTERSCENE

Shop 2, 1267 North East Road, Ridgehaven, S.A. Tel. (08) 264 4144.

TAS

HI-TECH COMPUTER DISCOUNTS

8 Criterion Street, Hobart, Tas. Tel. (002) 343 525.

PHOENIX COMPUTER SYSTEMS

39 Queen Street, Ulverstone, Tas. Tel. (004) 255 541.

VIC.

45-47 Tope Street, South Melbourne, 3205.

Tel. (03) 699 3088. Fax. (03) 690 9562.

N.S.W.

88-90 Foveaux Street, Surrey Hills, 2010. Tel. (02) 212 6944.

S.A.

237 Pulteney Street, Adelaide, 5000. Tel. (08) 232 2277.

QLD.

1st Fl. Unit 4, 315-321 Kelvin Grove Road, Kelvin Grove, 4059. Tel. (07) 356 9988.

EHE
EASTERN MICRO ELECTRONICS

Profound Computers are fully assembled, distributed, supported
and warranted by Eastern Micro Electronics Aust. Pty. Ltd.

SOFTWARE PRICES

CRASH

AT BLUE CHIP

MICROSOFT

WORD(+PAGEVIEW).....	\$525
PAGEVIEW.....	\$65
MICROSOFT MOUSE.....	\$190
EXCEL.....	\$660
WORKS.....	\$260
WINDOWS.....	\$130
WINDOWS MOUSE.....	\$260
QUICK BASIC COMPILER.....	\$100
QUICK C COMPILER.....	\$100
CHART.....	\$375
FLIGHT SIMULATOR.....	\$65
PROJECT.....	\$475

UTILITIES

TURBO PASCAL V5.0.....	\$175
TURBO C V2.0.....	\$175
TURBO PROLOGUE V2.0.....	\$175
FASTBACK PLUS.....	\$225
NORTON ADVANTAGE.....	\$179
NORTON UTILITIES 4.0.....	\$115
NORTON COMMANDER.....	\$100
NORTON EDITOR.....	\$100
XTREE PRO.....	\$175
CARBON COPY PLUS.....	\$245

GENERAL

LOTUS.....	\$525
QUATTRO.....	\$255
SPRINT.....	\$255
PARADOX.....	\$750
DBASE IV.....	\$875
CLIPPER SUMMER 87.....	\$750
Q & A.....	\$485
WORDPERFECT V5.0.....	\$565
FIRST CHOICE.....	\$170
MULTIMATE ADV II.....	\$630
WORDSTAR 2000+ V3.....	\$435
WORDSTAR PRO V4.....	\$435
FRAMEWORK II.....	\$695
FRAMEWORK III.....	\$825
ABILITY PLUS.....	\$350

MONITORS

OMT COLOUR.....	\$550
OMT EGA.....	\$690
OMT VGA.....	\$790
OMT MULTISCAN (PS/2).....	\$890

VIDEO CARDS

MONOGRAPHIC.....	\$195
COLOURGRAPHIC.....	\$175
EGA.....	\$350
VGA.....	\$625
MULTISCAN.....	\$450

PROCESSORS

INTEL 8087.....	\$229
INTEL 8087-1.....	\$435
INTEL 8087-2.....	\$335
INTEL 80287-6.....	\$350
INTEL 80287-8.....	\$540
INTEL 80287-10.....	\$645
INTEL 80387-16.....	\$1050
INTEL 80387-20.....	\$1550

MODEMS

NETCOMM POCKET.....	\$449
NETCOMM 123 INMODEM.....	\$479
NETCOMM 1234 INMODEM.....	\$599
NETCOMM AUTOMODEM 123.....	\$479
NETCOMM AUTOMODEM 1234.....	\$599
NETCOMM AUTOMODEM 123SA.....	\$639
NETCOMM AUTOMODEM 1234SA.....	\$839

PRINTERS

BROTHER 1109.....	\$375
BROTHER 1709.....	\$895
BROTHER 1224.....	\$795
BROTHER HL8 LASER.....	\$4500
BROTHER HL8E LASER.....	\$4500
OKI MICROLINE 182.....	\$395
OKI MICROLINE 183.....	\$595
OKI LASER PRINTER.....	\$3495



BLUE CHIP COMPACT TURBO PC/XT

640K Ram, Dos 3.3, 1X360KB FD, Ser/Par/Games Ports, 101 Keyboard, 4.77/10MHz Processor, Mono Graphic Card, Green or Amber Monochrome Monitor plus 10 FREE DISKETTES. PLUS FREE MICROSOFT FLIGHT SIMULATOR

\$1,395.00

BLUE CHIP AT/286

640K Ram, Dos 3.3, 1,2MB FD, Ser/Par/Ports, 101 Keyboard, 10MHz Processor, Zero Wait State, Mono Graphic Card, Green or Amber Monochrome Monitor plus 10 FREE DISKETTES. PLUS FREE MICROSOFT WINDOWS

\$1,995.00

BLUE CHIP TOWER/386

1MB Ram, Dos 3.3, 1X1.2MB FD, 1 X 720KD FD, 42MB HD, 101 Style Keyboard, Ser/ Par/Clock Ports, Monochrome Monitor plus 10 FREE DISKETTES. PLUS FREE MICROSOFT MOUSE

\$5,995.00

OTHER BLUE CHIP PC/XT CONFIGURATIONS

BLUE CHIP XT 2 X 360 KB FD, DOS MONO	\$1,495.00
BLUE CHIP XT 1 X 360 KB FD, 1 X 20MB HD Dos Mono	\$1,895.00
BLUE CHIP XT 1 X 360 KB FD, 1 X 20MB HD Dos Colour	\$2,295.00
BLUE CHIP XT 1 X 360 KB FD, 1 X 20MB HD Dos EGA	\$2,695.00
BLUE CHIP XT 1 X 360 KB FD, 1 X 20MB HD Dos Multiscan	\$3,095.00

OTHER BLUE CHIP PC/AT CONFIGURATIONS

BLUE CHIP AT 1 X 1.2MB FD, 1 X 20MB HD Dos Mono	\$2,395.00
BLUE CHIP AT 1 X 1.2MB FD, 1 X 20MB HD Dos Colour	\$2,795.00
BLUE CHIP AT 1 X 1.2MB FD, 1 X 20MB HD Dos EGA	\$3,195.00
BLUE CHIP AT 1 X 1.2MB FD, 1 X 20MB HD Dos Multiscan	\$3,595.00

PSION ORGANISER II

READY TO GO PACK

Oraniser II with up to 320K Ram, 32K Data Pack, AC Adaptor, CommsLink (PC, Printer, Modem Interface)

\$995.00

HITACHI LAPTOP COMPUTERS

EXCLUSIVE TO BLUE CHIP

HITACHI HL300

2 X 720K Drives LCD Screen

\$1,495.00

HITACHI HL320

2 X 720K Drives Backlit LCD Screen Plus FREE MICROSOFT WORKS

\$2,295.00

HITACHI HL320 HD

1 X 720k Drive, 1 X 20MB HD, Backlit LCD Screen Plus FREE MICROSOFT WORKS

\$3,295.00

BLUE CHIP NOW GOVERNMENT PREFERRED PE30 CONTRACTOR

BLUE CHIP
Electronics P/L

VICTORIA

8 RAILWAY PDE, RINGWOOD. Tel: 870 2243
109 DRUMMOND ST. CARLTON. Tel: 663 7764
350 SOUTH RD. MOORABBIN. Tel: 553 4488

NSW

44 MOUNTAIN ST, BROADWAY. Tel:281 1044
463a CHURCH ST. PARRAMATTA. Tel: 683 1599
272 PACIFIC HWY. CROWS NEST. Tel: 4363655
Cnr. CROWN ST. & RAILWAY PDE. WOLLONGONG. Tel:26 3200

ACT

30 LVELL ST. Fyshwick. Tel:80 7833

SOUTH AUSTRALIA

237 PULTENEY ST. ADELAIDE. Tel: 232 2555

QUEENSLAND

Unit 4, 315 KELVIN GROVE RD. KELVIN GROVE. Tel:356 7722

WESTERN AUSTRALIA

2nd Fl. 160 ST. GEORGES TCE. PERTH. Tel: 481 6427



OPTICAL STORAGE

26



FIELD DAY FOR COMPUTERS

34



IBM'S MODEL 30 AT

42

Editor
 Jake Kennedy
Features Editor
 Robert Thirlwell
Production Editor
 Allecia Khartu
Art Director
 Sally Anne Silveira
Production Manager
 Mark Moes
Production Co-ordinator
 Kylie Prats
Consulting Editor
 Matt Whelan
Managing Editor
 Brad Boxall
Publisher
 Michael Hannan
Cover
 LQ 2550 dot matrix printer
 courtesy of Epson. Graphics
 concept and design by Robert
 Thirlwell. Photography by Greg
 McBean.

**EDITORIAL
 AND OFFICE SERVICES**
 Allison Tait
 180 Bourke Rd.
 Alexandria 2015 NSW
 Tel: (02) 693 6620
 Fax: (02) 693 9935
ADVERTISING SALES OFFICES
National Advertising Manager
 John McGauley
 New South Wales
Sales Executive
 Mark Wilde
 180 Bourke Rd.
 Alexandria 2015
 Tel: (02) 693 6666
 Fax: (02) 693 9935
Advertising Production
 Patrice Wohlneck
 Victoria
Sales Executives
 Anne Willey
 Chris Vaughan
 3rd floor, 615 St Kilda Rd, Melbourne

CONTENTS

MARCH 1989

FEATURES

- Print it!** 16
 With prices below \$1000, 24-pin dot matrix machines are now dominating the market, but lasers are becoming faster and more flexible.
- The Light Fantastic! – Part 3** 26
 CD or not to CD? There doesn't seem to be any question any more – compact disks are the way of the future. But, as Stewart Fist points out, there are still problems to be overcome ...
- Field Day for Computers?** 34
 Kevin McLean reports on the history of electronics and the field worker.
- A perfect batch!** 122
 Matching singles with a fourth generation language and a PC – 'Why not?' asks Merv Beamish.
- Exit for Exports** 64
 OTC and the Custom Service have jointly developed a system to streamline export procedures and collect accurate Balance of Trade statistics.
- Keyboards and conferences** 72
 Continuing our new series on Computers and Education, Sharon France touches on keyboards for the young and the 5th World Conference on Computers and Education.
- Mac School Magic** 80
 What an easy way to run a school!

Tel: (03) 521 2236,
 Fax: (03) 529 2997
Advertising Production
 Matt Holden
 221A Bay St, Pt Melbourne 3207
 Tel: (03) 646 3111,
 Fax: (03) 646 5494
Western Australia
 Des McDonald
 48 Cliveden St, North Perth 6006.
 (09) 444 4426
 Fax: (09) 381 3115
Queensland
 John Saunders
 26 Chermiside St, Newstead 4006
 Tel: (07) 854 1119
South Australia
 Michael Mullins
 98 Jervois Street, Torrensville 5031.
 Tel: (08) 352 8666
 Fax: (08) 352 6033
New Zealand
 Corrie Mitchell
 Rugby Press
 3rd Floor, Communications House,

Parnell, Auckland.
 Tel: (09) 796 648
 Tlx: NZ 63112 SPORTBY
**All Subscription Enquiries
 to the Subscriptions Manager**
 (02) 693 9517

YOUR COMPUTER
 is published monthly by
 The Federal Publishing Company,
 180 Bourke Rd,
 Alexandria 2015 NSW.
 Printed by HannanPrint,
 140 Bourke Rd, Alexandria 2015.
 Distributed by
 Newsagents Direct
 Distribution Pty Ltd.

*Recommended and maximum price
 only.
 ISSN 0725-3931.

An Artic voice for blind users!

The Royal Blind Society's new training course is offering blind users more employment opportunities.

113

REVIEWS

Control DOS with the Norton Commander V2.0

38

DOS can be a nuisance for even the most experienced users – but, as John Hepworth describes, the Commander takes the bother away.

IBM's Model 30 286 – the AT returns!

42

IBM hasn't forsaken the DOS world. John Hepworth reports ...

Bridging the paper canyon with OmniPage 46

Laser printers started the desktop publishing revolution. Now, as Neil Munro reports, digital scanning will lead the way into the future.

DOS lives!

52

OS/2 may have arrived, but DOS is still fighting on with version 4.0. Chris Allen boots the old warhorse in new finery ...

Introducing . . . the Maestro Super Executive!

66

As a special offer to YC readers, Maestro is introducing this 9600 bps, full duplex modem with a 2-for-1 offer!

INSTRUCTION SET

The Applix 1616

60

At last, the ideal hacker's computer – but first you'll have to build it!

Why a computer goes bang!

84

If anyone's computer is going to go bang, it'll be Tom Moffat's – so who better to advise on things to watch out for and not to do!

Assembling QuickBasic – Part 2

87

Having covered QuickBasic routines in January, Jeff Richards continues with procedures for creating Assembly language function routines ...

Your Apple

140

Splitting the II?

Cursory Glance

146

Instant gravestones!



NEXT MONTH INCLUDES

If your needs call for colour or high-resolution printing, our coverage of ink-jet and thermal printers will show the state-of-the-art and make your choice easier. We might like to think of ourselves as a high-tech, industrial society, but the rural sector is still the biggest source of exports – in April, we'll be presenting a new series of articles covering computer happenings (and problems!) in the country. For those in the city, there's the first in a two-part series: 'Computer Generated Information: Potential for Fraud?' And – who says you need a VGA monitor to run VGA programs?

PUBLIC DOMAIN

The Prophet

92

Are you safe?

New Products

100

This month – a little fantasy for the New Year, software from Claris and MPA, as well as new machines from Wang and Apple.

Your IBM

108

Making your PC faster with a cache controller.

dLetter

114

Convert a dBase file to run on a Mac? 'Easy!' says Matt Whelan. Plus – an index of topics, bug fixes and tips in dLetter's 40 separate issues.

Your Mac

118

Databases for the Macintosh.

The Forth Column

124

A typical Forth application.

Your Commodore

126

Daisywheel fonts and the DPS-1101.

Your Apple IIGS

128

The news is not all good ...

Your Amstrad

133

Reversi with a difference and DIY ribbon re-inking.

Your Amiga

136


SCSI, transputers and the 500!

Your Atari

138

Faster STs!

Miss it in Sydney and you'll miss more than an exhibition



You might miss the boat.

With microcomputer technology advancing so rapidly, you could be left way behind.

So keep right up to date with the latest developments — from laptops to LAN's. From PC's to peripherals.

At PC89. Australia's largest computer show.

WHEN 14 - 17 March

DAYS Tuesday — Friday

HOURS 10.00am — 7.00pm

WHERE Darling Harbour, Sydney

PARKING Ample on-site parking

SAVE \$5

Clip the coupon and present it at the entrance to the show.

*You'll save \$5 on our normal admission.
(One coupon only per person)*

*Children under 18 not admitted.
YC*

Sydney 14-17 March 1989

**PC
89**

Darling Harbour

SRG/AES43

aes

Australian Exhibition Services Pty Ltd


Telephone (03) 267 4500

Toll Free 008 335 010

Facsimile (03) 267 7981



Shot yourself in the foot?



March 1982

'We are witnessing today a new era – the information age. It will ultimately mean half the nation's Gross National Product will be directly or indirectly derived from the dissemination of information.' – *News*, p8.

'The Dirty Book concentrates on erotic software for the Apple, TRS-80, Atari and Commodore personal computers. It even sponsors a quarterly contest aimed at stimulating sensual software development.' – *News*, p10.

'Good writing for technical publications is not difficult. the basics may be summed up in a short rhyme, written, I believe, by Rudyard Kipling –

I keep six honest serving men,
They taught me all I knew.

Their names are *what* and *where* and
when

And *how* and *why* and *who*.

– Les Bell, 'Make Your Hobby Pay'.

PEOPLE FAIL for the most part because they shoot themselves in the foot. If you go for a long time without shooting yourself in the foot, other people start calling you a genius.' That bit of pith is from Dr An Wang's autobiography, *Lessons* (Addison-Wesley, 1986) – it made me start thinking of instances of foot-shooting that we've seen over the years in this industry. Never mind individuals (the world is littered with limpers), but companies: in the March '82 issue of YC, hindsight shows two instances where the bullets were being loaded.

In that issue we reported on the release of Applied Technology's Bee which offered a powerful, flexible and expandable computer (as a kit) for \$399. For tens of thousands of us, that machine and its descendants were an introduction to per-

sonal computing – and it was a stayer whose range of applications is still growing, as Jeff Ponton's report on the kiln controller in January's 'Microbee File' attested.

But, Applied Tech eventually shot itself in the foot with the Gamma. The bullet was the enormous cost of developing that 32-bit wonder at the expense of support and continuing development of the company's bread-and-butter 'bee range.

The second example was Adam ('From the Fountainhead') Osborne's O-1. This promising portable came fully configured (albeit with a tiny 5-inch screen) and included a stack of software, for \$1795. It looked set to take on the world – comparable computers were priced over \$5000. But, Osborne was as quick on the draw as he was on the mouth – from the beginning there were problems with marketing and support. For example in early '82, the company was still promising a 12-inch monitor in *late '81!* Bang!

I wonder how many 'names' are loading up at the moment?

The mention of Osborne brings another passage from *Lessons* to mind: 'It seemed to me that the more eloquent the speaker, the less likely it was that he would practice what he preached.' That certainly pulled my 'eloquent preaching' up short – I've resolved to practice more in '89.

A third quote from Wang's book: 'The key to doing something right may lie in the feedback you get from doing something wrong.' I've heard that homily in various forms many times – the man behind Avis Rent-a-Car's 'We try harder because we're only number two' theme made the point in *Up the Organization* that to keep a business dynamic, decisions must be made or procrastination will soon filter through an entire company. (He also made the point that those decisions don't necessarily have to be right – he claimed an average of only about 50 per cent – but you are only going to get the feedback if the decisions are made, and things tried, in the first place.)

Then there's Edison's comment when his offside Watson lamented that they'd tried 50,000 substances for the filament in a light globe, none worked, so it was time to give up; in paraphrase, Edison pointed out that 'we now know 50,000 things that won't work – let's try another.'


Lessons – that's what it is. Give a copy to a friend who might be loading up.

Stolenware


Is it our convict heritage? Less and less excellent Shareware is being distributed as such in Australia because of the lamentable level of registrations emanating from these shores.

Sadly, it's not just the users who are ripping the authors off. Over the past twelve months, I have purchased four Shareware products from three local organisations (two companies and one user group), which, I expected, would forward my registration and a fee to the author; in due course I would receive updates. I noted on a bulletin board recently that one of the programs I paid for was two versions down the line. My curiosity made me contact the authors of all four products – only *one* of them had me listed as 'registered'! So – beware!

That example makes it clear why we are seeing less new user-supported software here. Many of the best products are now distributed in Australia as 'commercial' – no place else in the world has this happened to such an extent!



At least one company here is doing more than just the right thing (undoubtedly there are others – and I'd be glad to hear from them – but I *know* this company is trying very hard to keep Shareware as that). Ian MacKay's Manacomm has negotiated with Jim Button (of Buttonware, publisher of PC-File and Baker's Dozen) and other US authors who were going to appoint commercial distributors in Australia. As a result, the products from these authors will remain Shareware, with a local distributor. □



Games of violence

TWO OF MY children are behind me, in my study, hitting each other with baseball bats and whips, and calling each other names. Ever the loving brother/sister, they're 'playing' together – their newest *rad* game for the Amiga, Double Dragon. In it they control two martial-artist brothers out to rescue the girlfriend from a horde of street thugs and, ultimately, the gun-toting big boss.

They have to fight their way through the streets, kicking and punching to get past assorted bad-guys, grabbing weapons when they can. They would be a world championship team if they didn't continually resort to battering each other.

'If I want to kill you, I'll just do a flying kick', Jodie said to Byron a second ago. But she wasn't quick enough – he battered her to death with the baseball bat. 'You pig!' she yelled, 'just leave me alone!'. When she's being polite, she takes the edge off her language: 'You piglet,' she said to Byron a few minutes later, 'you did that on purpose'.


The thugs yell as they slap my kids around, but not for long – a few swift kicks to the groin and a flying kick to the face flattens them, and then they die, with a suitable groan which sounds almost like someone dry-reaching ...

I'm starting to wonder about these games. The most popular ones these days – both on home computers and in the arcades – involve constant killing. Our lineup is dominated by games of violence; violence done to people, not just featureless 'space invaders'.

I guess it's all innocent enough. I'm sure my kids aren't learning the solution to all life's problems is a baseball bat. Are they? And, as they tell me when I question their aggressive approach to each other, 'at least it stops us from fighting for real, dad'.

I'm sure my kids aren't learning the solution to all life's problems is a baseball bat. Are they?

Yes, maybe it does keep them off the streets; or maybe they're practicing what they'll do to each other and everyone else when they *are* on the streets? Is pointing an Actionware light gun at comic human figures better or worse than watching the Clint Eastwoods on television as they



blow away the bad guys?

My wife thinks the violent games are A Bad Thing, but that could be because she thinks computers are A Bad Thing – with two bulletin boards, a work machine, a Macintosh and two Amigas they get more space (and time) in the house than she does.

So far, I only wonder – there's no evidence to tell me computerised 'killing simulation' does any damage to these growing minds. After all, I enjoy shooting Al Capone's mobsters as much as the kids do, and I'm not a violent, deranged type (well, not often, anyway). But there is a lurking suspicion that 20 years into the future we might just be reading the results of hair-raising research into the 'kids of the computer age'.

'Help me dad, he's killing me,' Jodie just shouted across the room. 'Help!' followed a high-pitched squeal.

'Haha, you idiot,' Byron replied to his younger sister, 'you're dead meat. I won!'

Having beaten all the thugs, the traps, and the machine-gun toting Big Boss, the computer told the kids to fight it out between themselves – only one brother could get the girl. So after all the team effort to get to bad-guy HQ, the good-against-evil sacred quest, they stood in the centre of the room and slugged it out.

At first Jodie controlled the baseball bat – one of the most effective weapons in the game – and just stood there, clobbering her brother each time he picked himself up off the floor. Then Byron, only one hit away from death, got through with a flying kick and floored his sister's charge. Taking the baseball bat, he set about beating her to a pulp.

Down to one life left, Jodie couldn't take it any more. She suicided, jumping off the cliff. Byron got the girl.

It's all good, clean fun. I hope ... □

Play the DataPerfect Trio



*With
prices that
are music
to your
ears!*

5¼" DISKETTES DSDD

Order Code	1-5 Boxes	6-9 Boxes	10 Boxes +
11150	\$12.00 Soft Pack	\$10.00 Soft Pack	\$9.00 Soft Pack

Students: \$10.00 per box 5¼" DSDD on school or student body identification.

5¼" DISKETTES DSHD

Order Code	1-5 Boxes	6 Boxes +	10 Boxes +
11149	\$24.00 Plastic Box	\$23.00 Plastic Box	\$21.00 Bulk Pack

3½" DISKETTES DSDD

Order Code	Per Box	Bulk Pack 50's
11148	\$27.70 Plastic Pack	\$2.40 ea

3½" DISKETTES DSHD ALSO AVAILABLE

ALL PRICES PLUS FREIGHT

BRYMIN COMPUTER SUPPLIES PTY LTD

134 Abercrombie Street, Chippendale 2008
(Corner Cleveland Street)



ORDER NOW

Sydney (02) 699 2763

699 7815

REVERSE CHARGES


FOR ALL STD CALLS

OPEN MONDAY to FRIDAY

8.30am to 5.30pm

SATURDAY 8.30am to 12.30pm

FOR ONLY **\$175** LET YOUR COM
WORLD OF COMMUNIC
GENERATION' SKILLS.



VIATEL SUBSCRIPTION FOR 1 YEAR	\$ 48.00*
MICROTEX 666 SUBSCRIPTION FOR 1 YEAR	\$ 66.66
MODEM	\$336.00
SOFTWARE	\$ 50.00
	\$500.66
	\$175.00

*Please Note: VIATEL annual subscription does not include local call fees to connect to VIATEL (21¢ from anywhere in Australia), connect time charges or any frame charges you may incur.

IT'S ENOUGH TO BLOW THE MIND OF ANY COMPUTER ENTHUSIAST

The AVTEK EXPLORER package contains a modem for the IBM PC and Compatibles or Commodore 64 and Commodore 128, Communications Software, VIATEL and Microtex 666 subscription for one year.

PUTER OPEN UP THE EXCITING TIONS AND ESSENTIAL 'NEXT

ALL THIS
FOR
\$175

the latest news on the computer industry, as well as advice from the experts. Microtex 666 also offers you entertainment, bargain shopping and a wealth of other services.

MODEM

AVTEK 3+12 MODEM
FOR THE IBM PC AND
COMPATIBLES

OR

A MODEM FOR THE
COMMODORE 64 AND 128
These modems offer 1200/75 bps

suitable for VIATEL and similar services, etc., and have telesoftware download capability, PLUS 300 bps full-duplex asynchronous communications to suit Electronic Mail, Bulletin Board Services, etc. Simple-to-use modems that are ideal for the first-time communicator.

COMMUNICATIONS SOFTWARE

The software has been designed to run on IBM PC XT, AT and the Commodore 64 and 128.


The AVTEK EXPLORER communications package we are offering gives you everything you need to access VIATEL and Microtex 666.

VIATEL SUBSCRIPTION FOR ONE YEAR

Imagine from the comfort of your own home, being able to bet on the races, bank, pay bills, shop, play games, book holidays, purchase lottery tickets, send electronic mail, meet a multitude of people and much more! Well it's all possible through VIATEL. VIATEL, Telecom Australia's national videotex service is available to anybody with a telephone connection, a computer and a modem. The modem will simply and quickly connect your computer to the telephone line. VIATEL is simple to use and requires no special knowledge of computers or related terminology.

MICROTEX 666 SUBSCRIPTION FOR ONE YEAR

Computer Publications Pty Ltd's popular Microtex 666 (to be found only on VIATEL), offers a comprehensive service for PC users. Microtex 666 connects you and your computer to a nation-wide network of thousands of computer users. Microtex 666 lets you communicate with these users AND gives you MASSES of computer programs straight down the telephone line onto your PC. You can "download" software as often as you wish, any time of the day or night. Become an identity on the Microtex 666 bulletin boards, get



ORDER NOW

Please note your AVTEK EXPLORER package will include modem, connecting cables, software, Microtex 666 membership card, VIATEL membership. Sales tax and postage and handling is included in price.

TO ORDER:

Call credit card details through to AVTEK Data Communications on 008 252 754 for same-day dispatch.

OR

Simply fill out the coupon below and send it to: **AVTEK Data Communications**
Freepost 16
PO Box 651
Lane Cove, NSW 2066

My choice of modem is: (please tick)

☐ Modem 3 + 12 for IBM PCs & Compatibles ☐ Auto Dial Modem for Commodore 64 & 128 PCs

I currently have a: (please tick)

☐ IBM PC/XT/Compatible (25 pin D25 female connector) ☐ IBM/AT/Compatible & require a 9 pin connector
☐ Commodore 64/128 (Commodore interface)

PLEASE PRINT CLEARLY IN BLOCK LETTERS
DELIVER TO: (No P.O. Box numbers, please)

NAME _____

ADDRESS _____

POST CODE _____

REGISTERED TELEPHONE NUMBER _____

CHARGE MY CREDIT CARD ACCOUNT OR PHONE THROUGH TO (008) 252 754


☐ BANKCARD ☐ VISA ☐ MASTERCARD

ACCOUNT NAME _____

CARD NUMBER _____

EXPIRY DATE _____

SIGNATURE _____



Telecom and taxes

SPENDING MONEY on an Australian National Super Computer Centre was a waste of time unless funds were also available for constant upgrading, the First Australian Super Computer Conference was told recently in Canberra. Professor Larry Smarr from the University of Illinois, USA, said that super computers were developing so rapidly buyers needed constant updates to stay with the sharpest technology.

Smarr added that even in the US, many people did not understand the need for constantly upgrading super computer centres. 'Otherwise you won't have a super computer for very long - you'll have a machine you are paying an enormous mortgage on but it will not be the best,' he said.

He gave as an example the Cray III super computer now being planned, which had ten times the speed and four times the memory capacity of the Cray II. By 1993, the Cray IV will have 64 CPUs instead of 16, and will be six times faster than the Cray III (planned for release in 1990).

Super computing was useless without good quality scientists, Smarr told his audience. He said no matter how big a super computer is, if you haven't got good quality scientists you might as well save your money.

The PC end of the super computer was also vital, Smarr added. Users should only be vaguely aware that the super computer was at the back of the PC - it should be as transparent as possible.

'It's hard to believe only five years ago that PCs numbered tens of thousands in the US. Today there are 20 million. Even if you take the extreme view that a PC is one thousandth of a super computer then those 20 million PCs represent 20,000 super computer equivalents. In the US we only have 200 super computers.' He added that the computer revolution has come and gone in the last five years - and the PC won!

Skeptics claim they can do the same science on regular computers by taking more time, Smarr said. 'That's false - you can only do that with problems thousands of times less complex. If you choose to limit yourself with the machines you use, then your science will be thousands of times less effective.'

By 1993, the Cray IV will have 64 CPUs instead of 16, and will be six times faster than the Cray III yet to be introduced.

The effectiveness of any super computer was only as good as the desktop system scientists were using, Professor Smarr said. The three workstations 80 per cent of scientists and engineers used were Macintoshes, IBM ATs or Sun Unix-based systems.

'Because every year PCs get cheaper and more powerful, a super computer centre must always have the latest in PCs to get the most out of the super computer,' according to Smarr.

The data processing market was a very mature one worth some \$200 billion a year, but with only about a three per cent annual growth rate. Smarr thinks that the

real growth for computers is now in science and engineering.

'However the systems needed are different to DP demands; scientists and engineers want open systems in the Unix or Macintosh style. One thing a national super computer centre can do is provide a focus for computer manufacturers to develop the sort of systems scientists and engineers want.'

Professor Smarr also exploded the myth about US superiority in super computers. He told the conference only 15 per cent of the 500 top US corporations had a super computer; none had a Cray. The reason was that between 1970 and 1985, the US government did not support advanced computing in American universities.

'This meant that for 15 years US companies hired no one who knew about super computing. While you say the US is ahead of other countries, Japan, for instance, in fact, I think we are dead even. It is only since 1985 that US universities have got into super computing.

'The one area where we did preserve some super computing expertise was the National Nuclear Weapons Labs. That expertise has now gone into the civilian economy. At present only 150 US universities have about 800 super computer projects involving 2000 scientists. This has only happened in the last two years.'

Turning to software, Professor Smarr told the conference that scientists want super computers with easy to use interfaces. The software should conform to the desktop environment. One new approach was called visualisation, allowing scientists to see their results in graphic form.

'We have software which uses the eye-brain system rather than simply the analytical brain,' Smarr pointed out. 'The software allows scientists to represent graphically on screen in colour with three dimensions anything that might occur in nature.'

Smarr thinks that the computer was the greatest change in scientific technology since the printing press. 'Computers are breaking down academic barriers and bringing researchers from many different disciplines together,' he said.

The other benefit of a national super computer centre would be in attracting super intelligent scientists and engineers.



Don Faulkner, co-ordinator of the First Australian Super Computer Conference (left) and Professor Larry Smarr from the University of Illinois, USA. Smarr told the conference that unless funds were also available for constant upgrading, spending money on an Australian National Super Computer Centre was a waste of time.

CANBERRA COMMENT

'That's what will change Australia,' Smarr added.

Telecom charges

Rumours about time charging for local calls have started again, following release of a discussion paper from Australian National University economist, Dr Robert Albon. Time charging stories circulated last year with initial support from the government. However, the issue then faded following strong opposition from many business and community groups.

The AIIA has always said that software tax seriously handicapped computer development in Australia.

Albon's discussion paper suggests timed calls are inevitable. This is particularly likely when the ISDN, or Integrated Services Digital Network, becomes widely used. Telecom originally dropped the timed call idea when it discovered the costs of administration were as great as the extra money generated. However, Albon's paper questions Telecom's calculations – he estimates a 22 per cent increase in profit from time charging.

Albon's plan is to charge 16c per four minutes between 9.00 am and 6.00 pm. After 6.00, the rate would be 16c per six minutes and after 10.00 pm the rate would be 16c per 30 minutes. On Sundays the rate would drop to 16c an hour. With high weekday charges, the plan is obviously aimed at business fax and computer links.

Dr Albon claims that timed local calls would fit in with the government's policy of deregulating the telecommunications industry, although Telecom and OTC still have network monopolies. Turning the telecommunications industry over to private operators is Dr Albon's preferred option.

Telecom's attitude to charging for calls is backward when compared with countries such as New Zealand and the US where local calls are free. Telecom's problem seems to be in deciding exactly what business it is in. For instance phone installation costs and call charges discour-

age phone use even now. Telecom has the same problem as Kodak, Polaroid and Sony had some years ago. Once these three companies realised the market was largely in software, not hardware, their sales took off.

Telecom should be trying to put as many phones into Australian homes and offices as it can at the lowest possible price. As a nation we are not big phone users because many of us regard the telephone as an expensive necessity.

Software tax back-down

The Federal Treasurer, Paul Keating, recently announced that software sales tax was being scrapped. The Australian Information Industry (AIIA) has been trying since 1986 to have the tax removed. The AIIA has always said that software tax seriously handicapped computer development in Australia.

Another reason for dropping the tax may be because the legislation had too many loopholes. Sales tax remains on hardware.

AIIA's executive director, Bob Mounic said removing the software tax was good news for the computer industry. He added the AIIA was grateful for support from Senator Button, the Minister for Industry, Technology and Commerce – Button's department had helped to get a speedy decision on the sales tax problem from the tax department.

Gaol for computer criminals

A legal committee has recommended harsher penalties for all types of computer crime. The committee headed by Sir Harry Gibbs, retired Chief Justice of the High Court, said in its report that a new range of computer offences should be listed. These include obtaining access to data from a federal government computer without permission; destroying, altering or erasing data in a federal computer; interfering with the lawful use of a federal computer and committing the same offences through a Telecom line to any private computer.

The committee recommends that the maximum penalty be increased to ten years gaol or a \$48,000 fine. The committee said it believed the new penalties would deal specifically with computer hacking. Hacking is not well covered in state or federal laws at present.

Most unauthorised access to computers now was by employees who had some level of authority. They were usually illegally exceeding their permitted operating level, the committee concluded. ☐

FREE OFFER Accounting Software

Do you have a PC or are you thinking of buying one? So, what are you doing about your accounts?

The share market crash has made businesses even more brutally aware of how vital good accounting and information systems are.

Attaché, the biggest name in PC accounting software, has prepared a demonstration disk that runs just like the real thing. This is your opportunity to examine Attaché in the convenience of your office or home.

We will even include additional information specific to your type of business, size of company and areas of interest. Just tell us what they are.

Simply mail this FREE OFFER coupon today or phone (02) 929 8700. Distributors Australia wide.

Attaché

Bullet proof reliability.

Mail to: Attaché Software Australia Pty. Ltd.
10th floor, 8 West Street, North Sydney, NSW 2060.

Yes! Please send my FREE Demo Disk and other information about Attaché.

Name

Company

Address

..... P'code

Business Phone

Type of Business

Number of Employees

Dealer spoken to (if any)

Have PC? Yes/No

Disk size: ☐ IBM 5¼ ☐ IBM 3½ ☐ Apple Mac

Areas of interest (Please tick)

☐ Accounts Receivable ☐ Accounts Payable

☐ Invoicing ☐ General Ledger

☐ Inventory ☐ Payroll

☐ Other

Genuine Business enquiries only please.

YC

HOWARD A. KARTEN

AMERICAN GRAFFITI



ONE OF THE things I've often observed about people who are basically favorably disposed to technology is that they're usually curious. They often like to play with technology, and they can usually spot a technotoy right off. I call it the 'Hey-that's-neat' reaction. 'Hey, Zeke, lookit this whatzit.' 'Hey-that's-neat, what is it?' Even before he knows just what he's looking at, Zeke will understand that it's a 'technotoy', something that bears closer investigation.

Typically, Zeke will start by putting the new technotoy through some of its paces. Eventually, he'll start doing something fancy, or offbeat, or simply elegant. (This, of course, is what hacking really is – playing with something in a sophisticated way, wringing more and more out of it.) Maybe eventually he'll stumble onto a way to make a buck off it. And, ultimately, the newness will wear off, and 'Gee-whiz' is replaced by a bored yawn and a closer look at a new toy. This seems especially true for anyone who encounters technology at a comparatively early age. A key thing is that the whatzit has to be inexpensive enough in the first place to make it possible to play.

You can see at least some of this happening now with laser printers, and with AI. For a long time, you needed a mainframe and sophisticated software to do anything even faintly complex with AI; and even then, so many AI projects one heard about were something less than earth-shaking. I remember one AI professional meeting in which a graduate student described his AI project. It would ponder a list of the food ingredients you had on hand and your own preferences, and generate a list of possible Chinese recipes to cook. I knew AI still had a long way to go when he proudly displayed a sample output: a recipe for sardine chow mein, with raisins.

(Okay, I understand about crawling-before-walking, but why is it that AI folks persist in showing off these barely-formed efforts? Some day, I'll write a column about slow-wittedness in advertising dumb things.)

Today, several very affordable PC AI 'shells' on the market will speed you along in constructing your own expert system. The shells are just that – you have to supply the knowledge base, of course – but at least they're a tool to get people started. I think they'll finally start producing some real results very soon. One of my friends, for example, is thinking about commercialising a small expert system that will help you decide what to plant in your garden, based on how much sun you have, eating preferences, and so on. This expert system arose from a class project, but in a small way, maybe it's representative of what some of these expert shells can do.

Another possibility: given the relationship between younger folks and cars – fondness for tinkering, breakdowns produced by the interaction of tight budgets and older cars – I expect any day to see some kind of expert system that diagnoses mechanical problems. Here in the US, there's a nationally-broadcast radio program about car ills hosted by The Tappet Brothers, Tom and Ray. The brothers use their literally encyclopedic knowledge of cars, repair prices, and other trivia to help callers-in understand the problems their cars may be experiencing. There's probably no reason information such as theirs could not be fit into one of today's shells and sold for a reasonable price.

The incredible range of software and hardware available today


(and its prices!!) was undreamt of just a few years ago; I suspect this will be the situation with AI a few years from now – we'll be stunned at the commonplace software that today we literally have difficulty even conceiving!

Human behaviour

I suspect, too, that one of the most important benefits AI ubiquity will bring will be what we learn about human behavior. AI and the knowledge engineering process are intimately connected with human behavior and cognition. There are already strong links between the AI, cognitive science, and psychology communities – there have to be, because in order to simulate human behavior on computers, you have to keep asking questions about human behavior, and you have to get some repeatable or reproducible answers. Quite a number of artificial intelligencers are psychologists or have strong connections to that discipline, and within a few years, some AI specialties or skills will be recognised as important research tools into human behavior.

A similar phenomenon is being played out with that latest toy of the PC era, the laser printer. Once upon a time, lasers were exotic stuff, reserved for hi-tech labs, engineers with slightly crazed looks to them, and James Bond films. Just a few years ago, buying a laser printer meant plunking down approximately enough to outfit a revolutionary army in a third world country.

I suspect that when some future PC historian writes a comprehensive history of the era, we'll find that a lot of today's software, and concepts, has its origin in tinkering with nascent technologies. I'll bet that desktop publishing, for example, has its origin with some hacker tinkering with a laser printer in the early days (laser printers, too, have been around for a long time on main-



Technotoys are particularly popular with those who encounter technology at a young age – the key is that they must be inexpensive enough to play with.

frames – and have been hideously expensive) and realizing 'Hmm ... I bet it would be an easy thing to set up a routine to put a line down the page here, and another routine to change type styles or sizes in the middle of a document, and ... Hey-that's-neat!'

The new printers also brought a new sophistication to playing with them. In the old days, we did essentially goofy stuff with printers. For example, printers then were big and noisy, and had mechanically-operated covers that could be raised or lowered with computer commands. One of the mindless tricks we did was to make the cover go up and down a few times via a program. Or you could use the printer to create halftone pictures – different characters, or character combinations, could simulate the dots of a newspaper halftone.

Pictures of Miss January and her friends were quite popular back then, of course; now, laser printers can provide far more polished renditions.

By now, it should be clear that I think playing with AI shells, laser printers – all this computerstuff – is a wonderful thing. If you get the chance to play with any kind of advanced stuff, by all means, grab the opportunity. Aside from the inherent fun of it, and keeping you off the streets at night, who knows what kind of marketable product you might come up with.

Important stuff!

All of this reminds me of something from my childhood. Around the time of the first Sputnik, my adolescent colleagues and I in year 7 were concerned with much more important matters than memorizing history dates and the names of rivers. Like rockets. And electronics. And girls.

Our preoccupation with this important stuff often resulted in punishment assignments from one of our teachers. Often, this consisted of producing 5 or 10 or 20 copies of documents or passages of varying lengths and difficulties, given in the belief that repeated copying of a passage with appropriate moral and behavioral lessons would somehow breed Worthy and Noble behavior in us, as though through osmosis. Mrs Towger – Towger the Ogre – was inventive, so you never knew just what you'd get for misbehaving.


Towger the Ogre allowed us to type these copies, since she believed keyboard skills would be important to us all when we went off to college. Eventually, this led me to a brilliant idea.

I'd already started thinking about how computers and technology might make our lives easier. About 10 of us incorrigibles got together one weekend, and each of us typed about three of Mrs Towger's favourite passages to be copied, using different typewriters. Thereafter, when we incurred Mrs Towger's wrath, what we did, of course, was to make first-quality photocopies from the originals. Given her deteriorating eyesight, it was a while before she began to notice a similarity in the punishment copies we turned in, but by then, we'd settled down.

If we'd had laser printers and some AI software, we could have used it to predict what kind of misbehavior would produce what kind of punishment assignment and how many copies of which passage, and then produced them on the laser printer in a different type face. Think of what a hell of a use of AI and laser printers *that* would have been. I bet even Mrs Towger would have been proud of us.

Of course, even if we'd had all this stuff then, we'd probably not have been smart enough to do what the kids do today – get out there and earn zillions with it. Sometimes, no matter how much artificial intelligence you have, it's hard to get away from real stupidity. □

VOTED No 1 CAD IN U.S.



It's like night and day.

CADKEY has been providing 3-D CADD on a personal computer for over three years—our competitors are just getting around to it.

CADKEY has more than 36 true 3-D links to machining programs. The competition? Not even close.

CADKEY offers true solids creation—not cosmetic shading.


With CADKEY, you can have a prototype in a day, drive a 5-axis machine tool, or transfer 3-D information to any CADD system around the world. The competition? Compare CADKEY's features with any other PC CADD system. You'll want a closer look.

Join the 40,000+ designers who use real world design tools—not toys.

Minicomp

104-108 Mount Street, North Sydney
Telephone: (02) 957 6800

Cadkey is a registered trademark of Cadkey Inc.



Print it!

Part 1 of our annual Printer Feature covers laser, dot matrix and daisy wheel printers – whatever your requirements, from draft quality listings to letter quality reports, our survey will help you find a printer that suits. Next Month, for those who need high quality colour, we'll cover inkjets and thermal printers.

- with a laser, dot matrix or daisy wheel

TWENTY-FOUR pin dot matrix printers are now dominating the new printer category. Those available range from Seikosha's SL80, a basic machine priced under \$700, to Fujitsu's 450 cps DL5600 (around \$4800). In fact, dot matrix machines are still the cost effective solution to most printer requirements, from the humble 9-pin for home and basic office use to high volume, 24-pin workhorses suitable for use with data processing.

If your printer needs to be able to produce spreadsheets, then you'll most likely want a wide carriage (132 column) model; even if a wide carriage model isn't listed, ask the distributor – we've tried to make the survey as up-to-date as possible, but new models are being released as fast as you can say 'cps'.

Last year, Epson introduced paper parking, which made the switch from continuous feed stationery to single sheets much quicker and less frustrating. Most new models from other manufacturers have now incorporated it – if your printing needs call for a few high quality letters between long continuous feed runs, or vice versa, this is a feature worth looking for.

While dot matrix machines continue to be the big sellers, laser printers are ready to close the gap. While the cheapest in our survey is priced at \$3000, shopping around is always a good idea – 'name' brand lasers are often advertised for much less. If you are considering a laser printer for desktop publishing, you are no longer restricted to PostScript printers for high quality output and font manipulation: President Computers, (02) 476 2700, market SoftScribe, and Software Express, (03) 663 6580, have Digifont; both of these products give almost any laser printer the practical power of PostScript.

If you are buying a new printer to use with 'old' software, ensure that the software has a driver for one of the printer's emulations (and don't take anyone's word for it: if necessary take the software and a sample file with you and ask to see it printed out from the *software* before agreeing to take the machine – even better, ask to have the printer demonstrated with your computer, since few things are more frustrating than bringing home a new printer and discovering that either your computer refuses to be introduced or that a gender-bender or other 'bit' is required).

It may be tempting to pay extra money for a machine with more resident fonts and emulations than another, but few offices actually use more than 2 or 3 fonts (plus italic, bold and other variants) – so consider if the expense is justified. However, if you need (or seriously anticipate the need for) more fonts than a printer under consideration has, look at another printer – optional font cartridges can be expen-

sive 'add-ons' (if they are available: many manufacturers have an extensive catalog of cartridges and other options, but how many of these are available in Australia, even with an 8-week wait, is another story).

In fact, with any computer equipment we advise 'to buy more than you need today' – after-market add-ons are expensive; you can save a great deal of money by getting everything you need in one bundle, whether it's as standard features or a selection of options.

One final warning: beware of printers with an LCD display that gives cryptic codes rather than plain English – if you are trying to reset default font styles, or change other parameters, or figure out what ERR@43 might mean, you could spend a lot of time searching the manual (if you can find it)!

Note: Print speed, decibel ratings and other specifications are manufacturer's ratings; these should be taken as a guide only. Distributor's phone numbers are included with each printer, in case your local dealer doesn't handle a model you are interested in.

Laser Printers

Six Pages Per Minute

Informate LP6000

CC Data Computers,

(02) 281 5122

\$3000

This laser printer is driven via a video interface, which provides faster data transfer rates than the usual parallel or serial interfaces. It requires a controller card with one megabyte of RAM to be installed inside the host computer. The Informate LP6000 is provided with all FX-105 compatible fonts and over 230 other fonts on disks that are compatible with HP LaserJet Plus cartridges and soft fonts.

Epson GQ-3500

Epson Australia,

(02) 452 0666

\$3360

The range of laser printers increases each year, and inevitably, the prices gradually fall. From the present range, the ones that represent the best value are the Brother HL-8e 8 page per minute printer with plenty of fonts and emulations as standard, and Texas Instruments' Omnilaser 2106 PostScript printer (reviewed this issue). All of the laser printers have a maximum resolution of 300 dots per inch, and most of them are clones using either a Canon or Ricoh engine (the practical difference between the two is that the Ricoh-based machines tend to be a bit smaller).

PRINTERS



The GQ-3500 is a 6 page per minute page printer with a parallel interface, a 150 page input tray, and 0.5 megabytes of RAM which can be upgraded to 2Mb. It has three internal typefaces, each with enhancements such as double width, double height, superscript and subscript. Resident emulations are LQ-1500, line printer mode and page printer mode. Additional fonts and emulations (Diablo and HP LaserJet Plus) can be accessed with the use of plug in cards. Also optional is a 250 sheet input tray.

Commodore LP 806
Commodore Business
Machines,
(02) 427 4888 **\$3999**

This printer has 15 built in fonts, auto and manual feed, and a standard 113K of memory. An MS DOS diskette is supplied containing five extra printer emulations, extra fonts, and a laser control program to specify number of copies, justification, layout and graphics. There is an optional memory upgrade to a total of 497K. It is compatible with Commodore Amiga and PC compatible computers.

OKI Laserline LL6E
IPL Datron,
(02) 698 8211 **\$4194**


6 pages per minute print speed, three type faces with enhancements, and HP LaserJet II emulation. Options include extra RAM

to 2.5Mb, plug in font cartridges, a 3-port serial/parallel interface, and a 550 page auto load paper input tray.

Tandy LP 1000
Intertan Australia,
(02) 675 1222 **\$4299**

A 6 page per minute laser printer with 1.5 Mb of memory. Front panel controls allow selection of fonts and type styles. A parallel port is standard, and it emulates the IBM proprinter, Tandy 2110 and HP LaserJet Plus. It has four standard fonts, with extra downloadable fonts as options.

Ricoh PC 6000
Mitsui Computer,
(02) 452 0452 **\$3995**



In its basic form, a 6 page per minute laser printer with 1Mb of memory. It has both serial and parallel interfaces and it has Diablo 630 emulation as standard. Optional emulations include HP LaserJet Plus, IBM ProPrinter and Epson FX-80. Memory can be upgraded to 5.5Mb. The input tray

takes 150 sheets and it can feed letterheads, envelopes, labels and transparencies. A version with a Mitsui controller costs \$5559, and a PostScript upgrade, available soon, costs \$2500. Alternatively, a Ricoh PC 6000PS, which has PostScript installed, costs \$7995.

Sharp JX-9300
MPA International,
(03) 894 1500 **\$4150**

Six pages per minute and five standard emulations including Epson FX-80, IBM ProPrinter, HP LaserJet Plus, Diablo 630 are features of this printer. There are two resident fonts, and additional fonts are available via downloading and optional font cards. The JX-9300 has both parallel and serial interfaces. Options include a 1.5Mb expansion memory.

Omnilaser 2106
Texas Instruments,
(02) 887 1122 **\$8757**

This printer has features that make it almost ideal for a single user desktop publishing workstation. With multiple emulations and interfaces, the 2106 is suited to a wide range of host computers and software (see the review this issue). It has the PostScript language resident, 35 PostScript typefaces and the ability to print both envelopes and transparencies. It has a 3000 prints per month duty cycle, 2Mb RAM, parallel, RS-232-C, RS-442 serial and Apple Talk interfaces, and emulations include Diablo 630, HP LaserJet Plus, TI 855 DP/WP and HP 7475A Plotter (HP-GL language). Extra fonts can be downloaded from the host computer or via font cartridges.

Eight Pages per Minute

LaserPro Series II Express
Kenelec,
(03) 560 1011 **\$3695**


This printer has as standard 1 Mb RAM, parallel and serial interfaces and 27 fonts. It emulates HP LaserJet Plus, IBM ProPrinter, Epson FX-80, Diablo 630, Qume Sprint 11, NEC Spinwriter and lineprinter. It has one font cartridge slot, fully compatible with HP font cartridges, and you can put as many fonts on a page as memory allows.

LaserJet Series II
Hewlett Packard Australia,

(03) 895 2895 **\$4680**

An eight page per minute industry standard printer, with HP's PCL printer language built in. It is compatible with the same software, font cartridges, and soft fonts that work with the original LaserJet and LaserJet Plus printers. It has a parallel interface and an RS-232C/RS-422A serial interface. There is a 16 character LCD status readout on the control panel, and 512K of memory is standard. Paper handling is via a 200 page input tray, and a 100 sheet capacity output tray. The printer handles envelopes using the manual feed tray, or an envelope feed accessory. Optional extras include memory expansion up to 4.5 Mb and there are many font cartridges available. A new dual bin version (LaserJet IID) has been released, which doubles the paper capacity to 400 sheets, and is equipped with two paper trays, duplex (two sided) printing and it also has 24 fonts. The IID sells for \$8880, taxed.

Brother HL-8e
Brother Industries,
(02) 887 4344 **\$5550**



An enhanced eight page per minute Canon engined printer with plenty of features including five resident type styles, which can provide over 30 resident fonts. Emulations include HP LaserJet Plus, HPGL (Hewlett Packard Graphics Language) for plotter emulation, Diablo 630, Brother Twinriter, IBM ProPrinter XL and Epson FX-80. One megabyte is standard, but this can be expanded to 3. The HL-8e has both parallel and serial interfaces, and options include font cartridges.

LaserPro Gold Express
Kenelec,
(03) 560 1011 **\$5785**

A flexible eight page per minute printer that is a plotter as well, so that it is suitable for a range of applications from word processing to CAD/CAM to printing bar codes. Emulations include HP Graphics Language (7475A Plotter), HP LaserJet Plus, Epson FX-80, Diablo 630, IBM ProPrinter, Qume Sprint 11, NEC Spinwriter 3550 and line printer. Thirty-three fonts are standard, and a slot accepts HP font cartridges. Custom fonts can be generated, graphics are supported, and there is 2.5 Mb RAM standard, which can be upgraded to 4.5 Mb.


Apple LaserWriter IISC

Apple Australia,
(02) 452 8000 **\$5995**

An entry level, single user model for the Macintosh. - it produces eight pages per minute using a Canon SX second generation print engine. This model has a SCSI (Small Computer Systems Interface) connector, which allows high speed data transfer for fast printing. A PostScript model, the LaserWriter IINTX, is available for \$9495, and it can be networked. At the top of the range is the LaserWriter IINTX, for \$12995, with a 68020 processor.

Ricoh LP4081M

Mitsui Computer,
(02) 452 0452 **\$9250**



With a rated duty cycle of 10,000 pages a month, this printer is built to last. It has Diablo 630 emulation as standard, with other emulations, such as HP LaserJet Plus, Epson FX80 and IBM ProPrinter available as options in cartridge form, or they can be downloaded from the host computer. It has 1.5 Mb of memory which can be upgraded to 6 Mb, serial and parallel interfaces, a 250 sheet input tray, and it can feed letterheads, labels and transparencies, but not envelopes. A PostScript upgrade will soon be available.

Omnilaser 2108

Texas Instruments,
(02) 887 1122 **\$10057**

This printer has many of the features of the 2106, with built in PostScript, 35 resident PostScript typefaces, a M68000 processor, and a host of emulations and interfaces. But it is a more rugged version, rated at 10,000 prints per month duty cycle with a 250 sheet input bin. It also has two font cartridge slots, four non-PostScript resident fonts, and 2 Mb RAM.

Ten and Twelve Pages per Minute

Panasonic KX-P4450

National Panasonic (Australia),
(02) 886 0224 **\$4995**

This printer is rated at eleven pages per minute. It's wide selection of fonts and emulations include HP LaserJet Plus, Epson FX-286, IBM ProPrinter, and Diablo 630. It has 512K of RAM, both parallel and serial interfaces, a duty cycle of 5000 pages per month, and two paper input cassettes, holding 250 sheets each. Options include 1 Mb expansion RAM and font cards.

Mannesman Tally MT910

MPA,
(03) 894 1500 **\$7150**

A ten page per minute printer with 512K of memory, two resident fonts, a 16 character LCD display on the front panel and dual paper feed cassettes. Emulations include Epson FX, IBM ProPrinter, HP LaserJet, Qume and Diablo. There are three modular interfaces: Dataproducts parallel, centronics parallel, and serial.

Dataproducts LZR 1230

Dataproducts,
(02) 451 3233 **\$8340**

The LZR 1230 outputs at a fast 12 pages per minute. It has three concurrent interfaces (one parallel and two serial), which means it can be shared by three simultaneous systems; up to 10 work stations can be supported in a network. A 16 button keypad and a 16 character status LCD allow menu operations from the front panel. The LZR 1200 print engine is the same as that found in the 1260 (which also has PostScript; the 1230 can be upgraded to the 1260). The 1230 emulates Diablo 630, Epson FX 80 and HP LaserJet Plus). It has six resident fonts

in different sizes and proportional.

Toshiba PageLaser12

Toshiba,
(02) 887 3322 **\$7524**

A heavy duty, 12 page per minute printer with up to 25,000 page per month duty cycle. A single input bin holds 250 sheets, and up to 750 sheets can be handled with an optional dual bin holder. Standard emulations include HP LaserJet 500 Plus, Diablo 630, Toshiba P351/Qume Sprint 11, IBM Graphics Printer, Toshiba Graphics Draw command set. Standard memory is 512K expandable to 2 Mb. One parallel and one serial interface is standard. Options include font cartridges, download fonts, envelope feeder, and an output jogger/collator.

Fujitsu RX7200

Fujitsu Australia,
(02) 410 4555 **\$TBA**

A 12 page per minute, second generation laser printer with 640K of memory as standard (expandable to 4.6 Mb). A 250 sheet internal paper cassette feeds paper, from B5 to legal size, through the printer to the top-mounted stacker where they are stacked face down in the proper order. A built in manual feed slot can handle smaller, thicker papers and transparencies. The RX7200 has three standard fonts, and HP LaserJet plus, Diablo 630, Epson FX and IBM ProPrinter emulations. Optional cards can be used for additional emulations and fonts.

Dataproducts LZR 1260

Dataproducts,
(02) 451 3233 **\$15,540**

With this new versatile laser printer, standard equipment includes Postscript, 35 resident fonts (11 typefaces with enhancements), HP LaserJet Plus emulation, RS-232 serial, parallel, and AppleTalk interfaces. A 68020-based Postscript controller enables the LZR 1260 to have a throughput of 12 pages per minute for all but the most complex pages. It is suitable for multi-user networks and can support up to 10 work stations. Options include a multi-cassette paper feeder.

Fifteen to Seventeen Pages per Minute

LaserPro 1510R

Kenelec,

(03) 560 1011 **\$11,950**

A 15 page per minute printer with 27 resident fonts, a 25,000 page per month duty cycle, and emulations that include HP LaserJet Plus, Epson FX-80, Diablo 630, IBM ProPrinter, NEC Spinwriter, Qume Sprint 11, ANSI 3.64 and line printer. Paper feed is from two input trays that hold 250 sheets each.

Ricoh LP 4150M

Mitsui Computer,
(02) 452 0452 **\$12,434**

This laser will print the first page in less than 12 seconds and 15 pages per minute after that. It has dual paper feed cassettes that can hold 250 sheets each, and a 500 sheet output tray. The front panel includes a 16 character LCD display, and with a 25,000 page per month duty cycle, it is ideal for heavy duty office use.

Omnilaser 2115

Texas Instruments,
(02) 887 1122 **\$14,407**

Another heavy duty 15 page per minute page printer with the PostScript language on board. A duty cycle of 25,000 pages per month, two 250 sheet input bins, a 500 sheet output bin, four on-board fonts, two font cartridge slots, and interfaces and emulations as for the Omnilaser 2106. A non-PostScript version, the 2015 is also available.

Fujitsu RX 7300E

Fujitsu Australia,
(02) 410 4555 **\$TBA**

Fujitsu has designed this high-end laser for use with multi-user networks. It outputs at a fast 17 pages per minute, and has a duty cycle of 25,000 sheets per month. A large capacity input hopper is available which can hold 1000 sheets, or 250 page cassettes can be used. Full page graphics printing is possible since the printer has 2.5 Mb of RAM standard. Six emulations and three fonts are standard. Noise level is less than 52 dBA.

LED Page Printers

Silentwriter LC-850/815

NEC Information Systems,
(02) 438 3544 **\$5988**

Quiet (52 dBA) operation is the hallmark of this new type of printer using LEDs instead of a laser. This machine gives 8 pages per minute output, parallel and serial interfaces, four resident fonts, and a choice of emulations

Heavy duty printing!


THE CONRAD International on the Queensland Gold Coast is Australia's largest hotel with 622 guest rooms and suites. Twenty-four hour entertainment is provided in Jupiters Casino, restaurants and function rooms. It also includes the Pavilion Convention Centre, which can provide maximum seating of 2300.

The Hotel and Casino's MIS Manager Peter Thomson said, 'We chose the Toshiba PageLaser 12 because it suited all of our requirements, and in the six months it's been operating.

'As we do not believe in windowed envelopes, it was necessary for the printer to be able to print names and addresses onto envelopes as well - Fortunes Disco is a good example. We send out regular mailers informing previous guests of coming events which may interest them.'

The largest job for the PageLaser 12 so far has come from the Casino where every three months a special mailer of tens of thousands of letters and envelopes need to be printed. 'This mailing list is continually growing because all winners of \$50 or more at one time on the video games or live Keno have the chance of winning a luxury car at the end of each month, just by placing their name and address on a special card and placing it in a barrel. This month, we will be printing a mailer of 13,000 letters and envelopes in one day,' explained Thomson.

The PageLaser is linked to the complex's IBM System 38 through a special interface. The System 38 assists in most departments including all secretarial services, Keno and Video Departments and Fortunes Disco. 'It not only performs the function of printing major mailing lists but also the everyday



word processing, and spreadsheet documents required by the MIS Department and Hotel complex,' Thomson continued.

'Not only is the PageLaser 12 expected to do the job of a small printing press, it is expected to do so non-stop. Previously we used a letter quality printer which could take up to two weeks to finish the job, with many many breakdowns in the middle. That printer was good, but the Toshiba is just brilliant!' - MIS Manager for the Conrad International Hotel and Jupiters Casino, Peter Thomson, shown with the PageLaser 12.

'We have also printed restaurant menus on the PageLaser 12. The printer has also performed well on all grades of paper from smooth to granulated. We have found the PageLaser extremely

reliable and a true workhorse considering the amount of material we are passing through it.'

This is a heavy duty printer designed to handle up to 250,000 pages per month. It has an output speed rated at 12 pages per minute, and a duty cycle of 600,000 pages; extendable to 1.2 million pages with a service kit. Paper handling is via a single 250 sheet feeder, with an optional dual-bin feeder for an extra 500 sheets. Other options include an envelope feeder and an output collator. It has multiple emulations including HP LaserJet, 512Kb of RAM, extendable to 2 megabyte, one parallel and one serial interface, and the ability to accept font cartridges three at a time and downloaded fonts.



The MIS department of Australia's largest hotel, the Conrad International, and Jupiters Casino needed a heavy duty printer capable of 250,000 pages per month and able to handle envelopes.

(Spinwriter, Diablo or ProPrinter). It will print in portrait or landscape, and extra fonts are available in cartridges or they can be downloaded into the printer's RAM. These models can be upgraded to the mid range LC-860/866, and there is a PostScript version, the LC-890, with

Appletalk/RS-422 interface, 35 fonts and 3 Mb RAM for \$10428 taxed.

Fujitsu RX7100
Fujitsu Australia,
(02) 410 4555

\$TBA

A five page per minute printer with a small footprint, two 150-sheet paper hoppers, a manual

feed slot, two resident fonts and quiet operation (less than 53 dBA). HP LaserJet Plus emulation is standard, and there are both serial and parallel interfaces. It has 640K of RAM expandable to 4.6 Mb and optional cards that can provide extra fonts and emulations.

Dot Matrix Printers

9-Pin Printers

Brother M1109

Brother Industries,
(02) 887 4344

\$492


With a maximum speed of 100 cps in draft and 25 cps in NLO,

ExpressWriters for the Mobile

TOSHIBA recently released two new printers, designed for people on the move. The ExpressWriter 301 and 311 are both 24-in printers, capable of turning out letter quality printing.



The ExpressWriter 301 provides portable printing for those on the move. Built in NiCad batteries supply power for one hour of printing before they have to be recharged.



The ExpressWriter 311 has a compartment for storing the power cord, and a carry handle. It can accept font cards, deluded fonts and RAM can be boosted to 48Kb.

The ExpressWriter 301 is a true portable, with power supplied from a built-in battery, or from connection to a mains outlet. It is also a quiet printer, at 47 dBA, and it weighs just 1.8 kg. It is quite small, measuring 7.6 cm high, 31 wide and 13.9 deep. Toshiba are aiming this product at mobile professionals and executives in the areas such as sales, insurance, medical, investigation, and real estate: in fact, at every owner of a portable computer is a likely customer.

The NiCad battery can be recharged, and it will last for about one hour of printer use. The 301 has a Centronics parallel interface, Toshiba/Qume P321, Epson LQ emulations, four fonts, and the IBM extended character set.

The 301 prints at a speed of 60 cps in draft mode, which is not particularly fast, but for a battery powered 24-pin printer, you have to make some sacrifices. The ExpressWriter 311, on the other hand, prints at 180 cps and 60.cps in letter quality mode. The 311 is mains powered, but is still portable, with a special compartment built in for storing the power cord, and a carry handle.

Resident emulations are Toshiba/Qume, Epson LQ and IBM Pro-Printer. It has a parallel interface (serial optional), tractor and friction feed, five fonts, 360 x 360 dpi graphics, the extended IBM character set, and a rated sound level of 56 dBA, or 53 dBA in quiet mode. Optional extras include a RAM card to boost RAM to 48Kb, font cards, downloadable fonts, and a carry case with shoulder strap. It weighs 4.9 Kg and measures 12 cm high by 40 wide and 31.7 deep.

this 80 column printer is one of the least expensive. It has Epson FX-80 and IBM Graphics printer emulation, serial or parallel interface, and Prestige is the standard font. Options include a pin feed unit and a roll paper holder.

Tandy DMP 107
Intertan Australia,
(02) 675 1222

\$499

A 9-pin printer with Tandy and IBM operating modes. It is suitable for data processing, word

processing (in Tandy mode only), and graphics. It can print at 100 cps maximum speed, or 20 cps in near letter quality (NLQ) mode. Print options include proportional spacing, italics, super/subscript and microfont. It has a noise level of 55 dB; a parallel port and a Tandy 4-pin serial port.

Commodore MPS 1250
Commodore Business
Machines,

(02) 427 4888

\$525

A bi-directional 9-pin print head produces 120 cps in draft, and 24 cps in NLQ (near letter quality). This printer is suitable for Commodore users who wish to upgrade from the Commodore 64 or 128 to IBM PC compatibles or to the Amiga, as the dual Parallel/Commodore Serial (ports accommodate each of these computers). It has a tractor feed for fanfold paper and fric-

tion feed for single sheets. User definable print types and styles include Elite, Pica, Expanded, Compressed, Emphasized, Doublestrike, Italics and more.

OKI Microline ML182/183
IPL Datron,

(02) 698 8211

\$526/\$958

Respectively, 80 and 132 column versions at the low end of OKI's range of printers. They have a bi-directional print head, and a

PRINTERS

speed of 120 cps utility printing, 20 cps NLQ. Graphics resolution is 240 x 144 dots per inch. Parallel or serial interface.

Epson LX-800
Epson Australia,
(02) 452 0666 \$550

An economical 9-pin printer from Epson, with a 180 cps draft printing speed, or 25 cps in NLQ. It has two NLQ fonts, the IBM graphics character set, a built in tractor feed unit, a parallel interface, and a Selectype control panel. Options include a serial interface.


Tandy DMP 132
Interlan Australia,
(02) 675 1222 \$599

This 9 pin printer has three operating modes: data processing, word processing and graphics. It has Tandy and IBM character sets, a noise level of 58 dB, 120 cps maximum speed, tractor feed and friction feed. Print options include italics, proportional spacing, 'correspondence quality' super/subscript, and microfont. A parallel port and a Tandy serial port are standard.

Commodore MPS 120
Commodore Business
Machines,
(02) 427 4888 \$899

A wide carriage bi-directional 9-pin dot matrix, with 120 cps in draft and 20 cps in NLQ mode. It has all points addressable graphics and friction or tractor feed, with the tractor feed from the bottom or back of the printer. It is suitable for all printing applications, especially for printing out spreadsheets. For Commodore Amiga and PC compatible computers.

OKI Microline ML320/ML321
IPL Datron,
(02) 698 8211 \$958/\$1198




Respectively, 80 and 136 column printers, with a maximum speed

of 300 cps; 63 cps NLQ. Other features include a bi-directional print head, and 288 x 144 dpi graphics. These printers have Epson FX and IBM ProPrinter emulations and parallel or serial interfaces.

Epson FX-850/1050
Epson Australia,
(02) 452 0666 \$1000/\$1225

These are 80 and 136 column successors to the FX-800 and FX-1000 models. They have paper park, top of form memory, short tear off, paper thickness adjustment and a paper tensioning facility which allows printing on the top inch of the paper. They print at 264 cps in draft mode, and 45 cps in NLQ. Rated sound level is 65 dBA.

Epson EX-800/1000
Epson Australia,
(02) 452 0666 \$1057/\$1280



Narrow and wide carriage printers with a speed of 300 cps draft and 50 cps in NLQ mode. Centronics parallel and serial interfaces are standard, and there are two built in NLQ fonts. A colour kit can be added by the user.

Fujitsu DX2300/2400
Fujitsu Australia,
(02) 410 4555 \$1260/\$1620

These are 80 and 136 column versions of Fujitsu's 9-pin printer. They print up to 270 cps in draft mode. A user installable colour upgrade kit is available. Epson FX, IBM graphics printer and ProPrinter emulations. Parallel or serial port. NLQ Courier font with italics. It is possible to insert cut sheets without removing continuous forms. Noise level 55dBA.

Seikosha MP-1350
Mitsui Computer,
(02) 452 0452 \$1285

This printer prints at 300 cps in draft mode, and 50 cps in NLQ. It has both parallel and serial ports, Epson FX and IBM Graphics printer emulation. It is an 80 column printer, and a 136 column printer is available (MP-

3550). Options include a colour kit and a cut sheet feeder.

Commodore MPS 2020
Commodore Business
Machines,
(02) 427 4888 \$1299

Suitable for both Commodore Amiga and PC users, this printer has a print speed at 300 dps in Superdraft, and the ability to print in colour. It has a built in pin feed mechanism for continuous feed paper and it also prints on standard single sheet paper. It prints at 100 cps in NLQ mode and can handle bit image graphics. Options include a tractor feeder and a cut sheet feeder.

Tandy DMP 440
Interlan Australia,
(02) 675 1222 \$1499

A wide carriage 9-pin printer, with a maximum print speed of 300 cps (50 cps in NLQ mode). It has three modes for word processing, data processing and graphics, and it prints correspondence quality, condensed, super/subscripts, and italics. Parallel and Tandy serial ports.

Epson DFX-5000
Epson Australia,
(02) 452 0666 \$4485

A 533 cps printer for high volume requirements. For business correspondence, the DFX-5000 has an NLQ mode that is rated at 80 cps. In addition, there is a dual paper path, allowing the use of two different kinds of fanfold paper at once. A button on the front panel selects front or rear paper feed, so you can fill out a form one minute, print a spreadsheet the next. A tear off button can be used for feeding the last page to the rail for tearing at the perforation, then it retracts the paper to a position for printing the next document. Both parallel and serial interfaces are provided and options include Twin-ax and Co-ax for IBM systems, or the IEEE-488 interface.

18-Pin Printers

Mannesman Tally MT340
MPA,
(03) 894 1500 \$4620

A heavy duty printer with 600 cps draft and 120 cps NLQ output. The print head is circular and uses a ring magnet technology. It has a duty cycle of 13,000 pages a month and a noise level of 53 dBA. It is compatible with Epson FX-105, IBM Graphics and Pro-

Printer, and has a parallel interface, serial optional.

Brother M4018
Brother Industries,
(02) 887 4344 \$3252

A high speed printer with 480 cps draft, 100 cps NLQ, and 67 cps letter quality printing. It can handle all types of word processing, data processing and graphics tasks in a high volume environment. It has paper parking, and paper can be fed through top, rear or bottom (optional) for multi-part forms up to six parts. The two resident fonts can be enhanced with an optional font card. The M4018 uses fabric or multistrike film ribbons, and colour ribbons are optional. Both parallel and serial interfaces are standard, with IBM ProPrinter and Epson FX emulations.

Dataproducts 8070 PLUS
Dataproducts,
(02) 451 3233 \$3870

A ruggedly built printer designed for high volume output with 400 cps maximum output in draft mode, 300 cps correspondence quality printing, and 100 cps letter quality output. It has both a parallel and a serial port, 132 column print width, tractor feed, and auto cut sheet insertion from front, bottom, and rear. Standard emulations are IBM Graphics, IBM Colour, and Dataproducts P-Series. A colour version is also available.

Seikosha SBP-10
Mitsui Computer,
(02) 452 0452 \$6533

The fastest printer on the block: 800 cps in draft mode, 400 cps in correspondence mode, and 200 cps in NLQ mode. This is a high volume, heavy duty printer with many features such as paper parking, a cut sheet feeder, bi-directional printing, a 32 character LCD readout on the front control panel; rear, bottom and front paper path feed; 136 column printing, and a bi-directional push/pull tractor. It has two resident fonts, extra optional font cartridges, parallel and serial interfaces, and Epson ESC/P and IBM ProPrinter emulation. An IBM Twin-ax version for operation in the IBM 34/36/38 environment, and a Coax interface for the IBM 3270 environment are available also.

24-Pin Printers

Facit B1400

Elmeasco Instruments,
(02) 736 2888 \$926

A basic 24-pin printer with 135 cps draft printing, and 45 cps in letter quality. It emulates the IBM ProPrinter X24, and has a parallel interface. It has a simple control panel, and it is compact and quiet (50 dBA).

Seikosha SL80
Mitsui Computer,
(02) 452 0452 \$653

An 80 column printer that has a maximum print speed of 135 cps in draft and 60 cps in letter quality mode. It has a pull tractor, a parallel interface, and Epson LQ1000 and IBM Graphics emulation. A 132 column version, slightly faster as well, costs \$1642.

Epson LQ-500
Epson Australia,
(02) 452 0666 \$888

A compact, economical 24-pin printer with a draft speed of 180 cps, and a LQ speed of 60 cps. Two resident LQ typefaces can be augmented with optional font cartridges. Print enhancements include outline and shadow printing. It has a pull tractor as standard that attaches to the top of the printer body. Noise level is rated at 62 dBA.

Panasonic KX-P1124
National Panasonic
(Australia),
(02) 886 0224 \$899

A newly released 24-pin model, with a carriage wide enough to accommodate an A4 page sideways for spreadsheet printing. It also has a push-pull tractor feed, paper park, a front feed path for printing on cards or stiff paper, a bottom feed path for use on a slotted table, and an optional cut sheet feeder. Margins, fonts and pitches can be adjusted from a front operation panel. Internal fonts include courier, prestige, bold proportional spaced, script, sans serif and two draft fonts.

NEC P2200 Pinwriter
NEC Information Systems,
(02) 438 3544 \$942

A maximum print speed of 168 cps in draft, and 60 cps in letter quality mode with Epson LQ emulation. A single parallel interface with an optional serial kit and five pitch settings. Paper handling includes a push/pull tractor, tear off bar and a single sheet front feed slot. Noise level 57 dBA, or 54 dBA in quiet mode (selectable from the front panel).

Brother M1224L
Brother Industries,
(02) 887 4344 \$954

A compact model with a clean cut design that can produce letter quality printing at 54 cps, and draft at 162 cps. It can handle both cut sheets and multipart continuous forms paper, with an attached pull tractor. It does not have a paper park feature. The M-1224L has a parallel interface and it emulates the Epson LQ500. It would be suited to printing personal letters and executive correspondence in a situation which does not require the frequent changing between cut sheet and fanfold paper.

Toshiba P321SL/P341SL
Toshiba,
(02) 887 3322 \$1310/\$1660

Narrow and wide carriage versions with a maximum speed of 216 cps in draft mode and 72 cps in letter quality. Resident emulations are IBM ProPrinter and Toshiba/Qume. Graphics are 360 x 360 DPI maximum. There is a built in tractor, a fanfold bypass, and an auto load feature. Serial and parallel interfaces are standard. Options include extra emulations and fonts; extra memory and a single/dual bin sheet feeder.

Epson LQ-850/1050
Epson Australia,
(02) 452 0666 \$1215/\$1560

80 and 136 column versions of Epson's mid range 24 pin printers. Smart park paper parking, 264 cps draft and 88 cps letter quality printing, two resident LQ fonts with enhancements and both serial and parallel interfaces. Options include a pull tractor, a cut sheet feeder and font modules.


P5200/P5300 Pinwriter
NEC Information Systems,
(02) 438 3544 \$1194/\$1788

80 and 132 column versions of NEC's 24-pin text and graphics printers. Maximum resolution 360 x 360 dots per inch. Maximum print speed 265 cps in high speed draft; 94 cps in letter quality. A wide range of standard fonts include Courier, Prestige Elite, Times Proportional, ITC Souvenir, Bold Proportional and Helvette; with variations such as bold and italics, you have access to over 36 type styles. An 80K print buffer increases processing speed, and options include a snap-in colour kit, sheet feeder

and font cards. Paper parking, a tear off bar and a built in push tractor assist efficient paper handling. Noise level is 57 dBA, or 54 dBA in quiet mode.

Brother M1724L
Brother Industries,
(02) 887 4344 \$1662

A versatile text and graphics 24 pin printer from Brother, with 216 cps draft printing and 72 cps letter quality. Paper parking makes the loading of paper easy.



Two resident typefaces can be altered with a full range of enhancements, and extra fonts are optional. The M1724L has a dual serial/parallel interface and emulates Epson LQ-1000, IBM ProPrinter XL, Brother HR and Xerox/Diablo 630. Options include a cut sheet feeder and the LQ-300 font/RAM board.

Fujitsu DL3300/3400
Fujitsu Australia,
(02) 410 4555 \$1740/\$1980

Respectively, 80 and 136 column printers with two letter quality fonts for business letters or pie charts. Print functions include underscore, bold overprint, shadow print, justify, italics, double high, double wide. Maximum speed in draft mode is 240 cps. Automated paper handling and a simple control panel. Optional snap-in font cards, cut sheet feeder and colour kit. IBM ProPrinter, Graphics Printer, Epson IX-80 and Diablo emulations. Noise level 55 dBA.

Accel-500
Kenelec,
(03) 560 1011 \$1990

This printer specialises in high speed draft (480 cps) and high resolution colour graphics (up to 240 x 480 dpi). It prints at 200 cps in memo quality, and 80 cps in letter quality. Resident emulations are Diablo 630, Xerox 4020, Epson IX, Epson LQ-2500, IBM XL24, IBM 5812. There are four


resident fonts and a Select dial with LCD English display for making selections and moving paper. The 256 character IBM graphics set is supported. Noise level 55 dBA.

Dataproducts 9044C
Dataproducts,
(02) 451 3233 \$2094

One of the Dataproducts 9000 range of 9- and 24-pin 300 cps printers. This one has a wide carriage and colour capability. Standard interfaces are parallel and serial, with Gothic and Courier fonts. The 9044C emulates Epson LQ 800/1000 and Diablo 630. It has a paper parking facility for quick changes between fanfold and cut sheet paper, and options include extra fonts, extra memory and automatic sheet feeders.

Fujitsu DL2400
Fujitsu Australia,
(02) 410 4555 \$2250


An 80 column printer designed for a high production environment that requires speedy draft



output as well as letter quality printing. A colour model is also available. Print speed is a maximum of 216 cps (12 cpi draft). There are two letter quality fonts, and optional font cartridges are available. The front panel contains a sixteen character LCD status display. Noise level is 53 dBA, and other features include paper parking, IBM Graphics Printer and Diablo emulations.

Toshiba P351SX
Toshiba,
(02) 887 3322 \$2651

Wide carriage 360 cps draft and 120 cps letter quality printing, with a colour kit option. 360 x 360 dots per inch graphics resolution, parallel and serial interfaces, 32Kb RAM are standard. Emulations provided are IBM ProPrinter/Graphics Printer and Toshiba/Qume. Five resident fonts can be added to with type font cards. Options include a RAM card, envelope/sheet feeder, and extra emulations. Noise



level 54 dBA, or 51 dBA in quiet mode.

NEC P9XL Pinwriter
NEC Information Systems,
(02) 438 3544 **\$2958**

High speed 384 cps draft and 128 cps letter quality for high volume printing environments. Features include 360 x 360 dots per inch maximum resolution, a built in colour feature, and multi-strike film ribbon for crisp black letters. Parallel interface with Diablo 630 emulation as standard. A dual ported model (serial and parallel) is available. Options include single and dual bin cut sheet feeders, a pin feed tractor and a bi-directional tractor. Noise level 53 dBA or 48 dBA in quiet mode.

OKI Microline ML393
IPL Datron,
(02) 698 8211 **\$2998**

A 136 column high speed printer with parallel and serial ports, IBM ProPrinter and Epson LQ emulations. It prints at 450 cps in draft, 360 in data processing mode, 180 in NLQ and 120 in letter quality. It has paper park, and a colour version, the ML393C costs \$3238. Options include a pull tractor assembly, cut sheet feeders and font cartridges.

RuggedWriter 480
Hewlett Packard Australia,
(03) 895 2895 **\$3104**

Designed for a high volume environment, this 24-pin printer has a maximum speed in draft mode of 480 cps, and 240 cps in letter quality mode. It has dual parallel and serial interfaces, and three independent paper paths to accommodate hand fed paper, tractor fed and a sheet feeder accessory. It has HP PCL and Epson compatibility, and it can accept font cartridges.

Brother M352L
Brother Industries,
(02) 887 4344 **\$3204**

Featuring 432 cps high speed draft printing, and 108 cps letter quality, this printer has a dual

parallel/serial interface and IBM ProPrinter XL, Epson LQ-2500, and Diablo emulations. Continuous forms and cut sheets are handled with paper parking and options include a bottom feed pull up tractor, extra fonts, colour ribbon, multistrike ribbon, and a dual bin cut sheet feeder.

Epson LQ-2550
Epson Australia,
(02) 452 0666 **\$3360**

Designed specifically for business applications, with 400 cps draft, and 133 cps letter quality. Seven typefaces, in three different pitches and proportional spacing, serial and parallel interfaces, and seven colour printing are standard features. Paper handling extends to one touch control of friction gap, micro feed, load/eject, tear off, and paper park. The control panel has a 20 character LCD status readout, and up to four different printer settings. Rated at 55 dBA.

Fujitsu DL5600
Fujitsu Australia,
(02) 410 4555 **\$4800**

A high speed 24-pin printer, printing at a maximum speed of 405 cps draft, and offering reliability up to five years. It has seven letter quality type styles, and a straight paper path feature.

Daisy Wheel Printers

Brother HR40
Brother Industries,
(02) 887 4344 **\$1896**

A 40 cps daisywheel printer with 136 column printing, serial and parallel interfaces, and an 8K buffer. It emulates a Diablo 630, has a push tractor with paper parking, and a 30 sheet A4 bin feeder. An optional dual bin cut sheet feeder is also available.

Brother Twinriter 6
Brother Industries,
(02) 887 4344 **\$2820**

The best of both worlds is available in this dot matrix /daisy-wheel printer. With two print heads in the one machine, the Twinriter can print draft text at 200 cps, or at 36 cps in daisy mode. It has a 136 column wide capability and has a parallel and serial interface. Letter quality text and graphics can be mixed on the same page.

For the Speed Freaks



YOU MIGHT think that a print speed of around 400 cps (characters per second) is fast: this is what high end dot matrix printers, such as the top of the line Epson LQ 2550, can output in draft mode. For data processing applications, the fastest 18-pin printer in our survey is the Seikosha SBP-10, which prints at 800 cps in draft mode, 400 cps in correspondence mode, and 200 cps in NLQ.

For comparison, the highest page output speed of the laser printers in our survey is from the Fujitsu RX7300E, rated at 17 pages per minute. Assuming an 80 column document with 66 lines per page, 17 pages per minute works out to be roughly 1400 cps, in letter quality.

These speeds pale in comparison with those achieved by commercial line printers that are used in mini and mainframe environments. The Dataproducts BP-Series high performance band printers print at a maximum of 2000 lines per minute. With 80 column printing that works out at 2666 cps – beat that! These line printers have a paper slew speed of 50 inches per second; they can print an original plus five copies; they weigh 255 kg; and they consume around 1000 watts when printing. To keep everything under control, they have four forms tractors, a paper puller, paper motion sensors, and strange mechanisms such as 'scopeless hammer flight'.

A touch sensitive control panel includes a self test function and selection of 80 or 132 columns. A rear control panel is used for paper set-up and servicing. A swing gate facilitates paper, ribbon and steel print band changing, all of which the operator can do. A number of features including modular design and diagnostic status indicators make it easy for maintenance to be achieved with very little down time. Mean-time-to-repair is just 30 minutes.

These band printers are designed to run for twenty four hours a day, flat out, and are mainly used in data processing application environments. And the cost? The base price for a BP 2000 is around \$51,000 ex tax.

Omni-printing

MANY LASER printers are sold in a basic form, with an average of two resident emulations and several typefaces. This configuration might be all you need for simple word processing tasks, and you can choose to ignore lists of optional extras such as additional font cards and emulations. But if your work involves printing reports and letters with style and panache, and if your office tasks extend into desktop publishing, engineering or architectural reports, the configuration of a basic laser printer begins to look inadequate.

The latest from Texas Instruments has so many features built in to it that you can forget about optional extras – for a start, it has a built in PostScript controller (as do all of the TI 21xx-series), a 68000 micro-processor and 35 PostScript typefaces in residence. This means that it can be used in conjunction with any software that outputs PostScript files, such as Ventura or PageMaker, with the ability to manipulate any typeface character through any angle and any size. In addition, full page graphics can be printed out since the Omnilaser is equipped with 2 megabytes of RAM as standard.

But that's not all: the Omnilaser 2106 is actually several printers in one – resident emulations include the usual Diablo 630, LaserJet Plus and Epson MX/Quume plus

Since its release two years ago, Texas Instruments' Omnilaser family has gained a reputation for flexibility and reliability – Robert Thirlwell found the latest in the line is a worthy successor.

TI 855 DP/WP emulation as well as an HP 7475A Plotter emulation with HP-GL (Hewlett Packard Graphics Language) which can be used for printing out CAD files.

The Omnilaser 2106 weighs only 17 kg and has a small footprint – it proved to be

quite unobtrusive on my desk, taking up less space than most high end dot matrix printers (it's much quieter, too). Connecting it to our IBM compatibles was simply a matter of inserting a standard parallel Centronics cable and switching it on.

Connection to other type of computers can also be accommodated, with a 25-pin RS232 serial interface, RS422 9-pin connector or an AppleTalk 9-pin connector.

In control

THE 2106 has an unobtrusive front panel, with ten touch switches and a 2-line, 16-character LCD status display. Using these, emulation, fonts, and page orientation (portrait or landscape) are selected. The top line of the LCD displays status information, and the bottom line displays selections or error messages. These are all in plain English, so you are saved the trials and tribulations of having to search for the manual to decipher coded messages.

Fonts available under the PostScript emulation include all of the more popular ones such as Times Roman, Helvetica, Palatino, New Century Schoolbook, Avant Garde and there is also a symbol set, Zapf Dingbats and Zapf Chancery.


All are available in variations such as bold and italic, and are proportionally spaced, except for Courier, which has a fixed pitch. Courier is the only resident font available for printing under the non-PostScript emulations: LaserJet Plus, Diablo 630 and TI 855.

Extra fonts for use with the LaserJet emulation can be downloaded into the printer's RAM. Also, using the LaserJet emulation, it is possible to print rules, patterns and shades of grey.

PostScript Interpreter

POSTSCRIPT can be accessed under two software interface settings: PostScript Batch and PostScript Interactive. The usual setting to use would be PostScript Batch, for printing from programs with an

AutoCAD output from the 2106 using the PostScript Batch mode.




PRINTERS

integrated PostScript driver, such as desktop publishing files. Interactive mode allows the user to give commands directly to the PostScript interpreter.

Documentation is complete, with separate manuals for both the physical set-up and operation of the printer, and a technical reference manual, which contains information regarding operation of the various printer emulation modes. Chapter 4 contains information for people experienced in PostScript programming to allow them to get the most out of the printer.

Paper handling is via a 150-sheet input tray, a side output tray that accepts sheets face up or the top output tray that accepts sheets face down. Selections for paper size are made at the front panel, from A4, Legal, B5, A5, Half Letter and Letter. It can also print envelopes, transparencies and labels. The machine has a duty cycle of 3000 pages per month.

For slightly faster output and for small cluster environment, Texas Instruments recommend the 8-page per minute Omnilaser 2108. At the high end of the range are the 15-page per minute workhorses, with a rated capacity of 25,000 pages per month: the 2115 or the 2015 (the 2015 is



The Omnilaser 2106 from Texas Instruments has a small footprint, weighs only 17 kg, and has enough RAM to print out a full page of graphics – and includes PostScript.

the only one of the range without PostScript).

Optional extras include a range of PostScript font cartridges or custom cartridges can be ordered. All 2106 font cartridges are compatible with the 2108 and 2115. An optional input paper tray holds up to 250 sheets.

The Omnilaser 2106 is not a high speed, high throughput machine, but for a single user involved in the production of high quality word processing, proofing or desktop publishing, the 2106 is ideal. The wide range of emulations make it perfect for printing technical manuals, complete with CAD and Plotter graphics. □

BACK⁴UP

ESSENTIAL DATA DUPLICATOR

Back up your copy protected disks with **ESSENTIAL Data Duplicator 4 PLUS** ■ **EDD 4 PLUS** is new technology, not just 'another' copy program. The **EDD 4 PLUS** program uses a specially designed hardware card which works with your disk drives to back up disks by accurately copying the bits of data from each track. Don't be fooled, no other copy program/system for Apples can do this! ■ In addition to backing up disks, **EDD 4 PLUS** includes several useful utilities such as examining disk drives, certifying disks, displaying drive speed rpm's, plus more!

■ **EDD 4 PLUS** runs on Apple II, II Plus (including most compatibles), and IIfx, and is priced at \$190.00 (duodisk/undisk 5.25 owners must add \$32.00 for a special cable adapter) ■ A standard **EDD 4** version which doesn't include any hardware is available, and can be used on Apple IIc and III (using emulations mode) and is priced at \$125.00

■ Bankcard and Master card accepted by phone. Add \$3.00 to all orders for postage and handling.

All orders must be prepaid:

UTILICO SOFTWARE
83 HALL ST., BONDI BEACH, NSW 2026 PHONE (02) 30 2105

WARNING: EDD 4 PLUS sold for backup of protected copies only.

OKI

MICROLINE PRINTERS

Save \$ \$ \$

SUPERB PERFORMANCE AT AFFORDABLE PRICES

Suit IBM, IBM Compatibles, PC, XT, AT, Commodore PC's, AMIGA, Atari, Microbee, ICL, NEC, NCR, PRIME, UNISYS, & Macintosh

ALL SOFTWARE
ALL APPLICATIONS

FEATURES: Draft, NLQ Print, bit map graphics, menu select, rear and bottom feed, colour

182	9PIN	120cps	30NLQ	80col
183	9PIN	120cps	30NLQ	136col
192	9PIN	240cps	40NLQ	80col
193	9PIN	240cps	40NLQ	136col
292	18PIN	300cps	100NLQ	80col COLOUR
293	18PIN	300cps	100NLQ	136col COLOUR
294	18PIN	400cps	100NLQ	136col COLOUR
390	24PIN	270cps	90LQ	80col
391	24PIN	270cps	90LQ	136col
393	24PIN	450cps	120LQ	136col
LASER		6 ppm	300dpi	8Fonts Resident

Service — Ribbons — Toners

RIBBONS, ROLLS & PRINTERS PTY LTD
99 New Illawarra Road,
BEXLEY NORTH, NSW 2207
Ph: (02) 507 663 Fax: (02) 502 6854



TO MODIFY A CD-Audio player so that it can be used with CD-ROM you would theoretically need to add only the error-checking chips and the output connections; CD-ROM players don't need the digital-to-analogue decoding for audio either. But a mechanism designed primarily for audio doesn't necessarily make a good computer peripheral.

The main problem is that of head access time. In CD-Audio the finite time the head takes to find and begin playing a selected track is of little consequence; a one-tenth second, or two seconds gap hardly matters. We can live with a pause between music tracks.

However, if optical peripherals are going to be used on computers, this slow access time can be a problem. There is an assumption here that at some time in the future, a large part of our data recording

and replay will come from optical disk, and that these will all share a basic standard. CD seems to be that standard. So a slow access time is not much of a problem, perhaps, for CD-ROM read-only systems, but it certainly will be for the erasable and recordable systems that are now appearing.

Future focus

IN THE FUTURE we will obviously use a CD-ROM system for public database retrieval and general encyclopaedic reference, and here access time isn't critical. But recordable devices are often used as extensions to the computer's normal RAM functions, and so it is important that the writable forms of CD approach normal hard-disk access times.

Shifting an optical head with lenses and prisms is a relatively slow process when compared with swinging a lightweight arm

fitted with only the thin magnetic read/write heads. Access time for hard disk is now down in the 30 millisecond range, while CD-ROM takes about 400 milliseconds. This is only the time it takes to position the head, the laser-burning (writing) process may slow the procedure down even more.

There is a possible solution to the head-seek problem by using holograms to replace lenses, but this will necessitate a complete redesign of the CD optical system. A hologram of a lens will act like a lens in focusing the light, and good lens-holograms can now be generated mathematically. So future optical disk drives may have no conventional heads at all and no mass to swing across the disk face. There will have to be some mechanical movement of the hologram, but that will probably be a pivoting motion, rather than a swinging arm.



astic!

- Part 3

CD or not to CD? There doesn't seem to be any question any more – compact disks are the way of the future. But, as Stewart Fist points out, there are still problems to be overcome . . .

However there is still another mechanical problem to overcome, in that a CD disk does not rotate at a constant rate. In the vernacular, it is a Constant Linear Velocity (CLV) technology where the disk rotates slower when reading the outer tracks on the disk, and quicker when reading the inner.

This is a hang-over from the audio origins of CD where the progressive speed change was made to keep the pace of the track moving under the head constant. CD-Audio and CD-ROM drives change their rotational speed to match the circumference of the track being replayed, because this allows you to get the maximum possible data onto a fixed area of disk surface.

This is probably not a major problem with CD systems used for reading computer data since our computers are capable of taking in data at these substant-

ially different rates (about 3:1, from outer to inner tracks), but marks

another difference between the requirements of a CD-ROM (read-only) drive, and the new write-once (CD-R) and erasable-recordable (CD-E) standards.

For writable disks the rotational speed variation poses a significant problem. The recorder must provide feed-back on head-to-track speed to allow control of the data-rate (and the laser intensity also) when writing – either that, or it must always wait until the head-to-track speed has been mechanically adjusted to a preset constant. One further limitation with the system is that the maximum rate of data-flow from a CD-ROM disk has been set at 153.6 kilobytes per second (1.2288 megabits/sec). In CD-ROM, each block

carries 2048 bytes of user data, and at the standard rotation these

come past the head at a rate of 75 per second, so this 153.6K/sec figure is intrinsic in the standards – it represents the maximum 'bandwidth' of the system.

But a full-screen 8-bit colour VGA-format image requires about 50K at a minimum, so the best we can expect in full-motion video is 3 screen changes per second instead of the normal 25 (or 30 in USA) of television. Alternatively, we can have a trade-off with full-motion video in an area of only ten percent of the screen at the normal full-motion rate. So there are still plenty of problems to be overcome before the CD standard becomes a recordable peripheral or a source of high quality colour video. But this shouldn't detract

Optical Storage Technology

Floptical Insite

IMPROVEMENTS in magnetic disk media could detract from the expected sales of optical disk drives. A study released in the US in December '88 predicted that sales of optical units would reach 165,000 in 1991; magnetic media sales are expected to pass 10 million units that same year. Winchester and 'floptical' disks (which use laser tracking rather than of servo motors and allow much higher track densities) are in late stages of development by a number of manufacturers and may make development of rewritable optical disks a moot point.

However, some industry-insiders feel that optical disks have 'archival reliability' that cannot be matched by the more volatile magnetic media. It's felt that WORM disks will find their place in the market, simply because the data can't be written over. The consensus seems to be that rewritable media will continue to dominate interactive and multimedia applications, leaving WORMs the archiving niche. Insite Peripherals of California hopes to start shipping evaluation units of a floptical disk drive, the I325, 'early in '89.' Insite's Jim Adkisson (one of the originators of the 5 1/4 inch floppy while at Shugart Associates), says floppy disk technology has been stagnant ever since Japanese companies took over that market in the early 1980s.



With CD-ROM and the other optical disk technologies currently under development, we have reached the point where information overload becomes a serious problem. Along with the physical development of optical disks, there has been a less successful effort to create information retrieval systems capable of handling the data. (As nineteenth century Scottish author James Barrie noted, 'The printing press is either the greatest blessing or the greatest curse of modern times; one sometimes forgets which.') One CD-ROM disk holds the equivalent of one thousand 250 page books, or 1500 (320 Kbyte) floppies, or 25,000 black-and-white photos, or 8000 full-screen colour photos, or 72 minutes of hi-fi stereo sound, or 19 hours of low quality speech.


'The I325 drive will be a plug-and-play substitute for a SCSI-equipped Seagate 225 hard drive,' Adkisson said. 'The difference is that the Insite drive uses removable 3 1/2 inch disks that are identical to IBM's 2 megabyte floppies, but with optical tracking guides engraved on the disks by laser, pushing the capacity to just over 20 Mbytes.'

The 'floppiness' of a floppy limits track densities because of the wobble that takes place while the disk spins – the tracks have to be far enough apart to prevent the magnetic heads from reading adjacent tracks. For example, a standard 3 1/2 inch floppy has only 135 tracks per inch (tpi), while an optical disk drive can read up to 15,000 tpi.


Insite solves the floppy problem by using a closed loop optical servo system to track the trackmarkers which are etched by laser (that means they can't be accidentally erased). Adkisson feels that the most significant development, though, is the low cost of the tracking head. Because it uses an infrared LED instead of a laser for tracking, the head carriage assembly about the same price as that used in a 20 Mbyte hard disk. With competitive pricing, seek time and capacity, Adkisson is expecting the I325 to do well in head-on competition with floppy drives. Insite plans to initially sell the drives to OEMs at the same price as a SCSI-equipped Shugart 225.

Philips Megadoc

REALISING that information management technology has not kept up with the number of documents to be handled and the increasing need for efficient information processing, Philips is marketing its Megadoc system to help bridge the gap. Based on a Philips P4000 mini computer, the system comprises an Entry Workstation with keyboard that can be used to key-in descriptions or entire documents, a digital scanner that accepts A4 and A3 pages, and a high resolution display; a Digital Optical Recorder for storing documents on 12-inch optical disks; a Juke-box that can hold 64 disks; and a Retrieval Workstation that can recall documents within 2 seconds if the appropriate disk is loaded, or, 10 to 15 seconds if a disk-change is needed, and a printer.



Technology



With the current level of correction, Philips and Sony say that isolated error-bursts of up to 4000 consecutive bits can be completely corrected, which is why you can handle CD-ROM disks without worrying too much about small scratches on the surface. But Philips and Apple (amongst other CD-ROM proponents) are pushing the use of disk caddies so obviously they want you to keep your fingers off the disk!

Optical Games

PUBLISHERS of entertainment software have been losing shelf space at software retailers, and seen their user base actually shrinking in percentage of total computer users. It's generally felt that PCs available today are too primitive to create a broad consumer base for entertainment software – the most popular games machine today is a cheap PC clone, but a standard clone with CGA isn't friendly enough for consumers.

At one time, there were several hundred companies publishing and distributing games and entertainment software (mainly to males, aged 12 to 45), but many of these have gone out of business, particularly in the past 12 months. The survivors hope that optical drives will put games and other 'non-business' software back on the shelves, since CD-ROM will allow developers to put megabytes of data on a single disk, creating more elaborate games with very high levels of interaction.

However, access times of CD systems are still too slow to make the games perform well (an 'average' hard disk has a seek time of 30 milliseconds, while released CD-ROM drives are generally in the 400 millisecond range).



from its obvious uses as a source of public data. At present it is a publishing medium, just like books – and although it has pretensions in other directions, it is quite capable of standing on its own, without further extensions.

I've never understood why so much importance has been attached to the need to provide recordability – the CD-ROM standard is a dramatic breakthrough in technology even in the read-only state. CD-ROM disks in large production runs can provide data at a fraction of a cent per Megabyte – which is about one-tenth of the comparable prices of magnetic tape, the next cheapest medium.

One recent invention using an optical paper-disk for replay could drop this price per megabyte by one order of magnitude again, and a number of optical spectrum-recording ('rainbow disk') technologies which we will see in the next decade, could well drop the price another magnitude again. So within ten years we might have information reference systems which can deliver their information at ex-factory prices of 0.001 cents per Megabyte. A paperback book, by comparison, costs a minimum of \$2 per megabyte ex-factory, and about \$8 per megabyte retail.

This is one of those gee-whiz statistics that actually doesn't mean much when you examine it closely; below 1 cent per megabyte the cost of the medium (the disk) becomes insignificant anyway. The CD-ROM disk itself is the first information storage medium which is actually cheaper than paper. The ex-factory price of a CD-ROM disk at present (even with comparatively short runs) is only \$3 to \$5 anyway – but you'll pay \$300 to \$1200 for it retail.

The difference (apart from rip-off profit-making) reflects the costs of the pre-mastering process, and of collecting the data and organising information on the disk in a way that allows it to be retrieved. It is useless having 650 megabytes of information on a disk if you can't find what you want.

Information overload

WITH CD-ROM and all these optical disk technologies of the future we have reached the point where information-overload becomes a serious problem. Along with the physical development of optical disks, we have a parallel (but less successful) effort to create information retrieval systems capable of handling the data in the form(s) that we need.

One CD-ROM disk can carry the equivalent of one thousand 250 page books, or

Blitzer

Superfast 2400 baud!

It's here! Superfast communication is easily affordable with the all new Bit Blitzer 1234E Modem.

Incredible value for top-of-the-range communications. Fully software controlled, so there's no switches to throw or buttons to push. Hurry, stocks will be moving fast!

NEW!



Take a look . . .

- Selectable 2400/2400, 1200/1200, 1200/75 and 300/300 baud rates.
- Synchronous and Asynchronous communications modes
- Full Hayes AT command set including all "S" registers.

\$90 OFF!

Internal Bit Blitzer 12I

Slots straight into your PC to save desk space. With 300/300 or 1200/1200 baud rates. Cat X-3305

Now Only \$249

External 12E SAVE \$70

Now's the time to grab yourself the superb Bit Blitzer 12E. With 300/300 and 1200/1200 baud, Hayes AT command set compatibility... the lot! Cat X-3306

Was \$369 NOW \$299


With Viatel

Another amazing saving with \$50 off the Bit Blitzer 123E. Selectable 300/300, 1200/1200 or 1200/75 baud plus all the Bit Blitzer features. Cat X-3307

Reduced to \$399

The Low Cost Software Package that Does It All!

EIGHT-IN-ONE



This is outstanding value for a fully integrated software package which combines ALL the program options you're likely to need for business or home. Here's what you get:

- Word processor
 - Spreadsheet
 - Data base
 - Spell checker
 - Filer
 - Business graphics
 - Communications
 - Desktop utilities
- Cat X-9401

JUST \$149

DICK SMITH
ELECTRONICS

1500 (320K) floppies, or 25,000 black-and-white photos, or 8000 full-screen colour photos, or 72 minutes of hi-fi stereo sound, or 19 hours of low quality speech. And, it can mix and match these capabilities and combine them simultaneously, given the right operating environment. So, for instance, you can have a sequence of B&W photos of John F. Kennedy on a screen while listening to his speeches, and in another window have the full text of the speech for reference.

We'll look at the logical format of data on the disk, and the efforts in creating retrieval systems capable of handling this amount and variety of 'data' in another article.

Error-checking

CD SYSTEMS use two standardised forms of error-handling: error-detection and correction (mainly the Reed-Solomon codes) and substitution (data interpolation).

Naturally, where you are replaying textual data the integrity of the information is far more important than it is with audio or image. A CAD/CAM specification that has one digit in error might cost a manufacturer a few million dollars; an error in a prescribed dose of medicine might cost a life; but even gross errors in the flow of video and audio signals only appear as transitory glitches, hardly noticed.

Substitution 'correction' is for video and audio use only (not for data), and it is the form of error-correction found in VCRs, television sets and other electro-mechanical systems. When the system finds a problem with the data stream (usually a drop-out – a white flash on the screen or a pause in the sound), it simply adds a bit taken from a track nearby. Near enough is good enough!

With home VCRs, the problem of drop-out (lack of signal due to dirt or damage) is solved by inserting all, or part of, the previous line of the image. Video systems are able to do this because they hold the previous line in short-term (acoustic delay) memory. Any time a drop-out is detected, the system 'throws a switch' and temporarily takes its output from the acoustic memory, thus filling in the gap on the screen.

Obviously you can't use this for data. Data errors need to be detected, then corrected – not replaced. In fact, in designing a data/error scheme there's always a trade off between the detection functions and the correction – if you want more of one, you will have less of the other.

The correction codes used in CD-ROM can handle error-bursts of up to a 1000 bits and still regenerate the correct code for all but one bit in ten quadrillion. The detection (but not correction) rate is even higher – one missed faulty bit in two quadrillion CD-ROM disk.

These figures are so astronomical they appear almost ridiculous, but whether you believe them or not (I don't!), it is evident that very reliable data is usually coming off a CD-ROM disk. The cost of these error systems, in terms of storage overhead, is high; 11 per cent of the CD-ROM disk's total capacity is reserved for redundant error-checking information. Fortunately there's more space than most disk publishers can use anyway.

CD-ROM disks in large production runs can provide data at a fraction of a cent per megabyte – which is about one-tenth of the comparable prices of magnetic tape, the next cheapest medium.

Substitution is only used in CD-Audio for gross errors – large scratches across the disk surface. In most cases CD-A relies on its two levels of Reed-Solomon 'correction' codes to achieve an error rate of only one in 10^9 bytes. This is quite enough for audio.

When it comes to pre-mastering CD-ROM disks, the engineers then add two further levels of error checking. Firstly, there is the Layered ECC which does a series of checksums against 288 bytes of redundant data at the end of every 2048 bytes (a sector or block) of user data. Then this is followed by Cross-Interleaved Reed-Solomon Codes (a family of codes known as CIRC) which handle 24 blocks at a time, adding a few bytes of extra information, then scrambling (interleaving) the order so that long error-burst are chopped up into more smaller ones.

I'm not going to dig deep into error codes mainly because the matrix maths

are quite complex. Reed-Solomon codes are an offshoot of Finite Field theory developed by Evariste Galois last century, and they are used in such esoteric applications as inter-planetary probes to ensure that the radio data gets back to Earth in a reliable form.

With the current level of correction, Philips and Sony say that isolated error-bursts of up to 4000 consecutive bits (corresponding to 2.5 mm of track length) can be completely corrected, which is why you can handle CD-ROM disks without worrying too much about small scratches on the surface. This claim I don't entirely believe – Apple and a few other CD-ROM proponents are pushing the use of disk caddies so obviously they want you to keep your fingers off the disk!

When Philips and Sony first devised the Yellow Book (CD-ROM) standard, they concentrated on the physical format and the error-checking aspects. Most of these had been taken over from the CD-Audio (Red Book) standard anyway, so CD-ROM wasn't a dramatic change.

CD-ROM can store Red Book information on a disk along with the other data (text, programs and images), and it can either play the hi-fi stereo audio, or read data. You need a dual-mode CD-ROM drive to do both functions, of course. Unfortunately, you can't simultaneously access data and play the CD-A audio unless you buffer the data in the computer memory before you begin to play. This is simply because, at this fidelity, the audio needs to come in a constant stream which occupies almost the entire 'bandwidth' of the system and so it can't be interrupted by bursts of data.

If you choose a lower audio quality standard, however, you've got room to interleave the data with the audio, and then separate and buffer the two streams on a computer expansion board. In part, this is what the recent extensions to the CD-ROM standard (XA) set out to accomplish by taking over the CD-I (Interactive) audio standards.

The CD-I Green Book formalised a compressed hi-fi and a couple of low-fi audio technologies using the Adaptive Differential form of Pulse Code Modulation (ADPCM) which cuts the number of bits required for different levels of fidelity.

CD-I's 'A' level is very nearly as good as the now-standard CD-Audio system (at least as good as the best of the old black-vinyl LP records), but it only uses 8-bit sampling at a 37.8 kHz sampling rate and thus can store 2 hours 28 minutes of

MORE RE SE AR CH

Your contributions
to the MS Society have
provided services and
given us hope.
More funds means more
research. A cure could
be only dollars away.

MS
Multiple Sclerosis.

OPTICAL STORAGE

stereo on a 12 cm disk, or nearly 5 hours of mono.

At level 'B' (with the same sample rate but only 4-bits per sample), you still get good music with a bit extra system noise, equivalent perhaps to average FM radio reception. But you've now got ten hours of mono to each disk.

The 'C' level doubles the recording times again by cutting the sampling rate in half (18.9 kHz, 4-bit), for a maximum of 19.2 hours of mono at a quality level about equivalent to average AM radio reception. In each case, there's stereo also at half the playing time.

CD-ROM XA

PHILIPS, Sony and Microsoft have since created CD-ROM XA (extended architecture) to 'bridge CD-ROM and CD-I'. They have now bought into the CD-ROM standard the audio and graphics technology that they devised for CD-I, and they've standardised some aspects that make motion video possible.

Video wasn't envisaged originally as part of the CD-ROM system, mainly because the maximum data-rate for a CD drive is only 150K per second, and this is too slow for uncompressed, full-screen colour video. The later CD-I standard provided for some rather limited partial-screen video.

But much to Philips and Sony's surprise, RCA/GE Laboratories came up with DVI (Digital Video Interactive) which uses very sophisticated video compression techniques (4 minutes per image-frame in a VAX minicomputer), plus a twin-set of 12 MHz VSLI decoding chips to reproduce about 75 minutes of medium-quality colour video from a standard CD-ROM format disk. It has full interleaving capability so you can divide the screen into windows and have text, graphics, still and motion image running simultaneously – each occupying a variable area of the screen surface.

Like CD-ROM, DVI is a computer peripheral, although it could obviously be incorporated into some form of stand-alone box that plugs into a TV set. The DVI technology has since been sold to Intel, the makers of the processing chips, and companies like Microsoft have swung a lot of weight behind it as a potential world standard instead of CD-I.

I think it is obviously the way of the future, but Philips and a number of Japanese companies would much prefer that DVI would go away and die. They've already spent a couple of small fortunes develop-

ing the CD-I technology which is not nearly as good with motion video.

DVI does, in hardware, what CD-I does through software, and it buffers the incoming video data and varies the size of the pixels. Consequently when everything on the screen is moving (say, in a panning shot) the full amount of screen updating data is available although the pixel size may be much larger. When the screen image is relatively static, less elements are being updated, the pixel size is smaller, and the buffer gets a chance to fill again. In this way it is much more efficient in its use of the limited stream of data bytes.

You can't really talk about CD-I as an extension of CD-ROM because the term refers to a computer/hardware product rather than a disk format – although it uses an extended form of CD-ROM as the source of its data. The idea behind CD-I is that you will buy one of these players and plug it into your stereo and TV set (just like you did with video games a couple of years ago) and you'll have a joystick or mouse controller which will let you select information/entertainment through menu selections from a range of CD-I disks.

This is a home consumer product that will be sold in much the same way as home computers and videogames were a few years ago. However it combines all the features of a Video Cassette Recorder (in replay with a limited screen size), with all the features of a videogame machine, and all the features of an interactive videodisk machine and CD-Audio player, together with some of the features of a home computer. It is obvious that you can't judge the future success of this technology on the failure of past systems.

Matsushita were to produce the sophisticated video chip needed for CD-I and they found it necessary to use 1 micron technology which worked acceptably in the laboratory but was not suitable for production. This problem has now delayed CD-I for at least a year, but Philips have announced their player, so they must have overcome most of the problems.

It is interesting to find companies like Microsoft, who are very vocal promoters of CD-ROM, joining forces with Philips and Sony on CD-ROM XA while taking the side of GE/RCA's DVI against Philip's CD-I. Bill Gates believes that DVI will wipe the floor with CD-I, but only time will tell. Ask me again next year!

One thing is for sure, CD-ROM (probably in an extended High Sierra format) will be around for many years to come. □

CD Standards

PHILIPS and Sony have jointly devised a set for standards for compact disks that have become accepted world-wide. The first 'standard' set was, as you can imagine, for CD-Audio disks, but the spectrum has now been broadened to include almost any combination of audio, video and data recording and replay –

Red Book: For CD-Audio, originally released in Jan 1981; it specifies:

Physical size of the disk and layout of the spiral track;

Constant Linear Velocity (CLV) rotational speeds;

Table of Contents on the disk;

Basic error detection and correction standards;

Use of 16-bit pulse-code modulation audio format; and

Highest level of audio; 8 channels.

Yellow Book: For CD-ROM as a computer peripheral, originally released in Oct 1983. This assumes the Red Book standards, and adds the following:

Two extra modes of CIRC error correction; and

Defines two types of track (for audio and data).

CD-ROM XA Extensions: For business and reference use. Disks should be playable both by CD-ROM drives and by CD-I. Released Aug 1988.

Incorporates the use of ADPCM (Adaptive Differential PCM) interleaved audio (B and C levels only);

Allows text, graphics and still images to also be interleaved with audio for real time simultaneous playback; and

Defines a 640 x 480, 8-bit screen presentation format for PC displays.


High Sierra Group standards: Released Oct 1985. Devised by a group of hardware and software companies, these added the 'logical' file format standards to CD-ROM's physical standards so that consistent access (retrieval software) could be devised. Now known as the ISO 9660 standard. They defined:

How the volumes would be named;

Where the main directory would be found; and

The hierarchical file structure.

Green Book: For CD-I as a TV or home stereo-system plug-in device. Announced in Feb 1986 and finalised in June 1987. This assumes both the Red and Yellow Book standards, and adds more. It specifies both the disk structures and the hardware – in fact it is primarily the



After finalising the CD-I specifications with Sony, Philips shipped several hundred CD-I systems to software developers in the US, Europe and Japan in the last quarter of '88. A modular system (pictured) comprising separate CD player, multi-media controller and monitor, has been promised to institutional and professional users for the second half of '89; the system can be extended with an expansion box by connecting to other peripherals or a network. Philips see the main market for the system as general consumers, so they are doing what they can to ensure that there is a sufficient range of software available to appeal to that market.

specification of a computer which will be used with the home TV set, and operated by a joystick or mouse.

The specification is based on the 68020 chip, and it has a ROM-based 'real-time' operating system (CD-RTOS) which is a modified version of Microcom's OS-9. The operating system has file protection, one-seek file opening through a hierarchical file structure, and standard graphics functions and user interface (mouse).

The CD-I standard includes three new audio standards in addition to the normal PCM CD-Audio:

A: with a frequency range of up to 17 kHz, using 8-bit Adaptive Differential PCM with 4.8 hours mono playing time;

B: with 4-bit ADPCM giving 9.6 hours in mono; and

C: for speech (to 8.5 kHz) giving 19.2 hours of mono.

In video, there is one common format for both NTSC and PAL (but they don't say anything about SECAM). Monitor resolutions are: normal 360 x 240, double 720 x 240, high 720 x 480 for NTSC; and normal 384 x 280, double 768 x 280, high 768 x

560 for PAL. Pixel coding is also specified, along with details of wipes, dissolves, overlays, scrolling and partial updating procedures.


Blue Book: Rumoured to be the specification for CD-R (ex-CD-PROM or write-once, WORM) disk standard. There doesn't appear to be a colour chosen for the new CD-E (erasable-recordable) standard at the time of writing, in fact Philips and Sony may not have, as yet, reached agreement.

The specification for the WORM drive/disk appears to be almost identical with the CD-ROM (Yellow Book) standard and conforms to the CD-A (Red Book) standard, as you would expect. It is aimed at the audio recording market as well as at the data industries.

It differs from the CD standards to date in using a one-sided disk that is pre-grooved to provide a guide to the writing laser head. It is not clear whether the disks produced on these writable-machines can be read on a conventional CD-A or CD-ROM player, but the reverse is true: the CD-R player can read normal CD-A and CD-ROM disks.



String line heights to set the road bed level are carried to the field on a portable and printed out on site.



Its 203 storage registers make the Hewlett-Packard scientific calculator ideal for recording survey data.

Field day for

Using computers for field work has become dramatically in the past ten years. Reports (and logs)

IT HAS ONLY been in the last three years, or so, that computer usage in field conditions has really taken off. Although journalists, musicians, and traveling managers have been using them (for text applications) since the early '80s, they really were pioneering them under difficult conditions.

Going back another decade to the start of the '70s, complex arithmetic was done using seven figure log tables. The odd mechanical calculator, such as the Kurta, was used, but they were rare and expensive. Adding machines were bulky and subject to a short life in the outdoors. Electronics soon intervened, and the birth of the electronic calculator saw log tables put away.

Calculators suited field conditions perfectly. They could be put in any pocket, were cheap, and took away the need for lugging around books and note paper. Computers, at this stage were not in the

race for any 'field' worker, in other words, any person working outside an office situation.

Users

THIS 'LIST' of those working outdoors was much bigger than it is today. Information technology has seen a change in the roles of many field workers – information is increasingly gathered by field personnel and dealt with by office personnel, whereas before, the same person more than likely did both jobs. A quick look in the employment pages of 1988/89 will reveal a significant difference in the type of employee required today, compared to 1978/79; for example, computer EDP now has its own category in the classifieds.

Most professional people today, whether in city or country areas, would use a computer for analysis, or on the spot calculations. Architects, accountants,

businessmen, engineers, lawyers, managers, surveyors, salesmen, and others generally have access to computers for their work. Tradesmen, as well, are at the stage where computers are becoming integral part of their working life.

Laptops and hand held computers are creeping into areas unheard of before. Insurance salesmen these days carry life and superannuation policy possibilities around, in the form of a laptop and special software.

Transport Authorities in Australia will soon be able to access computer data banks for vehicle details, as the American police do now with on-board computers. Courier services now use 'computer-aided delivery' techniques in the larger cities. Meter readers may soon be adopting the UK's method of 'data recording' using hand held computers or laptops. All these users are finding they can eliminate 'dou-

computers?

d work has progressed
ee years – Kevin McLean
s to the future).

ble processing' of information, as well as
saving time in the collection of raw data.

Existing equipment

PRESENTLY, in Australia, we are quite advanced in the equipment we are using, compared to other countries. Any hardware released in the US or the UK generally reaches our shores in a matter of a few months, rather than years, as was the case in the '70s. Many multinationals with offices in Australia have product launches here within days of the release in the home country.


Cost of the hardware has always been the bugbear for the field user. For this reason, a wide variation in equipment can be found throughout the country. Some government departments are using different brands of hardware – this started in the office, and has filtered through to the field worker.

There are three main types of instruments used in the field for mathematical calculations today. The first of these, the electronic calculator, has been designed to be job specific; for example, scientific or financial. These still play a big part in our present workforce, and most workers required to do maths can invariably be found with one in their pocket. We're still waiting for a 'true' pocket-sized computer.

Electronic calculators range from the simple to the very sophisticated. They usually have several dedicated function keys and typically would be able to store a number of 'program steps' or 'input data' in a small amount of reserved memory. Some are capable of being programmed in a machine specific language and, in some instances, can have more powerful functions than a computer. These functions take the form of routines stored in ROMs or EPROMs.



Output of this gravel crushing plant is determined by input from computers on roadmaking equipment.



The office in the field – complete with computer, printer (in the brief case) and Esky!

The second type of instrument used is the pocket computer. These machines generally have between 8 and 32 Kbyte of memory, with the odd one having 64 Kbyte of RAM. This RAM memory is usually kept 'alive' by feeding it some current via rechargeable batteries. Some of these 'pocket computers' have storage via mini disk or audio tape available. Unfortunately these devices do not handle field conditions well, and the tapes, in particular, are prone to data errors. The main drawback with these machines is the limited memory and storage. Different manufacturers use their own languages, and this, in itself is a problem.

Lastly we come to the instrument which appears to be overtaking the other runners in the 'field calculator' and 'data gathering' stakes – portable computers. These have been around for some time, but it has only been the drop in price and

NEW RELEASES FROM PC EXTRAS

SOFTWARE FOR PEOPLE ON THE MOVE




LAPLINK

The fast, easy way to transfer information

Connect any two lap or desktop PCs, including the new PS/2s, with the supplied cable, type LL on both computers and you're connected! Copy files, directories, disks, in either direction, in seconds. LapLink works at an amazing 115,200 baud (bits per second).


- Full error checking
- Split screen windows show files on both computers.
- File tagging by name, time, new or updated.
- Faster than disk copying.



LAPLINK MAC

All the facilities of LapLink, between any IBM PC compatible and any Mac!

- Speeds up to 57,600 baud
- Transfer IBM subdirectories to Mac Folders and vice versa.
- Compatible with Mac Finder, Multifinder and IBM and Apple networks, including AppleTalk, TOPS, 3Com and Novell.



DESKLINK

An instant network, with messaging! DeskLink connects two computers up to 100 feet apart with standard phone wire.

- Transfer rate up to 115,000 BPS
- Background disk drive and printer sharing capabilities.
- Set up in a few seconds
- Print spooling
- Pop-up "talk box" for sending messages
- Fully compatible with "big" networks



BATTERY WATCH

At last, a reliable and accurate battery monitor for your laptop PC.


- Keeps track of your battery's true reserves.
- Retains your battery's memory to accept full charge
- Supports all popular models.

ACT! CONTACT MANAGEMENT SYSTEM

This is the only software system that keeps you on top of your contacts and ahead of time!

- Keeps a history of every contact.
- Week at a glance, meeting scheduling and alarm functions.

- Manages your contacts with two profile screens
- Organises your schedule/appointments
- Writes letters
- Files your notes and keeps them organised and accessible



AUSTRALIA'S TOP 1000 COMPANIES

Ready to conduct your own marketing campaign from your desktop? Then you need Australia's Top 1000 Companies Listing.

- Professionally researched, entered and updated — Australia's most accurate listing.
 - Ready to import into your database, wordprocessor or list management program.
 - Each company entry has names of five key executives, phone numbers, fax numbers, details of the type of computer equipment used, etc.
 - IBM or Apple Mac compatible
- Carry out your next direct mail or telemarketing campaign from your desktop!

YES! PLEASE SEND ME FURTHER INFORMATION

Name _____

Company _____

Address _____

Phone _____

Postcode _____

- ☐ Laplink
- ☐ Laplink Mac
- ☐ Desklink
- ☐ Battery Watch
- ☐ ACT!
- ☐ Top 1000

PC Extras
86 George St.
(PO Box 136)
Redfern NSW 2016
Ph (02) 319 2155
FAX (02) 698 9926
MELBOURNE
Ph (03) 486 1999

pc extras

Trans-portable computing

FOR THOSE interested in 'field' computing, Michael Floyd reviewed the Epson PX-4, Tandy Model 102 and Cambridge Z88 in 'A Hand-Held Wish List' in our December issue; for those who want something even smaller, he also discussed Sharp's PC-1360 and Casio's PB-1000. In that same issue, we offered an application story on the Toshiba T3200 and an overview of Toshiba's latest, the T1600 and T5200.

Our February issue featured portables and laptops. A comprehensive survey, detailed (with prices) the current offering in Australia; we also featured a variety of portable application stories. Compaq's new laptop and NEC's Portable SX were reviewed in detail.

a more mature technology that have made them a viable proposition in field conditions.

Portability, has become a key issue for using computers in field conditions. Sure, we had portable computers from 1978 onwards, but they were heavy and almost needed a generator for power. Now, the technology has given us smaller electronic components and smaller, more powerful batteries. Designers have also come up with new power saving techniques.

These include automatic powering down of peripherals not used for any length of time. The new Compaq laptop, for example, automatically switches off the power hungry hard disk, if unused for more than a few minutes.

In between 'pocket computers' and 'laptops' falls an instrument imaginatively called the data recorder. These machines typically hold 200 to 400 Kbyte of raw data and are usually part of an integrated system. Some manufacturers are just now starting to see a larger market for these machines in field conditions and are offering them as standalone alternatives for data collection, pocket diaries and small databases.

Problem areas

COMPUTERS in the field have many enemies. Mother Nature being the cruellest and users running a close second. Dust and moisture can wreak havoc on any disk drive, no matter how durable it might be. The floppies themselves are vulnerable to the smallest dirt particle and the old adage of 'backing up' certainly will save some hair pulling in the field. Hard copy is essential for field staff and, unfortunately,

this involves pitting the mechanical parts of portable printers up against the wind, dust and rain. Regular maintenance seems to be the key to keeping portable printers and disk drives running as they should.

Rough roads will always be a problem whilst in transit, but the new crop of laptops appear to have FJ Holden type capabilities when it comes to bumps! Low quality 3 1/2 inch disks are rapidly challenging stubbies as the most common roadside garbage. Lanolin from wool fleeces has also been found to be good for the plastic of most laptops, if you happen to be using them in the shearing shed (as some West Australian sheep farmers are now doing!).

Readability of laptop screens is improving, but still has some distance to go. Gas plasma screens may solve the problem, but they are expensive and chew into the power fiercely. Still, anyone who can remember squinting at seven-figure log books, slide rules, or the earlier 'take your guess at the display' type calculator screens, may consider the new laptops to be more than adequate for the job.

Future trends

INFORMATION gathers now have the capability to record field data on small computers. Methods vary throughout the country, but it would be safe to say that the majority of field data is now collected electronically. Memory constraints and the general fall in the price of hardware has seen a shift to laptops rather than pocket computers. Another commonly used data collection method is by the data recorders mentioned above. These small calculator-type instruments can be used to record the data and this can be 'dumped' when the machine is full, or, at the end of the day, to a field laptop or office PC.

Radio modems are used, to a lesser extent, in confined areas. These allow data to be sent via radio waves to the receiving PC. Mine sites are an ideal application for these radio modems. Security firms are another possible user of radio modems, and, in fact, a Gold Coast company already has a computerized system on trial.

Within one or two years we should see the 'truly' portable computer. I would envisage this machine to be about the size of a James Mitchener novel with MS-DOS or OS/2 as an operating system. The current development in smart card technology may also have a bearing on the future direction of computers in the field. □

WE HOPE YOU LIKE "COLD COFFEE" 'CAUSE YOU'LL BE BUSY AS A PC SUPPORT SPECIALIST

An opportunity exists in the Computer Services Department of the Federal Publishing Company for a young and enthusiastic person to fulfil the role of

PC SUPPORT SPECIALIST.

The company utilises PCs (IBM type and Apple Macintosh's) for a variety of tasks including Word Processing, Typesetting, Database and Accounting.

This is a challenging role in the company that publishes *Your Computer* magazine. You must be keen and show initiative and at the same time be level headed and professional.

If you have skills working with PCs in these areas and want to become part of a young, growing team of Computer Programmers, Analysts and Support Staff then don't wait — call now.

**Queries to Mark Laforest
Group Systems
Development Manager,
on
693-0024**

Control DOS

with the Norton Commander V2.0

IT'S NEVER been easy to manage a hard disk. The DOS prompt was okay in the days of DOS 1 and 360 kilobyte floppies. With the advent of big hard disks, it became just too difficult to remember where files were. Using DOS commands to copy, rename and otherwise manipulate files and directories on a hard disk is just not the answer.

DOS shells are the answer. They are programs that sit between the user and DOS, and make it easy to run programs, copy, delete, rename and otherwise manipulate files, and create, rename and delete directories. In addition they make it quite simple to run programs without having to remember a list of arcane commands.

Three DOS shell programs which immediately come to mind are XTree (including XTree Pro), the DOSSHELL which comes with PC-DOS 4.0, and the evergreen

DOS can be a nuisance for even the most experienced users – but, as John Hepworth describes, the Commander takes the bother away.

Norton Commander. The first versions of XTree and Norton Commander took different approaches to disk and file management. XTree used a visual tree of the directory structure on a disk plus a list of file names, while Norton Commander had two panels, each of which showed the list of files in a different directory.

Recently version 2 of the Norton Commander (NC) was released, a useful and welcome enhancement of this reliable standby. The two panels remain, but now either can show a list of files or a tree display. NC 2 has some features which make it particularly good for some tasks, and it is at least competent at all the tasks expected of a DOS shell.

Features

FEATURES include the ability to create, delete or rename directories, and to copy, rename, edit, view or delete files. Most programs which offer a file viewing mode cannot handle anything except ASCII text files, and often only of limited length. Not the Commander – it can read files from Lotus, dBASE II and III, and ASCII files of any length. NC also makes it simple to create a custom menu system to allow even the novice to easily run a vast range of applications. Programs can be run by either 'point and shoot' techniques or by use of a user defined menu system.

Fire up the Norton Commander by typing either NC or NCSMALL at the DOS prompt. These commands run either of the two versions of the program on the distribution disk. Both function identically except that when a child program is run from NC, all the code remains in memory, taking up about 145 Kbyte; by contrast, when NCSMALL runs a child program it frees most of the memory it occupied, leaving just a stub program to reload the rest of NCSMALL when the child program terminates. This uses only about 18 Kbyte, much of which appears to be the second copy of COMMAND.COM required to run the child program. In all other respects the programs appear identical.

The first time that the Commander is run, a panel pops up over the right half of the screen. In this is shown the files in the current directory in 'brief' form. Only the file names and extensions are shown, and are displayed in three columns. It is possible to have a second panel at the left of the screen. Both can be displayed, both can be hidden, and either can be displayed while the other is hidden. A digital clock can be displayed at the top right of the screen. A builtin editor, invoked with F4, can be used to edit files. Typical of the flexibility of the Commander, users can change the configuration to an external editor or word processor instead.

While the default display in a panel is




Figure 1. Version 2 of the Norton Commander hard disk manager features the option of having the directory tree structure displayed in either panel. The current directory can be changed simply by moving the highlight bar to another directory.

the brief listing of files in a directory mentioned above, there are several alternatives. A 'full' display shows a list of files with name, extension, size, creation date and time. A 'tree' display shows the directory structure in a visual tree form. The 'info' display shows details of the disk. The panel displays can be of different drives or directories, and the file listings can be unsorted, or sorted by name, extension, time (including date) or size.

The user can save the desired configuration to disk, where it resides in a file called NC.INI. When it is run, Norton Commander looks for this file and configures the display accordingly. If NC.INI is not found, the default settings apply. Many other factors can be saved in the configuration file, including the ability to automatically go into the menu system instead of the standard display whenever Norton Commander is run.

Command performance

A SAMPLE session will give the flavour of the Commander, with the program configured to have a 'tree' in the left panel and a 'brief' listing in the right panel. In one window will appear a reverse video cursor, called the file selection bar. The Tab key will toggle it from one window to the other, and the arrow keys can be used to move the cursor to a different file or directory.

Enter changes the directory, with the cursor over the name of the desired directory. To run a program, Enter is pressed while the cursor is over the name of a .BAT, .COM or .EXE file. The user can define other applications to be run with files having other extensions; for example, pressing Enter with the highlight over a file with the extension .ASC can be used to invoke WordStar in non-document mode, or, .BAS files can be loaded under a specified basic. A mouse is supported – while the Commander is great with the keyboard, it is fantastic with the mouse. Want to find a particular file or directory? You can search for a directory or file by pressing Alt while typing the first letter of the file name and/or directory (depending on whether one is in the file panel or the tree). As each additional letter is typed, the first entry that matches is shown.

A DOS prompt is at the bottom of the screen and any DOS internal command can be used just as if NC weren't present. Likewise, any program could be run by typing its name and pressing Enter. As mentioned above, it is possible to change directories from within the Commander by point-and-shoot (or by entering NCD –




Figure 2. In the Commander's main menu across the bottom of the screen, F9 can now be used to drive the program entirely by menu (or mouse), including the definition of options.

Norton Change Directory – and the first letters of the directory name), but the DOS prompt at the bottom of the Commander screen can also be used to run the DOS CHDIR or CD command.

Menus

THERE ARE two types of menus used by the Norton Commander. User defined menus are used to run external programs from a pop-up window which shows the name of the program. The information on the prompts for the screen, the commands to run the application and the keys to press to select from the menu, are saved in a file NC.MNU, which is created and edited with any word processor or editor, including the internal editor in Norton Commander.

The other menu system comprises the control menus used to operate Norton Commander. Five different menus can be popped down from the top of the screen either with F9, or by moving the mouse pointer to the top of the screen and clicking the left button. Five labels are seen across the top of the screen: Left, Files,

Commands, Options and Right. Pressing the leading letter of the desired menu, or, moving a highlight with the arrow keys and pressing Enter, pops down a window. Within the window will be seen a number of options. They can be selected by moving the cursor with the arrow keys and Enter, or by pressing the capitalised letter in the name.

The Left and Right menu control the appearance of the left and right panels. Brief, full, info and tree displays can be selected. The panels can be turned on or off, which can also be done with Ctrl-F1 and Ctrl-F2 from the main screen. The sort order can also be selected from this menu. The Files menu allows the user to select from a menu many of the functions which can be done with function keys, including view, edit, copy, rename, move or delete files, and make or delete directories.

From the Commands menu a host of other functions are available. A full screen tree display is popped up with the NCD tree command, also available from the main screen by pressing Alt-F10. The Find




Figure 3. The features of NCD (Norton Change Directory) have been enhanced to include a pop-up window, displayed over the current panels with Alt-F10.




Figure 4. Among the many enhancements in Version 2, is this Extension File Help screen.

File option scans the disk for files whose names match a pattern, which can include wildcards. Alt-F7 can also be used to invoke Find File. Sometimes users need to recall commands previously typed at the DOS prompt. Alt-F8 from the main screen, or History from the Commands menu al-

lows old commands to be recalled, edited and reused. The EGA Lines option, or Alt-F9 allows the number of lines on screen to be changed.

Many other tasks are available from the Command Menu. Compare Directories compares the files in two directories.

Where a file appears only in one directory it is tagged, and where both directories have a file with the same name, the newer version is tagged, making it easy to ensure that a disk has the latest version of every file. Menu File Edit allows the user defined menu file NC.MNU to be edited, and shows the relevant syntax in a help screen at the bottom of the screen. Extension File Edit creates or edits a file used to associate data files with the appropriate program, such as all .DOC files with your favourite word processor. Now clicking on a .DOC file would run the word processor and edit the .DOC file.

From the Options menu, the Color option allows the display to be set for black and white, color or LCD. Auto Menus invoke the user-defined menu system automatically whenever Commander is run. The DOS prompt at the bottom of the main screen always shows the default drive. The path can optionally be seen, and is toggled on or off by Path Prompt. Key Bar toggles on or off the labels for the function keys normally seen across the bottom of the screen. Full Screen allows the panels to take the full height of the screen, with the alternative being that the panels only take the top half of the screen. There are other options, and last of all Save Setup saves all the user's choices to disk so that they are all used next time the Commander is run.

Summing up . . .

MOST OTHER disk menu or DOS shell system take a narrow focus and only cover some of the tasks in managing a disk system and running programs. Norton Commander makes it easy to maintain a disk, with two directory displays and optional tree displays. All necessary copying, renaming, deleting and moving of files is far better done with the Commander than with DOS commands. In addition, the advanced file viewing options, builtin editor (perfect for batch files) and the point-and-shoot method of selecting drives, directories and running programs is a boon. The simple creation of menus is fantastic. Yet another program finds a permanent home on my hard disk! □

Product Details

Product: Norton Commander V2
Distributor: PC Extras
 86 86 George St, Redfern 2016 NSW
 (02) 319 2155
Price: \$137 untaxed



A LASER BLAST
SHOULD CONVINCE YOU
THAT THERE'S
NOT ENOUGH ROOM
IN SPACE FOR
BOTH OF US!

THE CITIZEN OVERTURE 106
LASER PRINTER

MORE SPACE, LESS BUCKS.


Not too long ago, to most of us, a laser was something that space heroes used to zap intergalactic pirates. Now laser printers are an everyday part of business life.

Introducing the Citizen Overture 106 laser printer.

Like the famous space character, the Overture 106 took imagination and state-of-the-art technology to create. But even though the Overture 106 is out of this world, unlike our hero, you won't have to fight for space – the 106 is the smallest desktop laser printer on the market today, with a 10% longer page life than most and a 12-month warranty.

At six pages per minute, superb clarity and high quality combination printing of both text and graphics, the Overture 106 offers more performance for the price than any other printer in its class – anywhere in the solar system!

Call Pantek for the name of your nearest Citizen dealer.




 **CITIZEN**

Printers that run like clockwork.

Pantek Australasian distributors.
12 Gipps St., Collingwood, Vic.
Phone (03) 417 7477 or from anywhere in
Australia (008) 333 078.

The Model 30 286 is an upgraded AT in PS/2 clothing. Two models are available: both have a 1.44 megabyte, 90 mm floppy disk drive; one has a 20 megabyte hard disk while the other has no hard disk (it's designed for network use or by those who need a larger hard disk from sources other than IBM).



IBM's Model 30 286

- the AT returns!

IN THE middle of September last year, IBM made a momentous announcement. It was the release of the IBM PS/2 Model 30 286, a Model 30 upgraded with an 10 MHz, 1 wait state 80286 microprocessor, VGA, three AT-compatible expansion slots and many other enhancements.

Hidden beneath the announcement was something very significant. The Model 30 286 is an upgraded AT in PS/2 clothing, which may placate those users reluctant to commit themselves to the micro channel architecture of the Model 50, 50Z, 60, 70 and 80. There is something else significant – while IBM has not announced the end of the original Model 30 with a 8086, rumour has it that it is being phased out.

IBM hasn't forsaken the DOS world! John Hepworth reports . . .

This will make the new machine the entry level IBM, aimed at the DOS user, though it can run OS/2.

Two Models of the Model 30 286 are available. Both have a 1.44 megabyte, 90 mm floppy disk drive. One has a 20 Megabyte hard disk. The other has no hard disk, and is designed for network use or by those who need a larger hard disk from sources other than IBM.

Appearance

FROM THE outside, the Model 30 286 appears almost identical to the original Model 30. Only the colour of the power switch has been changed. On the right side is a keylock for the case, which has no electrical connections and cannot be used to lock out the keyboard, as can keylocks on some other machines. The rear panel has connections for the parallel port, serial port (25-pin), mouse, keyboard, voltage selector, power inlet, fan and video output. Also visible are the covers for the three expansion slots. A U-bolt can be fitted to the rear panel to allow attachment of a padlock and security cable, and a hole in the bottom of the case can be used to bolt the system unit to a table.

One very interesting matter came to light, both from the product announcement and from inspection of the nameplate on the rear of the machine. It was made in Australia, in the IBM factory at Wangaratta in northern Victoria.

The keyboard is the now familiar IBM enhanced (AT) keyboard. It has a very good touch, and overall good key placement. I found it easy to use, though many software packages have been optimised for the vertical function key layout of the original IBM PC keyboard and are not as convenient to use on the newer layout.

While IBM has not announced the end of the original Model 30 with a 8086, rumour has it that it is being phased out.

Video

THE MODEL 30 286 sports VGA built into the planar board, and the test machine came with an IBM 8513 colour monitor. Performance was typical VGA, with good resolution and colour. The monitor had good brightness and contrast, when used in either bright or dimly-lit locations. VGA does not exactly implement all features in EGA – while nearly all VGA software ran well, a couple of EGA demo programs which rely on EGA-only features did not run.

Opening up the machine is easy. Just undo two screws, one on each side, slide the cover back a couple of centimetres and lift it up. The first impression is that there is very little inside. A small planar board (called motherboard in years and machines gone by) runs from the rear and from the left to the middle. The power supply is at the right rear, and the disk drives at the front. The fan is built into the power supply.

Almost everything is on the planar board, using surface mounted components and very fine printed circuit board tracks, though a couple of tiny boards are attached vertically to the planar board. The planar board includes all the ports, the VGA video and the floppy and hard disk controllers. None of the three AT-

The PS/2 range

THE MODEL 30 and Model 30 286 use the classic PC and AT bus. The others in the PS/2 range have Micro Channel Architecture. All have standard serial and parallel ports, mouse port and clock/calendar. The Model 60 and 80 machines are tower style, and stand vertically on the floor. The others are desktop machines.

Model 30

Model 30

8086, 8 MHz, 0 wait states
640 Kbyte memory
MCGA

Two 720 Kbyte floppies or one 720 Kbyte floppy and one 20 Mbyte hard disk

\$3,593 (2 floppies)
\$4,853 (1 floppy, 1 hard disk)

Model 30 286


80286, 10 MHz, 1 wait state
512 Kbyte RAM (maximum 4 Mbyte on the system board, 16 Mbyte with expansion boards)

VGA

One 1.44 Mbyte floppy or one 1.44 Mbyte floppy and one 20 Mbyte hard disk

\$4,678 (1 floppy and 1 hard disk)
\$3,751 (1 floppy, no fixed disk drive)

Model 50



Model 50

80286, 10 MHz, 1 wait state
1 Mbyte RAM (up to 7 Mbyte with expansion boards)

VGA

One 1.44 Mbyte floppy and one 20 Mbyte hard disk
\$7,700

Model 50Z

80286, 10 MHz, 0 wait state
1 Mbyte RAM (up to 2 Mbyte on system board 16 Mbyte with expansion boards)

VGA

One 1.44 Mbyte floppy
One 30 Mbyte hard disk or one 60 Mbyte hard disk

\$7,490 (30 Mbyte hard disk)
\$8,990 (60 Mbyte hard disk)

Model 60



Model 60

80286, 10 Mbyte, 1 wait state
1 Mbyte RAM (up to 15 Mbyte with expansion boards)

VGA

One 1.44 Mbyte floppy
One 44 Mbyte hard disk or one 70 Mbyte hard disk

\$11,381 (44 Mbyte hard disk)
\$13,488 (70 Mbyte hard disk)

Model 70



Model 70 E61

80386, 16 MHz, 0-2 wait states

1 Mbyte RAM (up to 6 Mbyte on system board, 16 Mbyte with expansion boards)
VGA
One 1.44 Mbyte floppy
One 60 Mbyte hard disk
\$11,800

Model 70 121

80386, 20 MHz, 0-2 wait states
2 Mbyte RAM (up to 6 Mbyte on system board, 16 Mbyte with expansion boards)
VGA
One 1.44 Mbyte floppy
One 120 Mbyte hard disk
\$14,801

Model 70 A21

80386, 25 MHz, 0-2 wait states
2 Mbyte RAM (up to 6 Mbyte on system board, 16 Mbyte with expansion boards)
VGA
One 1.44 Mbyte floppy
One 120 Mbyte hard disk
\$23,000

Model 80

Model 80 041

80386
1 Mbyte RAM (up to 16 Mbyte with expansion boards)
VGA
One 1.44 Mbyte floppy
One 44 Mbyte hard disk (second 44 Mbyte optional)
\$14,579

Model 80 071

80386

2 Mbyte RAM (up to 16 Mbyte with expansion boards)
VGA
One 1.44 Mbyte floppy
One 70 Mbyte hard disk (alternative 115 Mbyte optional)
\$17,658



Model 80 111

80386
2 Mbyte RAM (up to 16 Mbyte with expansion boards)
VGA
One 1.44 Mbyte floppy
One 115 Mbyte hard disk (additional 70 or 115 Mbyte optional)
\$14,579

All prices are taxed. For further information contact IBM Australia, Coonara Ave, West Pennant Hills 2120 NSW; (02) 634 9111.

the AT slots, and the absolute maximum memory which can be fitted is 16 Mbyte.

Setup

GETTING started could not be easier. Just put a monitor on top, plug it into the video connector, plug in power cords for both, and turn them on. If the machine has not previously been used, a starter disk is provided to get things going. It has an automatic configuration program which lists the installed devices and assigns them to operate correctly. The configuration is then stored in non-volatile RAM. Subsequent sessions don't require the starter disk, though it is needed any time the configuration is altered.

I ran a representative range of software on the Model 30 286, to test both its speed and compatibility. All text based software ran well. As mentioned above, with all true VGA, some EGA demo programs would not work, nor would self-booting graphics games. Most other graphics programs worked well. LapLink ran at 115,000 baud, while Brooklyn Bridge would not run at any speed. As with any machine, if you have a range of software that you already use or want to use, make sure that you test the combination before buying.

The hard disk had only the size and performance of the typical hard disk in an XT, not an AT. The processor ran around 4 times faster than an XT on most benchmarks, and around 7 to 10 times faster on some obscure integer operations written in Assembler. The machine is fast and useful, but somewhat hobbled by a slow and ordinary hard disk. The availability of one version without a hard disk opens up an opportunity for other suppliers to make available faster and/or larger hard disks.

Conclusion

IN ITS most common form, with a 20 Mbyte hard disk and a 8513 colour monitor, the Model 30 286 is an excellent entry level machine, though at somewhat of a premium price compared to no-name clones. In return for the higher price (though lower than the price for the original Model 30), it has VGA as standard, along with the one factor which reassures many users – the IBM logo on the front. Performance is good, though the slow hard disk is the limiting factor.

Some users may need a larger or faster hard disks, for OS/2 or large databases under DOS. For them, the answer could be to buy the version which has no hard disk, and fit another drive of their choice. □

style slots had an expansion board in them in the test machine.

Three AT-compatible slots are provided. These are on a vertical board that plugs into a single slot on the planar board. The expansion boards themselves slot in horizontally. Memory is not on the planar board, but is installed on tiny expansion boards about 70 x 20 mm, each of which carries 9 chips.


Either 256 kilobytes or 1 Mbyte chips can be used, though the two varieties cannot be mixed in the same machine. These boards plug into four special memory slots, and don't take up any of the three AT-style slots. Standard memory is 512

This will make the new machine the entry level IBM, aimed at the DOS user, though it can run OS/2.

Kbyte, and kits are available to increase this to 4 Mbyte, again without using the AT-style slots. If 4 Mbyte is not enough, other memory boards can be plugged into

The Maestro **KEY TALK** is **HERE!!** **ONLY \$99.00** INCL TAX

Fresh from the designers of the 2400ZXR and the V.32 9600 baud Executive. The **ULTIMATE** feed-back device for your keyboard.



**Phone Your
Order NOW**

THE PROBLEM:

To achieve audible feed-back from a standard IBM or compatible keyboard for those of us who are **NOT TYPISTS** and who are tired of the monotonous process of continually moving your eyes from keyboard to monitor, backwards and forwards in a *dizzy loop* -

WELL, NOT ANYMORE !!

THE SOLUTION:

Simply plug the Maestro Key Talk between your keyboard and computer (in series with your current keyboard) and instantly you have the **ULTIMATE** in **feed-back ...**

THE KEYBOARD COMES ALIVE

It actually speaks the letter as soon as you strike a key ...

MAGIC !!

SPECIFICATIONS: Requires a standard IBM keyboard (AT or XT) or compatible.

No external power supply required.

Does not interfere with the standard operation of your keyboard or slow it down in any way.

Vocabulary - all QWERTY, ASCII characters plus function keys and control characters.

Audio level adjustable.

MAESTRO Pty Ltd

Calool Street, South Kincumber 2256

Phone Your Order NOW

(043) 682 277, 682 278

All Major Credit Cards Accepted

Bridging the paper canyon with OmniPage

OMNIPAGE IS an information *ownership* package, because it allows you to make printed information yours – to bring it into your computer environment and store it either in text or graphics form. Any font, any file, any business computer,' according to Larry Miller, the California-based Director of Office Systems for the Caere Corporation.

Of course, Miller is biased in his assessment of OmniPage since Caere created the system and it is one of the first packages of its kind designed for PCs. The 'any

Laser printers started the desktop publishing revolution. Now, as Neil Munro reports, digital scanning will lead the way into the future.

business computer' he referred to are the two editions which work on IBM PCs and compatibles and the big-memory Apple Macs.

Used in conjunction with a desktop scanner, the OmniPage system allows PC users to scan and store pages from newspapers and magazines, government documents, legal contracts, insurance claim forms, telephone directories, transcripts and almost any typed or typeset business page.

Text on these pages can be automatically translated by the OmniPage software




Figure 1. OmniPage can scan text in any font – on paper or screen – up to 72 points in size. On a typical, well-printed page of standard quality type, there should be no scanning errors. With lesser quality or a very fine font type, the error rate will rise, but more than five errors per page is considered high.





Figure 2. The OmniPage system, when used in conjunction with a desktop scanner, allows PC users to scan and store pages from newspapers and magazines, government documents, legal contracts, insurance claim forms, telephone directories, transcripts and almost any typed or typeset business page. Alternately, pages of text and/or pictures can be automatically translated by the OmniPage software.

into word processing file format for storage or editing. Alternately, pages of text and/or pictures can be scanned as graphic images for archival purposes.

The practical applications for information technology like this is medium to large business environments – and well-heeled hackers. Miller anticipates that corporations and public service departments to be the initial users of the system.

'I expect large organisations such as government to be the perfect place for this technology,' Miller said. 'In fact, right now, we have a team in Washington DC talking to the Internal Revenue Service because that place is full of paper. Schools, universities and libraries are other obvious users.'

The motivation behind Caere's confidence in OmniPage is the fact that most of the world's information is paper-based – making paper still the most compatible medium in business.



'OmniPage is part of a significant change in the way computers will be used in the office from now on. As Apple boss John Sculley pointed out, the scanner will be part of the office of the future because there will continue to be more information produced on paper – and more information than any individual can handle.'

'There is a certain amount of information that you file, but there is a gap of valuable information that you can't afford to file because you as sure as hell aren't going to type it in. By the time you had built a cross-reference file that made it valuable to you, it would become too expensive and too bothersome. So you let it go.'

'I found myself reading magazines and trying to burn articles into my memory as I dropped them into the waste basket. I knew I couldn't file it, but I knew it was valuable. A program like OmniPage is a bridge over that canyon.' – Larry Miller, Caere Corporation, creators of OmniPage.

The paper trail

BUT PCs are catching up and much of the information which ends up on hard or floppy disk systems is originally sourced from pages of print. Transferring large volumes of paper-based information into computers for manipulation and storage requires hours of re-keying. That's where Caere believes that OmniPage comes into its own.

Early reviewers of the system complained about getting a high percentage of errors when the software was set to read text and convert it into standard ASCII

characters. As a result, the package was often written off as 'novel but not really practical'. But in most cases the fault lay in the scanner density setting.

Set too light the software will read characters such as *e* as *c* and *f* as *l*. Squint your eyes reading print and you'll see what the software sees when the scanner setting is wrong. But a little patience and experimentation should enable most printed or typed pages to be read by the system.

In practise, there is nothing very complicated about operating the software because it requires a minimum level of computer expertise – the real intelligence involved in the operation is supplied by the Optical Character Recognition (OCR) segment of the program's software.

Patents pending

THE CAPABILITIES of any OCR software program are directly related to the programs complexity. To carry out the tasks of recognising multiple fonts and font sizes, columnar and full page formats as well as graphic scanning capabilities requires complex programming techniques. To protect their software investment, Caere has four separate patents pending in the USA.

The arrival of facsimile transmissions in businesses has increased, rather than lessened, the paper load in offices.


'OmniPage can handle fax pages as well as any other printed pages,' said Miller. 'It doesn't matter where the page of information came from – as long as the text is readable.'

Apart from scanned paper, OmniPage can also 'read' text from computer screens and fax messages received via computer. Said Miller: 'One of the things that has constrained inbuilt fax modem sales is that people want to be able to work on the text which comes into their computer, but what comes across in a fax modem is only a graphic image of the original page.)

'OmniPage solves this problem by scanning the text in any font – on paper or screen – and up to 72 points in size.'

The program handles multiple or single columns of text with equal ease and watching OmniPage 'do its thing' is fascinating: the software outlines each column in an image of the scanned page, then blocks out each line as it 'reads' the text. After 'thinking' for a while, the screen changes and the text appears as a word processing document.

On a typical, well-printed page of stand-



ed in conjunction with a desktop scanner, from almost any typed or typeset page. Text can be scanned as graphic images.

It's a miracle!

FREE SOFTWARE!



**IBM PC
Apple II
Mac**

DETAILS IN OUR **NEW** CATALOGUE of cut-price & **FREE** SOFTWARE

For *your* copy, ring
(03) 648 1191 at *any*
time, and be ready to
tell our receptionist
your name, address
and make of computer.

Or write: Tim
Hartnell, Interface
Publications (Aust.)
Pty. Ltd., Room Y4,
34 Camp St., Chelsea,
Vic., 3196

DIGITAL SCANNER

ard quality type there should be no scanning errors. With lesser quality or a very fine font type, the error rate will rise. More than five errors per page is considered high. The quickest way to correct mistakes is to run the file through a spell checker – or re-scan the page with a different density setting on the scanner.

A built-in spell checker is an obvious omission from the package and Caere is considering this for inclusion in its next release of OmniPage.

Saving an old story

AFTER TRYING different sheets of print as a test, I decided to put OmniPage through its paces with an old copy of a book I had cherished for years. It is now out of print and the pages are yellowed with age. After setting the scan area for the first page, all that was necessary after that was to turn the pages and press the button – OmniPage did the rest.

After a couple of hours of page turning I'd copied the text of ninety pages into OmniPage. A trained monkey could have carried out my contribution to the process. Most pages were free of error and I tidied up the rest in a word processor.

So, I ended up with word a processor file of an irreplaceable piece of literature, preserved in a medium undreamed of by the original author.

Miller believes that today's authors will be another group who will take advantage of this technology – as long as they use a typewriter or printer.

'In theory, you could fax the pages of a book to a publisher who would then use a scanner to translate the text into their word processor – then transmit that text to the typesetter. You could actually have a book printed in twenty four hours of receipt,' he said.

'This what the global village is all about – time and space are not relevant any more as far as the printed word is concerned. I was talking to John Sculley about the significance of OmniPage – he's a truly visionary leader who doesn't worry about details too much – and he is using OmniPage.'

Miller's association with Apple goes back some time. Before joining Caere, he worked with Apple for five years and was part of the desktop publishing evolution.

'In those days it was three people and a couple of hundred thousand dollars trying to come up with an idea to sell LaserWriters. A few years later there is an entire industry built around desktop publishing.'

The next wave

IF YOU look at what laser printers have done to the way people use computers you have to realise that without laser printers, desktop publishing wouldn't have happened. There are eighteen to twenty million PCs installed, but only 750,000 laser printers of any kind have been sold. So an infinitesimal number of laser printers have driven this huge change which sweeping across the world, affecting the way people relate to a computer. Scanners and OCR software will be the next wave,' Miller predicted.

Other applications for OCR technology will be the marriage of scanner/software systems with CD-ROM disks. With over 500 megabytes of text available to these disks, they could be filled with company data, histories, the *Yellow Pages* or rare books and the like.

Product Details

Product: OmniPage
Distributor: OmniPage Australia, 90
Arthur Street, North Sydney 2060 NSW
(02) 959 3644

Price: \$4870 IBM PC XT/AT and
compatibles; includes plug-in board
with 2 Mbyte of RAM and a Motorola
68020 microprocessor – requires
Microsoft Windows.

\$1892 Macintosh SE and Macintosh II
(software and documentation only);
requires 4 Mbyte of memory.

*Note: both prices are taxed – OmniPage
is awaiting clarification from the Federal
Government on the new software tax.*

'Businesses like automated clipping services could scan pages and send a computer disk to their client,' Miller pointed out. 'Then anyone in that company could do a word search to find the clipping relevant to their job or section.'

So what does Larry Miller see as the next major development for systems like OmniPage?


'The next step will be to translate foreign language text to English – maybe not poetic English but understandable English. This will be of enormous benefit to businesses which deal with foreign companies on a regular basis. That technology already exists and it is a likely future marriage with OmniPage.'

FEATURE COMPARISON CHART

■: Present □: Absent O: Optional L: Limited

FEATURE	CSS	SPSS/PC+
Data Handling		
Conditional case selection	■	■
Computed variables	■	■
Free field data formatting	■	■
Joins data files	■	■
Lag variables	■	■
Merges data files	■	■
Missing values	■	■
Reads/Writes Ascii files	■	■
Reads/Writes Lotus/dBase files	■	■
Sorts cases/variables	■	■
Split data files	■	■
Spreadsheet data editor	■	■
Transformations	■	■
Transpose data	■	■
Variable labels	■	■
Batch Facility	■	■
Macro Facility	■	■
Contingency Tables	■	■
Multiway tables	■	■
Chi-square tests	■	■
Other tests	■	■
Nonparametric Tests	■	■
Fisher's exact test	■	■
Friedman Anova-by-ranks	■	■
Mann-Whitney U	■	■
Kendall's Tau	■	■
Kolmogorov-Smirnov	■	■
Wilcoxon	■	■
T-Tests	■	■
Independent	■	■
Matched pairs	■	■
Correlation	■	■
Fisher's r to z transformation	■	■
Partial correlations	■	■
Pearson correlations	■	■
Spearman rank-order	■	■
Reliability/Test Item Analysis	■	■
Regression	■	■
Standard multiple	■	■
Logistic	■	■
Nonlinear	■	■
Residuals Analysis	■	■
Simultaneous ridge	■	■
Stepwise	■	■
Analysis of variance (Anova)	■	■
Analysis of covariance (Ancova)	■	■
Latin-square design	■	■
Multiway factorial	■	■
Nested designs	■	■
Planned comparisons	■	■
Post-hoc comparisons	■	■
Repeated measures	■	■
Split-plot designs	■	■
Unbalanced designs	■	■
Log linear models	■	■
Survival analysis	■	■
Multivariate Analysis	■	■
Analysis of covariance (Mancova)	■	■
Analysis of variance (Manova)	■	■
Factorial Manovas	■	■
Canonical correlation	■	■
Discriminant analysis	■	■
Multivariate Analysis	■	■
Analysis of covariance (Mancova)	■	■
Analysis of variance (Manova)	■	■
Factorial Manovas	■	■
Canonical correlation	■	■
Discriminant analysis	■	■
Factor analysis	■	■
Hotelling's T-squared	■	■
Multivariate classification	■	■
Planned multivariate comparisons	■	■
Post-hoc multivariate comparisons	■	■
Principal component analysis	■	■
Repeated measures Manovas	■	■
Cluster Analysis	■	■
Multi dimensional Scalling	■	■
Quality control	■	■
Time Series Analysis	■	■
Auto correlation	■	■
Partial auto correlation	■	■
Cross correlation	■	■
Fast Fourier transform	■	■
Auto spectral analysis	■	■
Cross spectral analysis	■	■
Data tapering/smoothing	■	■
Box Jenkins ARIMA models	■	■
Graphics/Graph types	■	■
Box and whisker plots	■	■
Casement plots	■	■
Chernoff faces	■	■
Contour (density) plots	■	■
Histograms/frequencies	■	■
3-D histograms	■	■
Line graphs	■	■
Logarithmic/semilogarithmic plots	■	■
Pie charts	■	■
Probability/cumulative probability plots	■	■
Scatter plots	■	■
Stem and leaf plots	■	■
X-Y-Z plots	■	■
Graph features	■	■
Overlaid plots	■	■
Error bars	■	■
Multiple text fonts	■	■
Free form text positioning/orientation	■	■
Flexible chart sizing	■	■
Colour graphics support	■	■
Plotter support	■	■
Mouse support	■	■
Can use maths co-processor	■	■

INCIDENCE OF STRESS IN DIFFERENT AREAS. PERCENTAGES SHOWN ARE OF THOSE WITH STRESS HIGHER THAN EXPECTED AVERAGE



NEW VERSION 2.1
WITH QUALITY CONTROL

COMPLETE STATISTICAL SYSTEM

CSS (Complete Statistical System) is a high performance, integrated statistical data processing, database management, and graphics system for science, business, and engineering applications, for your PC! The comprehensiveness and speed of CSS make it a realistic and attractive alternative to mainframe statistical packages. CSS is incomparably faster and more flexible than mainframe programs and at the same time offers an equal or better selection of analytical methods.

CSS is capable of Basic and Descriptive Statistics, Multiway Frequency Tables, Nonparametric Statistics, Exploratory Data Analysis with Analytical Graphs, Multiple Regression Methods, Time Series Analysis with Modeling and Forecasting, General Anova/Ancova/Manova, Contrast Analysis, Discriminant Function Analysis, Factor Analysis/Principal Components, Multi-dimensional Scalling, Log-Linear Analysis, Reliability/Item Analysis, Cluster Analysis, Probit/Logit/Nonlinear Estimation, Canonical Correlation, Quality Control, plus Pascal development module.

If you would like more information and a free demonstration disk on CSS, simply send us a copy of this advertisement with your business card attached.

SOFTWARE *Express*

WE ONLY DO SOFTWARE

SYDNEY: 74 PARRAMATTA RD, STANMORE. 2048.
PHONE (02) 519 3249 FAX (02) 519 3868

MELBOURNE: 48 A BECKETT ST, MELBOURNE 3000
PHONE (03) 663 6580 FAX (03) 663 6117

\$795


WIN A YEAR'S SUPPLY OF BEER!

*5 people will each collect a case of
Labatt's beer per week for a
whole year.*

CANADA'S No 1 LAGER

To enter simply send in the entry form in The Australian Beer Guide! (It even comes with its own envelope)

IT'S THAT EASY!



ON SALE
AT YOUR
NEWSAGENT
NOW!

PLUS 100 great Labatt's
caps to be
won.



CANADA'S TRUE BLUE LAGER!





SAVE THIS MUCH

BUT SAVING MONEY ISN'T THE ONLY REASON TO SUBSCRIBE!

The greatest proportion of our readers buy the magazine at their local newsagent every month (for that we're thankful), you're the ones who largely pay our way). But, taking out a subscription has advantages for both of us in that it can help provide you with a better magazine. And, as our staff greenie pointed out, it can save some trees.

My experience at YC has shown that our reader's tend to be an exceptionally aware crew. Not only do you want to know more about computers and gaining greater productivity from them, but, you want to find a magazine that stimulates your interest in computers — and their applications — with timely and informative articles. If the magazine is at a good price, all the better! As I said, you all tend to be an aware crew but, the high-tech dynamics of the computer industry's competitiveness and the associated hype means you're probably more suspicious than most when asked to fork out your money in advance for anything. Who can blame you? Just before Xmas I ordered and paid for a certain article of software I thought would make my computing life


a bit easier; yesterday I was told that the advertised version of the product was no longer being shipped since a new release was on the way 'real soon now.'

But — there are some very real reasons to subscribe. For a start, right now we're offering a special discount for subscribers. Instead of paying \$47.40 for 12 issues at the newsagent, you can have those same magazines for \$31.50 (that's \$2.63 an issue, delivered to your letter box before it's on sale at the newsagents). And that can help us bring you a better magazine. Let me explain that: For every reader who subscribes instead of buying the magazine off the newstand, we need to print one copy less. That's because there's a lot of wastage in Australia's magazine distribution system — not so much inefficiency, as the simple fact that there are over 6,000 newsagents scattered across 3 million square miles of countryside — so, we have to print and distribute almost 2 copies for every 1 that's eventually sold. And, that's about the best that can be expected from a 'special interest' magazine like ours that only appeals to a relatively small percentage of the general readership.

But, for every subscriber, we only have to print 1 copy. That means we use less paper — so subscribe and save a tree!


Those aren't the only advantages to subscribing, though. If we're using less paper, we're going to buy less, which means we can spend more of our budget on features and improving our resources. So, subscriber's actually help us bring out a better magazine! We both win!

If you'd like to subscribe, send off the form now — and start saving! If you have any problems with your subscription (or you'd like to pass on comments or ideas), write to me — it's your magazine.



Jake Kennedy.

DOS lives!



OS/2 may have arrived, but DOS
is still fighting on.
Chris Allen boots the old
warhorse in new
finery . . .

AT A TIME when you thought the world was about to pass you by, when the storm clouds of OS/2 were at their blackest and when all hope seemed lost, DOS, your faithful ally of bygone years, gets up from the canvas to fight again. Round 4, DOS lives!

Trifle dramatic? What the heck, DOS Version 4.0 is the first major revision of DOS since the IBM AT DOS Version 3.0 was released in 1984. As we all know, four

Photo: Don Carroll/The Image Bank

years is a long time in this industry, so probably the most surprising aspect of DOS 4.0 is the time it took to get here.

Is DOS 4.0 really that different from Version 3.x? The answer is yes and no. Yes, DOS 4.0 has significant improvements and changes over IBM DOS 3.x. No, if you have been using other varieties of DOS, such as Compaq MS-DOS 3.31, since several DOS 4.0 additions are already familiar to you.

The facts

THE MOST significant improvements are the ability to use DOS disk partitions larger than 32 megabytes and the ability to access expanded memory. In one way or another, these abilities have been available through third party board manufacturers and software developers for quite some time.

The new version is significant because the changes to DOS itself should standardise the methods of utilising these features, and software developers will have a reasonably stable environment to write for. Just as software (networking, in particular) has become available which requires DOS 3.x, in the future you can expect to see software which requires or at least suggests DOS 4.x.

The most visible addition to DOS 4.0 is the DOS Shell – a menu system which can be customised to simplify the process of using application programs. As a menu system, it allows for a description of the option, the specification of path names and program filenames, optional passwords and help screens. In addition to its use as a menu system, DOS Shell also provides functions similar to utilities such as Xtree.

DOS Shell will operate with graphic and text displays and provides mouse support as standard. It conforms to the IBM Systems Application Architecture (SAA) keyboard and screen display standards.

The least visible change to DOS is its improved syntax checking on DOS commands and its vastly improved error messages. For example if you were to type `FORMAT A:/D`, DOS returns an error message 'Invalid Switch - /D'.

IBM sees DOS 4.0 as the primary operating system of choice for those single user systems based on 8086/8088 microprocessor and as the entry level operating system for single user systems based on an 80286/80386 microprocessor, without need of multi-tasking and virtual storage capabilities.

IBM PC-DOS Version 3.3 will still be

available for those users who do not require the new functions. According to IBM, OS/2 will be the primary operating system for single user systems based on 80286/80386 microprocessors who require full multi-tasking in a more sophisticated environment.

The new version is significant because the changes to DOS itself should standardise the methods of utilising these features, and software developers will have a reasonably stable environment to write for.

Hard disk organization

DOS 4.0 handles the details of file storage in a significantly different way from previous versions of DOS. The ability to support partitions of 32 Mbytes has been achieved through a combination of increased size of the file allocation table (allowing more clusters to be allocated), the capability to increase the size of each cluster and the ability to address large sector numbers. The boot record is the only file management component which has a fixed size.

The File Allocation Table (FAT), which is essentially an index of where files are located, has a variable size depending on the size of the partition being used. If the partition is less than 32 Mbytes the FAT will be the same as in DOS Version 3.x. A hard disk formatted under DOS 4.0 will be bootable under DOS 3.x if the partition size is under 32 Mbyte. The large file support of DOS 4.0 should be compatible with the file management of OS/2 Standard Edition 1.1 and Extended Edition.

Documentation

IBM has changed the format and type of the documentation provided with DOS 4.0. Supplied as standard are two manuals, *Getting Started with DOS 4.0* and *Using DOS 4.0*. These two manuals are enough for users who rarely use more than a few commands or reconfigure their system. These manuals contain less detail on DOS commands than the standard documentation in previous versions of DOS.

To supplement the standard documentation, IBM offers the *DOS 4.0 Command Reference Manual* and the *DOS 4.0 Technical Reference and Application Programming Manual*, at additional cost, naturally.

Compatibility

I'VE HAD DOS 4.0 running on my system for about six weeks, with no major problems. All application software I've used has performed as expected, although my system has a mere 20 Mbyte of disk space.


Programs such as XtreePro and SideKick have had no problems, though Norton Utilities was unable to recognise the format of the hard disk and had to be used with the /M (maintain parameter) switch. Utilities that directly access the disk will have to have new versions released. It's a fair guess that most of the major players are working on this right now.

It would be accurate to say that compatibility has not affected the operation of my system to date. According to IBM, applications that make use of unpublished DOS interrupt 21H functions, or make use of unpublished DOS internal control blocks, may not function correctly under DOS 4.0.

IBM claims that I/O performance has been improved significantly with DOS 4.0. This has not been obvious in my general usage, but it would be difficult to notice anything less than a 20 per cent improvement.

The bottom line

DOS 4.0 OFFERS significant improvements to Version 3.30, though many users may not require the additional functionality at the present time. Because IBM has introduced this new version, and because of the DOS 4.0 support for larger files and memories, the life of DOS as a viable operating system has been extended yet again. Other manufacturers are sure to release their own versions. DOS 4.0 is here to stay, and DOS the war horse lives to fight yet another day! □



High power CAD Package only \$179

Now you can create detailed, professional quality designs and drawings quickly, easily and inexpensively.

CCS Designer comes with many of the same powerful features found in CAD systems costing thousands of dollars. All you need is an IBM PC/XT/AT or compatible computer with 512K RAM. You'll be creating designs in under 30 minutes.

Use it for dozens of applications: Architectural designs, organisational charts, mechanical designs, business graphics, electronic circuit layouts, interior designs, landscaping, flow charts, floor plans. Built in drivers support 180 mice, 52 input devices, 77 plotters, math co-processors and most display cards. An optional utility allows conversion to and from AutoCAD file format so you can exchange files with AutoCAD and read CCS Designer drawings into Desktop Publishing programs.

CCS Designer produces high quality output on matrix and laser printers – you don't need an expensive plotter for good results.

Use CCS Designer with our Symbol Libraries.

Symbol Library Volume One:

Electrical, Electronic and Plumbing symbols.

Symbol Library Volume Two:

Home design and home furnishing symbols for creating floor plans and interiors.

Symbol Library Volume Three:

Flow chart symbols for drawing professional quality flow charts.

FEATURES

- Enlarge • Rotate • Zoom in and out
- Paint/fill • Undo • Redo • Flip • Move, copy, delete and save sections • Plot to a dot matrix printer • Arcs and curves • Adjustable grid and snap gravity point • Multiple character sets • 8 line types with adjustable thicknesses
- Clearly written manual and on-line help
- Create your own symbol libraries • Retrieve symbols at any size, angle, or location • 16 colour high resolution display and output • Auto dimensioning and scaling • Single keystroke commands • Point XY command • Point Polar command • Repeat copy section • Gravity move • Ortho line • Static zoom

CCS Designer \$179

Symbol Libraries \$79.00 each


Logitech Mouse \$130.00

Plus \$10.00 postage and packing.

Note money back guarantee does not apply to software.

Dealer Enquiries Welcome

EPROM Programmer Card



This superb EPROM burner comes with a high quality ZIF socket and cabling.


Facilities include the ability to read, write, copy, compare and erase the contents of EPROMs.

Compatible EPROMs include: 2716, 2732, 2764, 27128, 27256, 27512, 2804, 2816, 2864, 58064. It comes complete with software and user manual. IFEPM0 **\$245**

PC Universal Card

Perfect for prototyping, with massive 4000 hole working area.

- Suits PC and AT systems
- Built-in data bus, address bus I/O line buffers
- Universal address decode chip
- D-25 connector IF054 **\$125**



AD-DA Conversion Cards

- Input/Output voltage 0-9V (adjustable)
- Unipolar or bipolar IFADDA12 **\$215.00**

COMPLETE RANGE

MOTHERBOARDS

MB1600	10MHz XT M/Board, 0K RAM	249 00
MB286120K	Baby 286 M/Board, 12MHz/0K	645 00
MB286161M	Baby 286 M/Board, 16MHz/1M	1645 00
MB28616L1M	Baby 286 M/Board, 16MHz/1m	1495 00
MB286201M	Baby 286 M/Board, 20MHz/1M	1895 00
MB386202M	Baby 386 M/Board, 20MHz/2M	4500 00

CHIPS

IC256K12	256K RAM Chip – 120ns	23 00
IC256K15	256K RAM Chip – 150ns	19 90
IC256K80	256K RAM Chip – 80ns	29 50
IC28710	80287, 10MHz Co-processor	549 00
IC2876	80287, 6MHz Co-processor	315 00
IC2878	80287, 8MHz Co-processor	450 00
IC64K12	64K RAM Chip – 120ns	9 00
IC64K15	64K RAM Chip – 150ns	7 50
IC8087	8087-2, 8MHz Co-Processor	275 00
ICV20	NEC V20 Chip	29 00
ICV30	NEC V30 Chip – 10MHz	49 00

DISK DRIVES

DD1037A	Disk Drive, NEC 720K, 3.5in	235 00
DD1053	Disk Drive, Japanese 360K	175 00
DD1137H	Disk Drive, NEC 1.44M	229 00
DD1157C	Disk Drive, NEC 1.2MB	199 00
DD3146H	Hard DD, NEC 40MB, 35ms	695 00
DD5126	Hard Disk Drive, NEC 20MB	399 00
DD5146H	Hard Disk Drive, NEC 40MB	645 00
DD3142H	Hard Drive, NEC 42MB 28ms	745 00

SYSTEMS

SY28612	System 286, 12MHz, 1MB RAM	1745 00
SY28616	System 286, 16MHz, 1MB RAM	2195 00
SY28620	System 286, 20MHz, 1MB RAM	2395 00

SOFTWARE

SW410	MS DOS V3.2 – (NEC)	80 00
SWCCSD	CCS Designer	179 00
SWPAINT	CCS Paintshow	55 00
SWSL1	CCS Symbol Library No. 1	79 00
SWSL2	CCS Symbol Library No. 2	79 00
SWSL3	CCS Symbol Library No. 3	79 00
SWWM	Wordmagic, Wordprocessing	139 00

KEYBOARDS

KB101	Keyboard, 101 Keys XT/AT	145 00
KB84	Keyboard, 84 Keys XT/AT	125 00

ACCESSORIES

AC2MP	Printer Cable, 2M, 25 pin	12 00
AC3MP	Printer Cable, 3M, 25 pin	15 00
AC5400	14 EGA Colour Monitor	745 00
ACDA	9 pin Designer Adaptor	10 00
ACDM	Designer Mouse (290 DPI)	99 00
ACLA	25 pin Logitech Adaptor	10 00
ACLM	Logitech Mouse	130 00
ACM2	NEC Multisync II Monitor	1249 00
ACMA	Monitor – TTL Amber	199 00
ACMAT	Mouse Mat	7 50
ACMG	Monitor – TTL Green	199 00

PRINTERS

PR2200	NEC P2200 Printer	695 00
PR22CSF	Cut Sheet Feeder – P2200	155 00
PR30	Sheet, Olympia 9 pin	425 00

CONSUMABLES

COD1200	Diskette, box of 10, 1.2M	50 00
COD360	Diskette, box of 10, 360K	20 00
CODB1200	Diskette, 1.2M, Bulk Pack	6 00
CODB360	Diskette, 360K, Bulk Pack	2 50
COMD720	Micro Disk, Box of 10, 720K	66 00

I/O CARDS

IO1005	Multi I/O Card – XT only	175 00
IO1009	Parallel Printer Card	44 00
IO1010	Serial RS232 Card, XT only	55 00
IO10102P	Serial RS232 X 2, XT only	79 00
IO1014	I/O Plus Card – XT Only	136 00
IO2210	Serial/Parallel Card – XT	125 00
IO2230	I/O Plus Card – AT only	245 00
IO2240	Multi-Serial Card, 4P – AT	245 00
IO2250	Multi I/O, 2S, 1P, 1G, AT	399 00
IO2280	Multi-Serial Card, 8P – AT	645 00
IOCHIP	Chip Set for IC1010	25 00

VIDEO CARDS

VC0800	VGA Card, 800 x 600	545 00
VC1024	VGA Card, 1024 x 768	895 00
VC1623	Turbo Colour Graphics Cd	165 00
VC1625	Colour Graphics/Mono Card	195 00
VC1629C	EGA Card, W/Hercules Mode	249 00
VC1633	Turbo Mono/Graphics Card	165 00
VC1635	Turbo/Mono Printer Card	175 00

DISK CONTROLLER CARDS

DC1004A	Floppy Disk Card, 4 Ports	59 00
DC1220	1.2M/360K/720K/1.44M FDC	125 00
DC1240	Disk Cont. 2in, 2Ex, or 4in	149 00
DC2200	Hard Disk Controller – XT	145 00
DC2210	HDD/FDD Cont/Board – XT	175 00
DC2300	Hard Disk Controller – AT	245 00
DC2310	HDD/FDD Controller – AT	249 00
DC2340	2HDD/4DD Controller – AT	299 00

POWER SUPPLIES

PS9150CB	150W PSU, Circuit Board	85 00
PS9150S	150W Switching PSU – XT	148 00
PS9180	180W Switch PSU – Baby AT	170 00
PS9180L	180W PSU, Baby AT, L Type	170 00
PS9200	220W Switching PSU – AT	220 00

CASES

CAAT	Case, hinged AT	155 00
CAATB	Case – Baby AT, hinged	135 00
CAEX3	3.5 Ext. Case + Cable	99 00
CAEX5	5.25 Ext. Case + Cable	99 00
CAMCASE	5.25 Case for 3.5 Drive	25 00
CATOWER6	Case, Tower for 6 Devices	420 00
CAXT	Case, hinged XT	95 00

INTERFACE CARDS

IF045	Serial RS-422 Adaptor	135 00
IF046	Industrial I/O Card	445 00
IF054	Universal Wire-wrap Card	125 00
IF055	Dual Serial RS-422 Card	195 00
IF286S	80286 Speed-up Card	595 00
IF488	IEEE 488 Interface Card	465 00
IFADDA12	A-D/D-A Conv, 1 Channel	215 00
IFADDA14	A-D/D-A Conv, 2 Channel	599 00
IFCLOCK	Clock Card – XT	50 00
IFEPROM	EPROM Wr:ter Card	245 00
IFTEGA	Orchid Turbo EGA Card	950 00

RAM CARDS

RC1015	Universal RAM Card, 0K RAM	99 00
RC2000	2MB EMS Memory Cd, 0K RAM	295 00
RC2000EEA	2MB RAM Cd, 0K LIM/EMS AT	295 00
RC2000EEH	2MB RAM Cd, 0K LIM/EMS XT	295 00
RC2350	3.5MB M/Funct Cd – 0K RAM	495 00
RC2500	2.5MB RAM Cd, 1S, 1P – AT	345 00
RC3350	3.5MB RAM Cd, 0K RAM – AT	235 00

*OK RAM MEANS ZERO RAM FITTED.


RING US FOR A CATALOGUE

CAT DD1053

**Japanese manufacture 360K
5.25 inch floppy drive**

Standard double sided/double density featuring brushless DC motor design.

- Track to track access: 3ms
- Transfer rate: 250Kbits/sec
- Recording method: FM/MFM
- Dimensions: 41mm (H) x 146mm (W) x 203mm (D) (not including front panel)
- Power consumption: +12V/390mA (startup), 210mA (idle), +5V/460mA price only **\$175.00**



CAT DD1157C

NEC 1.2MB/360K 5.25 inch floppy drive

This dual standard high/low density drive features a brushless DC motor for high reliability. Head positioning is via a steel band and stepper motor for high accuracy.

Specifications:

- Track to track access: 3ms
- Transfer rate: 500Kbits/sec
- Dual speed design enables reading of 48 tpi and 96 tpi media
- Recording method: FM/MFM
- Dimensions: 41mm (H) x 146mm (W) x 203mm (D) (not including front panel)
- Power consumption: +12V/390mA (startup), 210mA (idle), +5V/460mA only **\$199.00**

CAT DD1137H

1.44MB 3.5 inch slimline micro-floppy drive

This high reliability drive features low power consumption and high reliability. It incorporates an autoshutter and head load solenoid to protect media.

Specifications:

- Data transfer rate 500 kbits/sec
- Power dissipation: 0.015W standby, 1.5W steady state
- Seek time: 3ms
- Size: 101.6mm (H) x 25.4mm (W) x 130mm (L)
- Weight 0.39kg
- price only **\$299**




CAT DD5126

20MB 5.25 inch half height hard disk drive

The DD5126 combines advanced technology with rugged design. The DC servomotor and split steel band access mechanism provides an access time of 85ms. A dedicated head landing zone, automatic carriage lock and low mass heads protect the media during shipment.

- Access time track to track: 8ms. Average seek time 85ms
- Formatted capacity: 20.1MB
- Data transfer rate: 625Kb/sec
- Power consumption: 20W
- Size: 146mm (W) x 41mm (H) x 208mm (D)
- price only **\$399.00 Limited stocks at this price.**



CAT DD3146H/DD3142H

40 Megabyte 3.5 inch hard disk drive


- Access time track to track 8ms. Average seek time 35ms (28ms for DD3142H)
- Formatted capacity 40.3MB (43.3MB for DD3146H)
- Data transfer rate 625Kb/sec
- Power consumption 9.2W
- Non-operating shock: 40G
- Size: 41.3mm (H) x 101.6mm (W) x 146mm (D)
- price only **(DD3146H) \$695.00 (DD3142H) \$745.00**

CAT CAMCASE

3.5 inch Tray

This adaptor tray enables a 3.5 inch slimline floppy drive to be mounted in the same space normally occupied by a 5.25 inch drive. It comes complete with a 5.25 inch to 3.5 inch power adaptor cable.

price only **\$25.00**



CAT CAEX5

5.25 inch External Drive Case

This case permits external mounting of a 5.25 inch hard or floppy drive. It comes complete with 37 pin connector and cabling to connect to a controller with an external socket.

price only **\$99.00**

CAT CEAX3

3.5 inch External Drive Case

This case permits external mounting of a 3.5 inch half height hard or floppy drive. It comes complete with 37 pin connector and cabling to connect to a controller with an external socket.

price only **\$99.00**

CAT DC2300

IBM Hard Disk controller

The DC2300 is a high performance hard disk controller card for IBM PC, AT or compatible computers.

- Half size, suitable for the rightmost short slot.
- The most reliable Digital Phase Lock Loop circuitry.
- CRC and ECC functions ensure data integrity.
- ON board copyright BIOS.
- Default 3 to 1 interleave. Selectable from 1 to 9 by user.
- User-friendly on screen physical format, parameter settings.
- On-screen user selectable drive types
- Shipdisk software included in the BIOS.
- Support 2 ST506-type drives. The drives can be in different types. Included: 1 x 20 way cable, 1 x 34 way cable
- price only **\$199.00**



DISK DRIVE SOLUTIONS

NEC

Don't compromise!! Get NEC quality for the price of a "cheapy"!!


Whatever your disk drive needs, Electronic Solutions has the answer, with a complete range of floppy and hard disks, adaptors, external cases and compatible disk controllers. We sell the superb quality NEC drives – at prices as low as the "cheapiers". Now you don't have to compromise! NEC make the most reliable and hard wearing drives in the industry. Don't settle for less!!

CAT DC2200

IBM XT Hard Disk Controller

The DC2200 is a high performance hard disk controller for IBM PC/XT and compatible computers. It is fully hardware compatible with the IBM XT hard disk controller

- Half sized card,
- Uses highly reliable Digital Phase Lock Loop circuitry
- CRC and ECC functions to ensure data integrity
- On-board copyright BIOS
- Default 3 to 1 interleave factor can be varied from 1 to 9 by the user.
- User-friendly on-screen physical format, parameter settings.
- On-screen user selectable drive types
- Shipdisk software included in the BIOS
- Supports 2 x ST506 type drives. The drives can be different types.
- price only **\$149.00**



CAT DC2210

Hard Disk/Floppy Disk Controller Card



This card provides high performance of up to two (2) hard disks, while also controlling up to two (2) floppy disk drives, either 5.25" 360KB or 1.2MB, or 3.5" 720KB or 1.44MB, for the PC "XT" or compatible computer.

- Digital Phase Lock Loop circuitry
- CRC and ECC functions ensure data integrity
- On board BIOS (copyright)
- Default 3 to 1 interleave factor. Selectable from 1 to 9 by the user.
- Shipdisk software is included in the BIOS
- It supports two (2) ST506-type drives. The drives can be different types.
- It controls up to two (2) floppy disk drives.

The drives can be different types in any combination of 5.25" 360KB or 1.2MB, or 3.5" 720KB or 1.44MB.
price only **\$175.00**

CAT DC1240

Floppy Drive controller: 2 Internal/2 external or 4 internal drives

This is a high performance floppy disk controller card for IBM PC XT/AT and compatibles. The card can interface up to 4 floppy disk drives configured as 2 internal and 2 external or 4 internal. The diskette drives can be the combinations of any of the following diskette drives:

5.25inch – 360K or 1.2MB

3.5 inch – 720K or 1.44MB

An external drive can be added by purchasing the appropriate drive and case/cable (part number CAEX5/CAEX3).

price is only **\$149.00**

**RING US FOR OUR
COMPLETE CATALOGUE**

ELECTRONIC SOLUTIONS

**Postal Address:
Box 426 Gladesville 2111
Phone (02) 427 4422
We accept: Bankcard,
Mastercard & Visa.
Mail orders our
speciality.
Prices include sales tax.**

Note: Products may vary in appearance from those pictured. In all cases they will perform to the same or better standard.

- All products carry a 14 day money back guarantee
- All products carry a full 3 months warranty (excludes software)
- All cards come with full documentation
- Ring for quantity discounts and tax free prices
- Freight \$7.50 for first item, then \$2.50 for each extra item.

**Dealer Enquiries
Welcome**

New Commands

DOSSHELL is a batch file created by the select program, which enables you to access the DOS 4.0 shell interface. This batch file calls the shell into action with all the parameters requested. These parameters control items such as mouse support, screen type and the resident/transient nature of the shell. In transient mode, about 4 kilobytes of RAM is used to store a small Terminate and Stay Resident (TSR) program, which will call the shell into action when requested. In resident mode at least 10 Kbyte is required, but the figure can be as high as several hundred kilobytes or more, depending on the options specified.

INSTALL – Install provides a more efficient means of loading DOS terminate and stay resident programs. The programs supported by install are FASTOPEN, KEYB, NLSFUNC and SHARE. TSR programs such as SideKick can also be invoked in this way, though IBM doesn't mention this general capability in the DOS 4.0 documentation. For example –

```
INSTALL=C:\DOS\SHARE.EXE
```

MEM – Mem displays the amount of used and unused memory, and all programs presently in RAM. The syntax used is –

```
MEM [/DEBUG] (RETURN)
```

```
MEM [/PROGRAM] (RETURN)
```

Mem by itself will show the total amount of conventional RAM in the system as well as the extended and expanded memory available. Use of the /PROGRAM switch will also display all the programs in memory with their hexadecimal locations. Use of the /switch will display all the installed device drivers as well as the information provided by the /PROGRAM switch.

When you use this switch you may be surprised at the number of DOS programs in memory such as FASTOPEN, PRINT and GRAPHICS. These programs are in memory because they are terminate and stay resident programs, just as a program such as Borland's SideKick is, though you don't tend to notice them once they're in place.

SWITCHES – The SWITCHES command forces the system to use PC, XT and AT keyboard functions when an enhanced keyboard is in use. This is to provide compatibility with software that does not understand the enhanced keyboard.

XMAEMS.SYS – This driver emulates the IBM Personal System/2 80286 Expanded Memory Adapter/A. This is only useful if you need to emulate expanded memory on an IBM 80386-based system. Use of this function on non-IBM hardware could be unpredictable.

Display Partition Information

Current fixed disk drive: 1

Partition	Status	Type	Size in Mbytes	Percentage of Disk Used
C:	1	A	PRI DOS	32 78%
	2		EXT DOS	9 22%

Total disk space is 41 Mbytes (1 Mbyte = 1048576 bytes)

The Extended DOS Partition contains Logical DOS Drives.
Do you want to display the logical drive information (Y/N).....? **[Y]**

Press Esc to return to FDISK Options

FDISK has a new screen appearance which uses 80 columns instead of 40. Partition sizes may be selected in percentages and megabytes, instead of cylinders, and partition sizes of up to four gigabytes are supported.

XMA2EMS.SYS – This driver supports the Lotus, Intel and Microsoft (LIM) expanded memory specification.

Modified commands include –

ANSI.SYS – The Ansi.sys driver has been enhanced with three new switches: /X – enables extended key values to be redefined as distinct keys; /K – prevents Ansi.sys from using extended keyboard functions; and /L – retains the number of rows requested by the MODE command.

APPEND – The append command has improved control in its search operations.

BACKUP – The BACKUP command will now automatically format the target floppy if it appears unformatted.

BUFFERS – The BUFFERS command now supports expanded memory and also has a parameter to specify the number of sectors the system can look ahead before processing any input operation. The syntax is –

```
BUFFERS=n, m /X (RETURN)
```

Where n is the number of buffers (1-99 conventional RAM, 1-10,000 expanded RAM), m is the number of sectors the system can read ahead and /X indicates that the buffers are stored in expanded memory.

CHKDSK – CHKDSK will display the serial number of the partition and the allocation units total, used and available.

COUNTRY – Character support is provided for additional countries such as Japan, Korea, China and Taiwan.

DEL – A new switch has been added to the delete and erase commands which will prompt the user before deleting a file. For example –

```
DEL C:\DATA\*.WK1 /P
```

DISPLAY.SYS – DISPLAY.SYS now checks the hardware to select the type of active display if you don't specify the display adapter type. Display.sys only relates to code page switching which is not used by most Australian users.

FASTOPEN – The FASTOPEN command now has a /X switch to enable it to utilize expanded memory thereby leaving more space available in low memory (64 Kbyte) for application programs.

FDISK – FDISK has a new screen appearance which uses 80 columns instead of 40. Partition sizes may be selected in percentages and megabytes instead of cylinders, and partition sizes of up to four gigabytes are supported. This overcomes one of the most significant limitations of earlier versions of DOS and as a bonus IBM have also made it easier to configure.

FORMAT – The format command has two new switches /V and /F. The /V switch allows you to bypass the system prompt

for a volume label after formatting a disk. The /F switch allows you to specify the size of disk to be formatted. For example

FORMAT A:/F:720

This will format a 3 1/2 inch disk to 720K capacity. Previously the number of tracks and sectors had to be specified.

GRAFTABL - Graftabl now supports the multi-lingual code page, 850. **GRAPHICS** - GRAPHICS now supports the VGA graphics modes and also provides support for more IBM printers.

KEYB - The KEYB command selects non US standard keyboards. A new switch allows the keyboard ID to be selected, making the process simpler for countries that have more than one enhanced keyboard, for example, France.

MODE - In addition to it's previous functionality, MODE now selects the keyboard typematic rates, the number of lines on a screen and asynchronous parameters. The typematic rate is the speed at which a key repeats itself when held down. A value of 1 to 32 can be used resulting in repeat rates of 2 to 30 times a second. The delay after a keypress before auto repeating starts can also be specified from 1/4 inch of a second to a second.

PRINTER.SYS - PRINTER.SYS supports code page switching and has been improved with enhanced IBM Proprinter support.

REPLACE - The REPLACE command has a new /U switch will restrict REPLACE to only updating files when the source file has a more recent date and time than the target file.

SELECT - SELECT is now a sophisticated utility designed to aid in the installation of DOS. There is a version of the select command for 5 1/4 inch and 3 1/2 inch media. It appears that the 3 1/2 inch version expects to be used on an IBM PS/2 computer, and will not function correctly on older IBM microcomputers. You must specify which version you require when you purchase DOS 4.0.

SYS - The SYS command now allows the specification of a source drive and directory. This is designed to simplify installation across a network.

TIME - The TIME command will accept 12 or 24 hour time, depending on how it is specified by your country code.

TREE - The TREE command now uses block graphics and indents at each subdirectory level.

VDISK - VDISK has two new switches, /X and /E. These enable VDISK to use expanded and extended memory respectively.

MODEMS AT WAREHOUSE PRICES

Buy direct from Australia's leading manufacturer and save on quality AVTEK Modems.

A range of 16 internal & external modems from low priced manual to fully automatic 2400 bps models complete with power supply, instructions and telephone connections.

Designed and built in Australia, all Avtek Modems are guaranteed, with service and technical support available direct from Avtek.

**FROM
ONLY
\$179**

**CALL TODAY ON
008 25 2754 or (02) 888 5333**

TOLL FREE

SYDNEY RESIDENTS

For further information and to see how much
you can save on the best modem
for your needs.



AVTEK
DATA COMMUNICATIONS
(A Member of the NetComm Group of Companies)

**The Vaccine Toolkit
offers triple
protection with:**

**GUARANTEE THE SECURITY OF
YOUR COMPANY'S BIGGEST
CAPITAL ASSET WITH**

The **ANTIDOTE** scans your disk for viruses known to us.

CHECKUP keeps a record of the state of your system and will notify you of changes.

NO UNAUTHORISED PROGRAMS can remain in RAM, or perform an absolute write to any device.

\$175.00



VACCINE
PERSONAL COMPUTER VIRUS IMMUNIZATION
TM Vaccine is the registered trade mark of Worldwide Data Corp.

105 Colin St, West Perth 6005. Tel: (09) 481 5277. Fax: (09) 481 5064.

There's a whole lot of communication power locked in your computer.



All this time, the world's most powerful business communication tool has been sitting unrecognised on your desktop.

Your personal computer.

True, its awesome communications potential has been locked away inside, beyond your reach. But now the key to setting it free is here. Desklink.

This is a remarkably simple new software package for all IBM and IBM compatible computers, and it enables you to communicate instantly with the rest of the world – to send letters, memos, messages, spreadsheets,

telexes, faxes, even whole computer files, across the corridor or across the globe. At the touch of a button. Without moving away from your desk.

Just imagine the implications of that. No more frustrating fax queues. No more tedious typing.

No more courier charges. And equally important: there are no complex commands to learn. With Desklink, you simply compose your message, select the recipient from a computerised "business card" list and put the message in an on-screen out-tray.

Now you can set it free.



Then, Desklint flashes it to its destination. While you put the time saved to more profitable use. Incredible? Yes: every bit as incredible as the telephone, telex and fax were in their day. And probably more world-changing.

Desklint brings together the resources of Australia's top communications suppliers. Designed and developed by CyberSoft, it's the factor that makes Telecom's KEYLINK messaging system easier and much more accessible. And to mark Desklint's launch, NetComm the nation's number one modem

manufacturer is bundling it with selected modems: or as an upgrade for existing NetComm Program V2 and V3 users: or on its own.

Call the KEYLINK hotline today on (02) 261 7977 or (008) 023-223. It's startling but true: the next major advance in business communications is locked in your computer now.

It only needs Desklint to set it free.

DESKLINK
Your instant link with KEYLINK*

*KEYLINK - A SERVICE OF TELECOM AUSTRALIA.

AHEARN DL003 RH

The Applix 1616

- at last, a computer for hackers!

APPLIX? WHAT'S this Applix then? Not from one of your world-shattering computer multinationals. Never a mention of it in *Byte* (although I noticed it's cracked an advert in *Your Computer*). None of them floating around the Information Science unit at Uni, or around government offices.

The Applix 1616 *looks* like a PC-compatible on the outside, and it has an IBM-style keyboard. But, inside it's got a 68000 processor, like a Macintosh – and a good old Z-80! The operating system looks a bit like MS-DOS, and a bit like Unix. Where are the Applix spreadsheets, and the word processors, and the expert systems, and the Applix version of Lotus, and dBase? Well, there ain't any. The Applix just isn't that sort of computer. And it comes not from Silicon Valley, but Sydney.

Unlike so many modern computers, the Applix speaks hexadecimal as its native number system, and it starts counting at zero instead of one. You'd think the thing was meant for Hackers! We all know that hacking is very naughty, but in the privacy of your own room ...

Machine code editor

TO FURTHER this aim, the Applix forgoes all those boring old office applications and concentrates on the good stuff. It's interesting to note that the first software package mentioned in the Applix advertising blurb is an editor/assembler for 68000 machine code. In fact, in the fully configured version of the Applix, the editor (which speaks Wordstar) is in ROM, on the assumption that you'll be using it for just about everything you do.

Tom Moffat has found the ideal hacker's computer – but first you'll have to build it!

The status line of the Applix editor is the colour of tawny port, one of the 16 colours the machine produces from its in-built graphics routines. The graphics output is designed to use a common IBM type RGBI colour monitor in the CGA mode. There are the usual 320 x 200 and 640 x 200 graphics modes, but, no text mode. With the 68000 processor, the Applix is so fast that there's no need for a special 'fast' text mode, the graphics are quite fast enough for all text applications. This means you aren't stuck to a particular character font in ROM; you could probably

make the thing type in Arabic or Sanskrit if you had the mind to.


Applix offers a Basic similar to MicroSoft Basic, supplied on disk or tape. *Tape?* – the 1616 has a genuine cassette interface, just like in the good old days. The cassette feature means you can learn to use the basic machine without spending a lot of money on disk drives until you feel you're ready for them. As well as Basic, there is an Applix version of the well-known Hi-Tech C Compiler plus the rip-roaringest version of Forth I've ever encountered! The Forth disk features a demonstration routine that makes the Applix 1616's graphics shake, rattle, and roll in most satisfying ways.

From the above comments you can see that there's no shortage of language capabilities with the Applix 1616. The idea is that you write applications yourself, getting a good dose of hands-on programming experience as you go. However, there is a big choice of applications available from an unexpected source: CP/M.

That's not as strange as it sounds, since the Applix has a Z-80, as well as the 68000. You can search all over the circuit board and you won't find it, though: the Z-80 is on the disk controller card. It's there primarily to make disk things happen, but, with a few modifications, the Z-80 and 64 kilobytes of memory on the disk controller card can be turned into a small CP/M computer, with the main Applix machine working as its terminal.

CP/M

THE CP/M modifications are simple. You must install a second RAM chip on the disk controller card to bring it up to the full 64 Kbyte. The



The version of Forth supplied with the Applix features a demonstration routine that includes Mandelbrot sets plotted under Forth.

only other change is to swap a new PAL (programmable logic array) chip for the existing one on the disk controller board. Again the chip is socketed, so you just plug in the new one.

The CP/M system, which Applix calls ZRDOS, comes on three disks. One disk contains a loader, which transfers CP/M into the disk controller card. This disk also contains the 68000 code needed to interface CP/M with the rest of the computer. The other two disks are in a CP/M format, which is different from the normal Applix 1616 format. They contain the CP/M itself (an implementation of ZCPR3), as well as various utility and demo programs.

Once in CP/M mode, the Applix disks can be configured to read 'foreign' formats. The first one to be implemented was Microbee, which is not surprising. There will be many Microbee people wanting to swap software back and forth with their new Applix 1616s. There is also the option of manually configuring the drives to other formats.

I consider the Applix CP/M capabilities to be quite important for two reasons: one is that with such a lack of applications software for the machine at this stage, CP/M is the only way you're going to make it do anything 'useful' (in other words, spouse-approved).

As a CP/M machine, the Applix is as good as any other I've used – it even lets you set up the screen in pretty colours! I gave the Applix CP/M a bash with some of my favourite software – no worries.

Operating impressions

THE APPLIX 1616 was transported to Tasmania by one of the world's most destructive air freight companies. Despite the traumas it suffered, the machine booted up on the first try. Nobody can say it's not rugged. I had read the instructions a little, but not a lot, so I decided to let the computer show me what it could do, automatically, with a supplied demonstration disk. The show began with the Applix logo flipping in from the distance onto the screen. Then, after a full 30 seconds of disk spinning, *Wham! Coke is it!* The Pickle Box speaker (see the January issue for DYI details) erupted into the familiar Coca-Cola commercial, at absolute maximum volume ...

I didn't know the Applix had a tape recorder in it. I hadn't noticed anything when I was repairing the air freight devastation. Time to read the instructions – it turned out that all the singing and the full orchestra was coming via a simple digital



This just goes to show that any computer can have a bug! The Applix 1616/OS does not have a DEBUG routine – most of DOS's DEBUG functions (and CP/M's DDT) are implemented in the Applix as internal commands. In case you're wondering, the bug is escaping from the MEM jumpers on the system board, hurdling IC60 and preparing to attack C73. (Was it the DDT that made the bug run?)


to analog converter on the system board. And all the disk spinning was to read in a disk file 318 Kbyte long, containing a digitized version of the Coke commercial. So the Applix is capable of storing high-quality digitized sound, or digitized anything, for that matter. Hmmm ...

Back on the screen, with the Coke commercial out of the way, the computer was dazzling its way through a kaleidoscope program. It must have known I'm a sucker for these things, since back in the days of *Electronics Australia's* Dream 6800 computer ten years ago. Playing around with that 68000 processor is going to be interesting.


The monitor that came with the Applix is a Sakata RGBI type of about 14 inch screen size, instead of the usual 12 inches. And, it has one of the nicest CGA displays I've seen. Good, snappy resolution and precise colour registration. Normal text appears in white, and there's no sign of colour fringing.

The Applix DOS

THE APPLIX operating system, called 1616/OS, is familiar in many ways, but in other ways unlike anything you've ever seen. When the computer boots up you get a prompt on the screen, not A> but /RD>. RD stands for the ramdisk that gets allocated in memory every time you switch the machine on. The Applix considers the ramdisk to be its default drive, and that's not a bad idea considering how it speeds things up. I have always used a ramdisk on my PC clone when working on projects such as assembly language programs.



You can start to build the Applix with the system board only (the Mini kit). People with some electronic resources already behind them can get the Basic kit, which includes the board, the 68000 micro, the ROMs, the PALS, the manuals and the 68000 assembler software. The rest of the bits are common components which you may already have.



The Applix 1616: at left is the Apple-style power supply; the system board is at the bottom of the case and the drive controller is the vertical board at left.

The floppy drives on the Applix are not the traditional A, B, and C, but /F0, /F1 and so on; hard disks are /H0, /H1 and so on. (It seems the slash is an essential part of the drive name.) The Applix DOS supports the concept of directories in the MS-DOS tradition, and it even sees its own drives as separate directories. Thus, to log onto your main floppy drive, you must type CD /F0. Most of the software that Applix supplies is slotted away into various directories on the disks, but this isn't compulsory. I've stored many files of my own on a freshly formatted 'working' disk, and I've just shoved them all into the root directory with no problems.

You can dump a section of memory to the screen, you can alter memory, you can move or search memory, and you can read or write memory into a disk file, just by typing a command from the DOS prompt. Another feature I've never heard of anywhere is a command to make the computer camp on one particular memory location and display its contents continuously. This would be handy for sorting out things like interfacing problems. For instance you could sit on the address of the RS-232 port and watch for any changes on the receive line.

This raises another interesting point: in the true Motorola tradition, every hardware device in the Applix has a proper address somewhere in main memory. So to send something to a hardware device such as a serial port, you just do a 'write' to the

correct memory address. Or to get something back you do a 'read'. This is much simpler than the system with the 8088 or Z-80 where you must use special IN and OUT instructions with specially allocated addresses.

In the Applix, as with in most other computers, you're not really meant to use hardware devices by directly manipulating their memory addresses. You're supposed to follow the normal convention of using system calls. In MS-DOS, these are called interrupts and most of them are collected together under INT 21h. In the Applix, system calls are initiated under TRAP#7. In both cases you place the number of the function you want into one register, whatever parameters the function requires in other registers, and let 'er rip. This sounds simple, and it's fairly simple to use, but there's a lot of complicated technology deep down inside which we won't go into!

The Applix sports over 100 system call functions. As well as simple things like writing a character to the screen, the Applix includes functions such as calculating the sine of a number (good for sound synthesis!). There are also some very advanced graphics functions, such as the instant generation of windows via a system call. You can then use other calls to generate stuff in whichever window you want, with graphics co-ordinates relative to the top left corner of that window. Blimey! Sounds like this thing's trying to out-Mac the Macintosh!

Some other software goodies

AS WELL AS all the languages mentioned previously, there's some other software available as Shareware. It's not a lot yet, but given the type of people who are using the Applix, one could expect plenty of clever programs in the future.

Shareware at the moment consists pretty much of what you'd expect to find with a brand new computer, such as a Bounce-ball game, Life, and what appears to be the original text based Star-Trek, ported to the Applix. There are also some sound and music programs, and a little demonstration of what can be done with windows. And what computer would be complete without a Modem-7 program, which works very nicely. Just about all the software that came with the computer was accompanied by source code, mostly in C or 68000 Assembler. Users are encouraged to hack away to their heart's content.

One of the Shareware programs is much like the MS-DOS Readmac program that displays Macintosh-formatted pictures on the screen. This program lets you fiddle around with background, foreground and grey scale colours, so the Mac pictures appear on the Applix as simulated colour. There are a few pictures to play around with, such as a nice clear one of Max Headroom.

One of the pictures I transferred into the Applix is called Coke Girl. It shows a young woman with a Coke bottle, doing somewhat suggestive things to it with her lips. It seems it should be possible to make this picture appear on the Applix screen, and then unleash that digitized Coke commercial jingle into the speaker at the same time. Wouldn't that be impressive? Oh, well, probably not, but it would be fun trying. That's what this Applix thing is all about.

At this stage of the review I suppose I should be quoting benchmark tests – how the Applix shapes up against similar computers. Trouble is, there aren't any similar computers. Nothing to compare it against. The machine is really totally on its own. It is fast, but faster than what?

Do I like the Applix? I can't even answer that properly because everything is so new and foreign and I don't feel comfortable with it yet. When I master the Applix and all its flashy system functions and 68000 machine code programming, I'll certainly be a lot closer to that revered title 'hacker' – it will just take time.

Where did it come from?

THE APPLIX 1616 was the brainchild of Andrew Morton of Sydney, who has

done what so many of us have wanted to do – designed a powerful PC, from scratch. We all have a list of things we would like to see in 'perfect' computer. It looks like Andrew bit the bullet and tied all his favourite 'good bits' into a new machine that is related to all the popular technologies, but beholden to none of them. He's wound up with a computer that looks like an IBM, has the processor efficiency of a Mac, the sound capabilities (sort of) of an Amiga, can use cassettes like early Tandys, and runs CP/M to boot!

Andrew's wife Kathy was my first point of contact with Applix – and what a breath of fresh air! At the same time I started dealing with Applix, I was trying to find an MS-DOS laptop for use with a commercial design project I am involved in. I went through the frustrating routine of responding to newspaper and magazines advertising for these laptops, writing unanswered letters, making unreturned phone calls. Eventually it became clear that since I wasn't a government department or multinational company, the laptop suppliers couldn't see much future in dealing with me.

With a horrible grump fixed in my mind I phoned Applix, fully expecting to get yet another run-around, and copped the lovely Kathy. 'No problem, Mr. Moffat, what can we do to help you?' I hit her with curly questions about microprocessors, operating systems, perceived bugs, input/output, things that would have sent the laptop salesmen scurrying for cover. Kathy knew the answers, *all* the answers. Even if that Applix computer was a real dud, just having someone to talk to about it would have made everything all right.

It's interesting to note that many of the people who were into the Microbee scene in the early days seem to be gravitating into the Applix scene now. It's the same enthusiasm and sense of fun, all over again. Remember Eric Lindsay? He's publishing an Applix enthusiasts' newsletter now. Remember Conal Walsh? His name was on a lot of Microbee software, and he's the one who got CP/M running on the Applix.

Like the first Microbees, the Applix 1616 is available as a kit, so as well as saving some money, you can say 'See that computer? I built it!' You can start with the system board only or you can get the mini kit, which includes the board, the 68000 micro, the ROMS, the PALS, the manuals and the 68000 assembler software. The rest of the bits are common components which you may already have.

The next level of the kit is the mini-kit plus all the other electronics, but no RAMS. Because of recent price variations for RAM chips, the RAM for the Applix is quoted separately. There is also a separate kit of all the sockets needed for every IC on the board.

To get the Applix running in its most basic form, you will need an in/out kit to configure all the system board's ports. Then, an IBM style keyboard and an IBM-style CGA monitor. This doesn't necessarily have to be colour, as long as it can accept the colour signals. You will, of course, require a power supply to make all



The Applix 1616 looks like a PC-compatible on the outside, and it has an IBM-style keyboard. But inside it's got a 68000 processor, like a Macintosh, as well as a Z-80. The unique (and powerful) operating system looks a bit like MS-DOS, and a bit like Unix.

ProductDetails

Product: Applix 1616 kit
 Distributor: Applix Pty Ltd
 324 King Georges Rd, Beverley Hills
 2209 NSW
 (02) 758 2688
 Price: \$239 Mini Kit
 \$599 Basic Kit
 \$139 Keyboard
 \$89 Power supply
 \$1800 'Ready-to-run'

this stuff go, and the one Applix offers is a switching supply similar to the one found in Apples. Oh, and don't forget the cassette recorder.

The next level of expansion is into disk-based operation, and Applix has the disk controller kit and both floppy and hard drives to suit. Although you could leave the system board bouncing around on your workbench forever, as I've been known to do, it would be nice to put the whole thing in a case, and Applix offers a good sturdy steel IBM style case with the holes for your disk drives already cut. By this stage you will have a machine pretty close to the one Applix sent to me for review.

I'm not guaranteeing this is absolutely correct, but I've just added up all the bits and pieces I think are in the system I have, and it comes to just under \$2000, with tax but without the monitor. Leave out the disk drive capability, and the case, and share the keyboard with your existing PC clone, and you could get off for \$788.

Are you game to build a kit? I have read every word of the assembly instructions, and closely examined the system board, and I'd say there is no real reason why anyone who can read couldn't successfully build an Applix system board. The circuit board itself is built like a battleship, and the pads you have to solder to are nice and big.

Conclusion

WELL, HERE we are with our dear editor, Jake Kennedy, trying to find a way to shut Tom up before he fills the whole magazine with waffle about this new toy of his. So I'll tell you what we'll do. You people can sit and stew over what you've got so far, and maybe even rush out and buy your Applix 1616s, which would make the Mortons very happy.

In the meantime I'll do some more hacking on this interesting machine, getting right down into its many and varied system calls via some 68000 machine code programming, which I don't know how to do yet. The processor shouldn't be too hard to come to grips with (see, I'm getting more confident already!).

It seems fairly straightforward, without all those miserable segment registers and inter- and intra-segment calls and jumps that make life hard on the 8088. I cut my programming teeth on a Motorola 6800, and the Applix thing seems to follow a similar design philosophy. It's bigger, and it's got an extra zero on the end of its name. We will see what life brings. □

EXIT FOR EXPORT

IN DECEMBER, the Australian Custom Service (ACS), in conjunction with the Overseas Telecommunication Commission Australia (OTC), launched Exit, a computerised exports integration system. Exit aims at reducing the red tape and delays involved in papershuffling. It will also gather statistical information and monitor the country's exports.

Primarily developed for use by freight forwarders, exporters and their agents, Exit will replace the current Export Return Scheme (ERS) which will be phased out by May or June 1989. ERS requires exporters to lodge cargo information after shipping. This has led to inaccuracies caused by late reports, or by no reports being filed at all. One of the side effects has been the collation of wrong statistical information for use by the Commonwealth Treasury Department.

These statistics are used in calculating Australia's balance of payments. The need for a more accurate gathering of these statistics was one of the major considerations in the development of Exit.

Exit now requires the export information before shipping. This is carried out using the OTC Domestic Communication Network. Electronic mail technology has markedly reduced, in comparison with ERS, the time involved in lodging an Export Declaration and receiving an Export Clearance Number.

At the exporter's end, Exit will generally operate from a PC, AT, or IBM clone. However, for large organisations, it can operate from mini and mainframe computers. The exporter uses the system to create an Export Declaration Document, which is forwarded to ACS's IBM Mainframe in Canberra, for approval.

ACS will check quoted export permits (when required) and return approval, or request for further information, also via OTC's communication Network, usually within 10 minutes (which is fast by any bureaucracy's standards).

Export permits

INTEGRATED into the Exit system are the export permit issuing facilities such as those of the Australian Wheat Board and Reserve Bank. This means that much of the checking and notation on applications will be automatically carried out.

OTC and the Custom Service have jointly developed a system to streamline export procedures and collect accurate data for Balance of Trade statistics. Merv Beamish reports . . .


The Exit terminal software, developed in Pascal by OTC, and supplied, complete with printed documentation, is priced at \$198; additional costs include a OTC mailbox registration fee of \$30 and a monthly service fee of \$20. This software is user oriented – it recognises that some users have limited computer awareness; the screens

are uncluttered, clearly set out and, in the most part, self explanatory. The system operates with the minimum amount of fuss including the telecommunication dialup facility.

Exit is menu driven; the Main Menu offering nine options. These options are selected with the cursor keys, or by option number. Each option is named after the task it performs rather than the programmed process. For example Main Menu option 2 is 'Create an Export Declaration Replacement Document' as opposed to 'Export Declaration Maintenance', or something similar.

The standard Exit screen allows the user to complete fields at random as information becomes available. A screen can be partially completed, stored, and called back for completion on a later date if required. In situations where two applications are very similar, a copy of the first can be made, renamed, any amendments made and queued for transmission to Canberra.

When the user has created a document,



The Australian Custom Service and the Overseas Telecommunication Commission Australia have developed a computerised exports integration system, Exit, aimed at reducing the red tape and delays involved in papershuffling. It will also gather statistics for use in calculating Australia's balance of payments – the need for more accurate data was one of the major considerations in the development of Exit.

EXPORT SOFTWARE

the system will check it. Any incomplete mandatory field, or incorrect information will cause an error message. All system messages are in plain English and clearly understandable. When errors are detected, the user has the choice of storing the document for correction at a later time, or fixing the problem on the spot. This facility means that the system is not tied up when details are not available.

Completed documents are queued to be transmitted to ACS on the next contact. Exit contains several ACS variable tables, codes and schedules such as Invoice Currency Codes, AHECC Codes and Country Codes. When a user submit documents, these tables and schedules automatically updated to keep user software current. If needs be a user can contact ACS just for this update service.

The system has a two-level user amendable password and a logon ID allocated and maintained by OTC. A feature of the system is that after a document is retrieved from the mailbox, it is not deleted from the system for five days – very handy if a user's data files become corrupted or accidentally deleted.

The Help facility in Exit is three-pronged. The third last line of the standard data input screen format displays an abbreviated help message, relating to the location of the cursor. It is worth noting also that the function key descriptions on the bottom line will vary from prompt to prompt. For a general Help message, F1 is pressed; alternatively, there is a printed User Manual which includes field defini-

Users complete fields at random as information becomes available. A screen can be partially completed, stored, and called back for completion on a later date if required. When the document is thought to be complete, the system will check it for incomplete, mandatory fields, or incorrect information.

tions, demonstrations and screen layouts.

Installation

AN AWKWARD job for any programmer, or documentor, is to instruct a user, with very little computer expertise, in installing the system and getting it running. Exit has documented system installation within its user manual. In the case of modifiable user defaults such as disk drives, printers and the like, the OTC programmers have, through documentation, logical screen layout and defaults, simpli-

fied things as much as possible. However, the average user is unlikely to know about baud rates, decadic or tone dialing or COM ports, there is an Exit hotline.

The Exit screens initially only display basic field prompts. As these are completed relevant new prompts are then added to the display. By not confronting the user with a multitude of prompts, some of which never used, the programmers have effectively reduced confusion.

The submission of documents to ACS is semiautomatic. With the relevant telephone numbers stored within the system and, after creating a submission queue of documents, the user selects 'Submit Documents to ACS' option, enters Logon ID, Password and presses Return. From then on, the system takes over, constantly displaying messages showing that everything is going as normal and advising what steps should be taken if anything should go wrong.

Hanimex Corp, Goyen Controls and Sharp Australia were the first to connect to Exit. Over 120 others had applied for connection by, or on, the release date. It's expected that over 3500 exporters will join the system. A similar system to Exit covering imported goods is planned.

Exit reduces time delays, helps exporters and agents in completion of their applications, and greatly improves statistical reporting. In the fine tuning of our country's finances accurate knowledge of import and exports are important in calculating the Balance of Payments. □

For speed and accuracy, standard codes are integrated into Exit; these can be entered into the document by highlighting it and pressing Return. Note the Help message in the third line from the bottom of the screen.

Introducing... The Maestro Super Executive Modem

THE MAESTRO team has done it again! Regular YC readers will be aware of the highly successful Maestro 2400ZXR modem, which provides full V.21, V.22, V.23 and V.22bis capabilities. Now, as an exclusive introductory offer for our readers, Maestro is offering their brand new, 9600 bps, full duplex modem for \$1500 – but that's only half the news. For this price, *Your Computer* readers get *two* Super Executives. (BBS operators should contact Maestro direct for a special pricing arrangement.)

The reason for this is perhaps not apparent, so I'll explain – at speeds as high as this, there are very few modems around (the Trailblazer by Telebit and marketed in Australia by NetComm is one of the few that I am aware of). But, to take advantage of this high speed, you need a Super Executive at each end of the line.

In this and a subsequent article, I shall provide the technical details and operating specifications for this brilliant new modem from Maestro, made possible by a new chip set from the French semiconductor company, Thomson.

Incidentally, the Trailblazer modem is deserving of some praise here – it came along at time when there were no standards (or chip sets) to cover the transmission speeds at which it operates (up to 115,000 bps), so it had to use cunning and continuous line monitoring to adjust the transmission parameters to achieve optimum transfer rates. In the US, because of the absence of a suitable standard, high speed modems have been using the HST protocol which operates in a similar manner to the way Viatel works in Australia – the forward channel operates under the CCITT V.29 standard and the back channel operates at 450 bps (like the 75 bps back channel of Viatel).

However, with the appearance of the CCITT V.32 standard (and chip sets like the Thomson), the US modem manufacturers are also likely to go V.32.

Interested in communications? In describing this new 9600 bps modem, Roy Hill offers a 'backgrounder' to modems (and a special price for YC readers)!

Maestro is one of the few companies that can claim total Australian manufacture. The only non-Australian part of its modems are the chips. The software and hardware are totally Australian in design (Maestro even uses the Australian designed PCB layout product, Protel) and the boards are manufactured and assembled locally.

The Super Executive is the latest in a long line of modems from Maestro and as this very small (four-person) Australian company gains more and more experience, we can expect further items of interest to spring from them.

All of the Maestro modems have been original designs, with Chris Darling doing the software design (in Forth, of course)

and some of the hardware design, and brother Dan doing the remainder of the hardware design, design of the PCB and the troubleshooting of the prototypes.

MNP

THE SUPER Executive is based on the Thomson-SGS modem chip set, and it is totally compatible with the CCITT V.32 specification. This specification (which I shall explain in more detail a little later) allows for 9600 bps, full duplex communication over the standard telephone network. In addition, the CCITT has adopted the MNP standard for data compression/transfer (goodbye LAPm and LAPd) and Thomson will probably offer this in a later ROM upgrade, which will provide for transfer rates up to 19.2 kbps.

MNP is a proprietary protocol that combines highly efficient data compression (superior to many varieties of ARC routines), as well as a sophisticated error correction protocol. This particular flavour of MNP is known as MNP Mode 5 and has been used in the Maestro 2400XR modem. A fax facility is also possible with this chip set and Maestro are considering implementing it.

The Thomson chip set comprises three digital and three analog chips which have been fabricated using CMOS technology. However, due to the fairly high chip count

on the board, so the power supply is on the system board. Prior to the introduction of the Thomson chip set, manufacturers of high speed modems had to rely on expensive microprocessors and Digital Signal Processor (DSP) chip sets. The rest of the modem had to be built using discrete components. With these chips, it is possible to build a 9600 bps modem with as few as 15 support chips.

In fact, the Thomson chip set is the only V.32 implementation able to operate with a frequency offset up to 10 Hz. What this means to the non-technical user is that it should be easy to maintain the top transmission speeds over normal




Figure 1. The architecture of Thomson's six-chip set that provides CCITT V.32 (9600 bps, full duplex) communications in the Super Executive. Details of the chips are given in the text.

telephone lines. However, don't expect top performance over noisy telephone lines – it's even difficult to hear voice calls over many local lines.

To build its chip set, Thomson has combined its well established Modem Analog Front End (MAFE) chip set with its TS68930 DSP chip set. One of the DSPs handles the received data, another the transmitted data and the third handles the echo cancellation (discussed below). The three chips in the MAFE set handle the analog reception, the analog transmission and the clock generation, which controls transmission speeds.

SGS-Thomson

SGS-THOMSON was formed by the merger of two of Europe's biggest semiconductor firms. SGS has always been a European leader of the RAM/ROM market and Thomson is the co-manufacturer of the 7910 World Modem Chip, which gave us low cost 300 bps (and 1200/75) modems.

Product Details

Product: Super Executive modem
From: Maestro Pty Ltd
 Calool St, South Kincumber 2256 NSW
 (043) 68 2277
Price: \$1500 taxed Super Executive

***Note:** Maestro is offering two Super Executives for the price of one to YC readers – the offer is limited so be quick! It is also offering a special price to bulletin board sysops; contact Maestro for details.*

The joint company is currently ranked thirteenth in the world, with an annual turnover of \$US862 million.

One of the important features of the TS7532 chip set is that the user (and hence the Forth programmer – Chris) does not need to be a complete V.32 expert, as the chip set is controlled by relatively high-level commands. Another of the im-

portant features is the implementation of a full 32-bit instruction set, which has been optimised for Telecom applications. The echo canceller DSP chip is capable of handling the complete range of near-end and far-end echo conditions, making it ideal for satellite transmission communications. The Super Executive also uses the Zilog Super8 (the Forth-based microprocessor used in the 2400ZXR) as the controlling microprocessor. This micro has a command set that is specially optimised to handle the Forth language and this fact has helped to make software development for the Maestro modem stable far easier than using conventional processors/languages.

CCITT's V.32

THE CCITT (*Commissariat International de Telephone et Telegraphie*) is an international organisation whose members countries and companies have an interest in establishing communications standards for international use. All





Figure 2. Functional diagram of the TS68931/51 Digital Signal Processor chip which provides the connection between the telephone line and the Modem Analog Front End (details are given in the text).

File It! *Special Binder Offer*



These attractive, ready to use, sky blue vinyl binders have been specially designed to hold and protect 12 of your valuable magazine collection in the easy clip-on fastener wires.

PLUS postage and handling
@ \$2.00 each = \$.....

☐ I enclose my cheque/money order
(with this form in an envelope) for \$.....

Card No. Expiry Date / /

Signature

Mail Post Free in Australia to:
Freepost No. 4

Name: _____

Address:

.....

Post Code Date of Order: / /

MODEM

Specifications

WHILST ENDLESS timing diagrams and specification figures may appeal to electronics technicians and enthusiasts I won't bore you with all the details. However, these are some of the more interesting features of the Maestro Super Executive —

- Fully compatible with CCITT V.32, V.22bis, V.22, V.23 & V.21 – Bell 103 & 212A;
- Integrated implementation on 3 DSP and 3 MAFE chips;
- 2-Wire full duplex operation at 9600, 4800, 2400, 1200, 600, 300, and 75 bps;
- Full implementation of V.32, V.22 and V.22bis handshakes;
- Single DSP cancellation of both near end and far end echoes;
- Two satellite hops and frequency offset capabilities (10 Hz) for the far end echo canceller;

- Trellis-coded modulation and Viterbi decoder in V.32 mode;
- High performance passband, fractionally spaced, adaptive equalizer;
- Signal quality monitoring;
- Parallel interface to standard microprocessors (although the Super8 is especially suitable);
- Bit rate data clocks for synchronous data transfer;
- Full diagnostic capability;
- DTMF (Tone dialing capability) generation and call progress tone detection;
- Easily upgradeable to include V.29 and V.27ter modes;
- DSP program memory size is easily expanded, without the need to perform hardware or software upgrades; and
- Low power consumption (1.7W typical) for the complete chip set and about 5W for the whole board.

of the current transmission rates (300 bps – V.21; 1200 bps – V.22; 1200/75 bps – V.23, and 2400 bps – V.22bis) have been developed by the CCITT, based on recommendations made by special interest groups.

The V.32 specification is a recommendation that defines a family of full duplex (two way) modems using two wire lines. Until now, those wishing to use 9600 bps transmission rates, generally had to have a leased (dedicated) line. Leased lines are not cheap – in fact, they cost far more than the modems that use them. It is for this reason that the V.32 recommendation (and the Thomson implementation of it) is going to be so popular. V.32 will provide for 9600 bps over the Public Switched Telephone Network (PSTN – or just the phone line with which we are all irritatingly familiar). Full duplex operation is available using the fairly narrow bandwidth (about 3 KHz) available on the PSTN.

The Transmit and Receive channels are separated using a technique known as Echo Cancellation. This is accomplished by subtracting from the signal received, the echo (or returning signal) of the transmitted signal. One complete DSP chip (and a supporting RAM chip to handle variable parameters) is given over to the task of handling this process.

In order to achieve 9600 bps (and even 19.2 kbps) full duplex communication, the

full bandwidth of the available telephone channel must be used *in each direction*. Thus, the receiving modem not only hears what is being sent by the transmitting modem, but also the echoes of what it sent during the time it was transmitting. That's why the echo canceling procedure is required.

The information to be transmitted by the modem is encoded with Quadrature Amplitude Modulation (QAM), a modulation technique that combines both phase and amplitude modulation to encode four bits of data with each transmission 'event'. QAM allows for a transmission rate of 2400 Baud, but with four bits of data encoded on each event (or baud), we can obtain $4 \times 2400 = 9600$ bps.

There are two possible modes of modulation – either a 16-point constellation (because of the ‘stellar’ appearance of the pattern) using ‘normal’ coding, which is the more noise sensitive of the two; or, the 32-point constellation which uses Trellis Code modulation. The Super Executive uses both of these modes to achieve optimum performance.

Now, I hope I've whet your appetite for the Super Executive. In the May issue, I'll detail the operating procedures and the use of the modem to connect to various service providers around Australia and the US. We'll also have a look at the famous Hayes AT (for ATtention) command set and the infamous S-registers. □

Famous reliability trial winners.



1953. The 192 cars and drivers in the initial Redex Trial had no idea what lay ahead of them. They certainly took no notice of a Peugeot 203, driven by Ken Tubman.

But the Peugeot proved its reliability, and despite minor dirty fuel trouble, four punctures and an accident with a wild pig, Ken Tubman and the funny little French car made their way into the history books.



1954. The hero of this trial, a 1948 Ford V8 Sedan – affectionately known as "The Grey Ghost" – battled along with 245 other cars on roads worse than the previous year.

Though the shock absorbers had to be disconnected half way through, "The Grey Ghost" demonstrated extraordinary reliability through horrendous conditions. This reliability continued over 20 years later, when "The Grey Ghost" ran in yet another trial in 1979.



The 1955 Redex Trial achieved the expressed aim of being a trial of the reliability of the modern car, because only 57 of the 176 starters managed to finish.

One was a strange German car – a Volkswagen Beetle, driven by Laurie Whitehead. Once again, the winner of this trial exhibited reliability that stands to this day – reliability that the toughest conditions in Australia couldn't break.



Fujitsu printers will endure even the toughest office conditions. They have a higher Mean Time Between Failure than most printers on the market. In fact, they'll give extraordinary reliability by running for at least 8,000 hours without a stumble.

The quality of printing also remains reliably high throughout.

Put one of these reliability winners to the test. Phone the Fujitsu hotline on (02) 410 4435 for your nearest Fujitsu printer dealer. There are six printers, ranging from around \$1,350 to \$4,000. All of which will give you unfailing reliability, even in the toughest of Australian conditions.

FUJITSU

MICRO SALES

PERSONAL COMPUTING FOR BUSINESS

Fulfilling the needs of Australian business for quality hardware and software at economy prices. Please call for products not listed.

HARDWARE

Hard Disks	Inc. Tax
Bernoulli Box	Call
Control Data 40MB V/Coil	879.00
Control Data 70MB V/Coil	Call
Miniscribe 40MB	549.00
Plus Hardcard 20MB	1049.00
Plus Hardcard 40MB	1245.00
Plus Passport	Call
Seagate 20mb w/- Cont.	479.00
Seagate 30mb w/- Cont.	525.00


Intel	Inc Tax
8087	225.00
8087/2	299.00
80287	299.00
80287/8	435.00
80287/10	529.00
80387/16	835.00
80387/20	949.00
80387/25	1165.00
80387SX	849.00
Above Board Plus 512kb	1099.00
Inboard 386/PC	1540.00

Modems	Inc Tax
Automodem 123	439.00
Automodem 1234	559.00
Automodem 12/12	375.00
Automodem 24/24	489.00
PC In/modem 1200	379.00
PC In/modem 123	445.00
PC In/modem 1234	555.00
PC In/modem 2400	469.00
Pocket Modem 123	489.00
Smart 1200 SA	515.00
Smart 123 SA	599.00
Smart 1234 SA	765.00
Smart 2400 SA	699.00

Australia's best deal from Australia's largest Wyse dealer

Quality needn't cost the earth. When you buy your Wyse PC from Micro Sales, you'll find the deal and the benefits unbeatable. Call today for a quote on your preferred configuration.

WYSE



Monitors	Inc Tax		
ADI 12" Monochrome	190.00	NEC P5300	1375.00
ADI 14" Monochrome	219.00	NEC P9	2350.00
ADI VGA Colour	780.00	OKI ML193P	Call
ADI EGA Monitor	775.00	OkI ML391P	Call
NEC Multisync II	995.00	Ricoh 6000 Laser	3490.00
NEC Multisync Plus 15"	1499.00	Roland DXY-1300 Plotter	Call
NEC Multisync XL 20 inch	Call	Star NB24-15	1250.00
TVM MD300	539.00	Star NX1000	475.00
Verticom 2 Page System	Call	Toshiba P341SL	Call
Wyse 700 Hi-Res System	Call	Toshiba P351SX	Call
Xerox A4 Screen & Cont.	Call	Xerox 4020 Inkjet	2695.00

Printers	Inc Tax	Video Cards	Inc Tax
Epson LQ2500+	1990.00	Vega VGA	499.00
Epson LQ500	Call	Vega VRAM	Call
Epson SQ 2500	2385.00	Vega Fastwrite	Call
Fujitsu DL2600	1750.00	Paradise VGA Plus	550.00
Fujitsu DL5600 Colour	2995.00	Hypervid EGA Card	699.00
NEC P5200	910.00	Everex EGA Adapter	299.00
		EVA 480 Video Card	275.00

Control Data
40 Mb Voice Coil
\$879

Lotus 1-2-3
with Allways
\$490

Full range of
Ultra PC's
Call for
best quote

SOFTWARE

Borland

Sprint	225.00
Quattro	259.00
Sidekick Plus	225.00
Turbo Assembler Debugger	149.00
Turbo Basic	109.00
Turbo C Professional Pack	259.00
Turbo C Version 2	139.00
Turbo Database Toolbox	109.00
Turbo Editor Toolbox	109.00
Turbo Graphics Toolbox	109.00
Turbo Numerical Methods Toolbox	125.00
Turbo Pascal Professional V 5	259.00
Turbo Pascal Ver 5	139.00
Turbo Prolog Toolbox	109.00
Turbo Prolog vers 2.0	149.00

Communications

Carbon Copy Plus	265.00
Crosstalk XVI	199.00
Gateway Version 3	149.00
SmarTerm 240	499.00
Supercom 3 Executive	125.00

Databases

Clipper Compiler	759.00
DBase IV	899.00
DBXL	249.00
FoxBase Plus	Call
Paradox 2	759.00
Paradox 386	995.00

Lotus Software

Freelance	625.00
Lotus 123 with Allways	490.00
Lotus Agenda	499.00
Lotus Graph Writer II	599.00
Lotus Manuscript II	625.00
Symphony IBM ver 2	849.00

MAC Software

Copy II Macintosh	69.00
Cricket Presents	Call
Full Impact	549.00

Fullwrite Professional

Macintosh	549.00
Microsoft Word	435.00
Pagemaker V3 MAC	Call
Xtree MAC	159.00

Microsoft

Microsoft Excel	649.00
Microsoft Flt. Simulator	79.00
Microsoft Mouse(bus)	210.00
Microsoft Mouse(serial)	210.00
Microsoft Quick Basic	109.00
Microsoft Quick C	109.00
Microsoft Windows 286	129.00
Microsoft Windows 386	249.00
Microsoft Word V.4	499.00
Microsoft Works	259.00

Utilities

Brooklyn Bridge	199.00
Copywrite	85.00
Desqview	199.00

DS Backup+	145.00
Fastback Plus	220.00
Formtool	190.00
Mace	150.00
Norton Commander	110.00
Norton Editor	99.00
Norton Utilities Advanced	170.00
Norton Utilities ver.4	110.00
PC Tools Deluxe	109.00
Print Q	149.00
Typequick	79.00
Xtree Network	399.00
Xtree Pro	155.00

Word Processing

Multimate Advantage II	625.00
Word Perfect Executive	199.00
Word Perfect Personal	189.00
Word Perfect Ver 5	559.00
WordPerfect Ver 4.2	499.00
Wordstar 2000+ Rel. 3.0	439.00
Wordstar Prof. Vers 5	439.00

MICRO SALES

Level 1, 579 Harris Street, Ultimo 2007

Tel: (02) 281 3377 Fax: (02) 281 3920



Orders, quotes or information
 Call our Sales Department now on

(02) 281 3377

Or mail or fax the coupon
 Guaranteed 24 hour response
 Fax (02) 281 3920

Micro Sales

Level 1, 579 Harris Street, Ultimo 2007
 (02) 281 3377 Fax (02) 281 3920

Please forward information by phone/
 fax/mail today. I am interested in:

Computers ☐ Terminals ☐
 Screens ☐ Software ☐

Mr/Ms _____ First Name Last Name

Company _____

Position _____

Phone () _____

Fax () _____

Address _____

Post Code _____

Wilks Direct MIC005YC2/89

Keyboards and conferences

ALL OF US, at one stage or another, have sat in front of a keyboard and pretended to be 300 word per minute typists. The output is a load of gobbledy-gook, but we look professional. Reverting to the old pick and hunt system slows us down and makes typing a simple sentence sheer agony!

What is it like for children who are similarly unfamiliar with a keyboard? They too have to pick and hunt, and perhaps it is harder for the littlies when their fine motor co-ordination needs more refining, and the letters they are used to – lower case – are nowhere to be found on the typical computer keyboard. To compound

Continuing our new series
on Computers and
Education, Sharon France
touches on keyboards for
the young and the 5th
World Conference on
Computers and Education,
to be held in Sydney during
July, 1990.

the dilemma, the letters aren't even in alphabetical order! Could we make it any harder for them?

The fact is we can make it a lot easier for young children and for those who have physical disabilities. Enter the touch sensitive pad, which is now available with various ranges of software for most of the educational computers in use around Australia.

Touch sensitive pads

A TOUCH SENSITIVE pad allows the user to get away from the standard keyboard and/or mouse environment. As the name suggests, this input device is a pad – usually A4 or A3 in size – which con-




Figure 1. The Concept Keyboard being used by this young girl comes with a number of different 'programming tools' or 'editors' which allows the pad to be tailored to particular application. The 128 sensitive areas on the grid can be turned into just two panels (yes/no options, big/little, round/square and so on), or however many are needed.

nects into one of the computer's ports. The pad is usually of sturdy construction (hard plastic or framed by aluminium) and represents an input grid, which, when touched, activates appropriate parts of the software with which it is being used.

The slightest touch activates the program which is important for users with limited control or movement. It is not surprising that most of the software for these input devices focuses on pre-school, infants and primary children and especially those computer users who have physical disabilities. In most cases, the pad is connected to the computer via a long ribbon, which allows the user to position the keyboard where it is most accessible, on one's lap, for example.

There are two distinct approaches to the touch pads – there is a vast range of commercially available software and overlays, or you can design your own. Both are valid in their application, making the computer more accessible for special needs groups and younger children.

The Muppet Learning Keys and the Touch Window (which doubles as a graphics tablet and a touch screen) are both available for the Apple II range of computers. These two touch pads support quite a bundle of commercial titles for educational use. The Muppet Learning Keys is targeted more at the infants and pre-school arena (titles include Balancing Bear, Bounce, Simon Says, Tiger's Tale, and Reader Rabbit), while the Touch Window supports software that could be used with older children in other areas of the curriculum (there are some 60-odd titles for the Touch Window from such notable software producers as Laureate Learning, Ashtron Software and Sunburst – for a detailed list phone Edsoft (03) 878 4899).

Concept Keyboard

THE CONCEPT Keyboard for the BBC (and now also available for the Apple range of computers) lends itself more to the do-it-yourself style applications, although it does have a number of commercially produced overlays and software packages. These include (for the BBC) Zoo Pack, Ollie Octopus, Sketchpad, Worlds Without Words, and Windows into Literacy. The pad is available in both A4 and A3.

What sets the Concept Keyboard apart is the facility to do-it-yourself, to create your own programs and overlays. Ah, 'do-it-yourself' – three little hyphenated words that often spell frustration and disappointment (as in do-it-yourself motor-car maintenance). However, this is not the

*Barson Australia,
the distributor of
BBC and Apricot
micros to schools,
homes and businesses
has established
an education
fellowship.*

case with the Concept Keyboard, which comes with a number of different 'programming tools' or 'editors', which allow you to tailor the pad to your particular application.

This is another of those situations where, once you have mastered the editor, you are only restricted by your imagination. You have the ability to turn the 128 sensitive areas on the grid into just two panels (yes/no options, big/little, round/square and so on), or however many areas

you want or need. You, of course, design your own overlay on paper and position it on the pad.

A number of teachers have created their own programs allowing children the chance to reconstruct jumbled sentences using their own vocabulary. This enhances word recognition and sentence construction. Pictures can also be drawn on the overlay for the pad, and when the picture is selected by the user, its corresponding word is flashed on the screen, with a reward (a tone or tune).

Similarly, the pad may be programmed for four options – big, small, bus and car. Selecting big and bus would then draw a big bus on the screen. These are indeed simple examples of what is possible, but it shows how the Concept Keyboard can be tailored to your needs. The applications for this software flexibility in the area of special education, and in particular with people who have disabilities, are enormous!

Software

PERHAPS because of this versatility, there is a growing amount of software for the Concept Keyboard, which has been written by small software producers (who




Figure 2. Resource Teacher, Russell Sakey and the overall PRIMUG writing competition winner, Kurt Fienburg, accept the 256TC package from Microbee's Andy Laming.

The NEWSDAY

A GLIMPSE AT WHAT IS POSSIBLE USING COMPUTERS, COMMUNICATIONS AND IMAGINATION

Experience

SCHOOL STUDENTS HEADING FOR WAPPING - RUPERT BEWARE!

SCHOOL STUDENTS in NSW are gearing up to become the next multi-media magnates of the 1990s. The utilisation of computers, and in particular, telecommunications, is enabling students across NSW to share and exchange information, to produce student generated newspapers. This is a particularly interesting use of the technology which enhances the learning process and encourages communications between class mates and indeed, across the miles between schools.

Newsday is run once a term and is open to all schools, no matter what sort of computer equipment they have (i.e., it is not hardware specific), however, you must have the basics - a computer system, a modem, word processing and telecommunications software and access to a telephone line.

Newsday is a real time simulation of the production of a newspaper, which uses the Keylink communications facility (the core component of this project) as its wire service. One section on the Keylink remote database has been as-

signed for use by schools participating in the Newsday project. On a prearranged day, called the Newsday, participating schools post stories which they have written, to the bulletin board. These stories have both local and national content and are usually selected because the students feel the items would be of interest to other schools participating in the project. Interviews with local identities and media celebrities sometimes feature, which adds an interesting touch.

On the Newsday, participating schools access the bulletin board to view the contributions from other schools. Stories which are selected by the news team are downloaded for review. The class then sets to work as a bonafide newspaper team, replete with editors, graphics teams, journalists, collators, finished artists, collators ... and the list goes on. The project is usually run to a deadline - to be completed within the school day. This makes for much excited and sometimes frenzied activity where some of the most reluctant students may be found getting into the thick

of things.

By the end of the day, the fruit of the students' efforts, a student designed, written, edited and produced newspaper, is born. The publication contains contributions from all class members.

There is much to be said of the educational value of this sort of exercise. Students are motivated to achieve a task, they develop and exercise their planning skills in preparation of the Newsday, they participate in many levels of communication and they use and expand their keyboard and computer skills (especially telecommunications). Conferencing becomes a major focus for students trying to fit copy, graphics and photos into a set number of pages by the deadline! The project also necessitates the development of logical thinking and planning skills and focuses on the basics - grammar, punctuation, and spelling which all come into play when the students write, compile and edit stories for the publication.

Look out Rupert Murdoch, a new breed of media magnates is coming!

Primary or Secondary - Newsday is for you!

Newsday is another of those wonderful open ended activities which can be molded by teachers and students, both in Primary and Secondary schools. There are many ways Newsday can be used to benefit the students and the school.

Consider the following curriculum areas and the specialty publications that could result from the Newsday experience:

Home Economics / Domestic Science

The Galloping Gourmet Gazette - a cookbook by students including ideas for snacks or even specialties made by the school's own canteen!

Science

The Scientific Searcher - experiments and excursions conducted by your school and their outcomes (the good, the bad and the disastrous).

have discovered the joy of programming the device) and by Departments of Education. Some of the smaller software houses include Parrot Software (based in Canberra) and Blue File Software. (07) 2075170.

It is also worthwhile, if you have a Concept Keyboard, or if you are thinking of getting one, to get into contact with your State Department of Education to see if there are any pieces of software and overlays in the Public Domain. The NSW and WA Departments of Education and the Catholic Education Office in NSW are good starting points.

Note that, although the Concept Keyboard is now compatible with a growing

The fact is we can make it a lot easier for young children and for those who have physical disabilities.

number of micros (IBM PC compatibles, Apples and Commodores), there may be limitations in the software availability. This includes the do-it-yourself compo-

nent - the programming and editing tools which make the pad so versatile. Check out what is available for your micro before you proceed.

Make use of your school and its contacts within the Department (the regional consultants and computer personnel) and your local computer hardware and software distributors. If you live in NSW or Victoria, JPR Software, (02) 891 3688, and Edsoft, (03) 878 4899, are good starting places for any software enquiries.

BARSON Australia, the distributor of BBC and Apricot micros to schools, homes and businesses has established an

Curran and Austral Primary Schools collaborate to produce Newsday masterpiece!


STUDENTS FROM Curran and Austral Primary Schools were brought together to produce a collaborative Newsday publication which they called *Online News*.

The day was an outstanding success. Kate Fraser, a teacher at Austral, commented "I've never seen kids more enthused, wound-up and motivated in my life! They were on task for the whole day from 9 to 2.30. They wouldn't stop for morning tea and had to be shunted out the door at lunch time. They were lined up and ready to go again within nine minutes! Newsday gives all students and in particular, reluctant readers, a realistic task and a realistic audience. There is a lot of forward and backwards referencing and this was the first time I have seen students involved in a fully co-operative learning experience."

Online News included many 10 x 8 photos given to the students after a trip to the local newspaper. Graphics and standard newspaper fare (lotto results,

classifieds, stars etc) also featured.

The front page covered a local major car collision and an attempted suicide by a man who jumped off Grace Bros.



Newsday - a real experience for students!

Planning is the

ALTHOUGH NEWSDAY can be integrated into many areas of the curriculum with varying degrees of time given to the exercise, maximum benefit can be gained from the exercise through careful planning.

The driving force behind the Newsday project - the Miller Computer Education Centre has produced a document called "The Newsday Kit". It is essential reading for those who intend to participate in



to success...

a Newsday. The booklet has a very handy list of 'countdown activities' to do before the Newsday arrives. An excerpt is produced here with kind permission of the Miller Computer Education Centre. It gives an idea of some of the forward planning necessary, if you are going to participate in Newsday.

2 weeks before Newsday

- set writing assignments for articles

- organise interviews with local or other celebrities
- set a library assignment or lesson on who's who in newspapers
- take any special photos to match the stories that are being written

1 week before Newsday

- design the Newspaper banner
- prescribe the percentage layout of the paper - sports, news etc
- assign newspaper roles to students

ESL

The Multilingual Manifesto - writings in many languages.

Maths

Multiple Mathematics - puzzles, conundrums and brain teasers to challenge and to share.

Music

Maestro Please! - a selection of music and lyrics written by students, ideas for eisteddfods and school musicals, sharing of information about the school's music department and band.

Sport

The Athlete's Foot - stories and articles, both modern and historical relating to local sporting heroes, Olympic and Commonwealth greats and school stars. There is potential here for exploring photojournalism.

The primary objective is of course, the students and what they learn from the experience of using the computers, telecommunications, interacting with classmates and sharing stories with other schools. But, the students' efforts could be turned into profit! Throughout the school year, a range of publications based on the Newsday experience could be reproduced and sold at school fairs and school events, perhaps to fund further computer equipment for the school.

WANT TO KNOW MORE?

The next Newsday will be held mid first term, 1989. For further details consult the Keylink Education Bulletin Board or contact Greg Bulter or Kate Fraser at the Miller Computer Education Centre on (02) 607 5804.

education fellowship. The concept grew from discussions at its second annual education seminar held in the Hunter Valley, late in 1988.

Senior officers from all state departments of education and representatives from private and independent education authorities attended. They were treated to hands-on activities, demonstrations of software and hardware and discussions of curriculum developments.

At the formal dinner, Julian Barson, Managing Director of Barson Computers, announced the fellowship. Delegates were invited to contribute ideas and set criteria for the selection of a person (most prob-

The slightest touch activates the program which is important for users with limited control or movement.

ably a teacher) who will go to the UK for one month (around Christmas, 1989). The visit will enable the representative to see what is happening in UK counterpart

schools, visit education authorities and talk with software developers and publishers.

The fellowship will be a national concern and will be sponsored by Barson and Acorn (UK). Details of the Barson Education Fellowship will be finalised at Barson's Third Education Seminar which is scheduled for April/May, 1989.

5th World Conference on Computers and Education

IT MAY seem to be a while off yet, but plans are already well underway for Sydney to host the 5th World Conference on Computers and Education in 1990! This

event is *the* international conference for computers and education and is held every five years. The conference comes under the auspices of the International Federation for Information Processing, which held the last conference in Virginia, USA and the 1980 conference in Switzerland.

Due to the dedication and presentation abilities of the Australian committee (and most notably Sandra Wills), Australia was nominated in 1980 for the 1990 conference. In a year's time we will have the spotlight on us for one of the most exciting events for computer education in Australia.

And there should be a few eye openers – delegates are expected from many countries including Bulgaria, Hungary (and other Eastern Block countries), many other European nations, the USA and, hopefully, there will be a strong representation from our neighbours – the South East Asian countries.

According to the organisers, there will be conferences within conferences, in order to cope with the scope and depth of what is happening in computer education on an international scale. There will be planned special activities for students, who will be encouraged to participate in the conference. It is hoped that overseas delegates will be able to experience 'where we are at' with computer education through demonstrations and displays.

And what of the standard issue of addresses and keynote speakers? All I can say is, along with the 100 per cent dyed-in-the-wool computer education experts, there is a possibility of more famous (notorious?) speakers, who are sure to entertain.

So, get out your advanced planner and pencil in July 9 to 13, 1990 for the World Computers and Education conference. In the mean time, you may also like to ponder what you could contribute to this once in a life time event. Would you like to present a paper at the conference? Deadline for papers is October, 1989.) Could your students become involved in some way? There is ample time to consider how you could contribute and how you will benefit. Further bulletins on the conference's progress will be posted in this column, but if you want some more information direct from the organisers, write to: The Secretary, WCCE/90 World Conference on Computers and Education, Australian Computer Society, PO Box 319, Darlinghurst 2010 NSW.

The fellowship will be a national concern and will be sponsored by Barson and Acorn (UK).

Scone slugs 'em!

1988 WAS A good year for Scone Primary School, in the north east corner of NSW. Not only did one of its students win the honor of having her design published as a stamp (Danielle Hush's Nativity scene became the special 32c Christmas stamp), it also won the annual PRIMUG Writing Competition.

This annual event is run by the Primary Microbee Users Group and jointly sponsored by PRIMUG and Microbee. More than 500 schools across Australia entered this year, with PRIMUG awarding cash prizes to the four section winners and runners-up (\$100 and \$50 respectively), and for the overall winner, a 256TC package (including monitor and software) for the school, donated by Microbee Systems.

There was no set theme for students, which produced a good deal of diversity for the judges to reconcile. The overall winner, Kurt Fienburg, a Year Six student at Scone Primary School, composed an impressive piece of prose in the style of *Lord of the Rings*.

Scone Primary's seven 128K Microbees came in for heavy use by students during the competition for writing, editing and re-editing their entries. The prize of the



Figure 3. Scone Primary School student, Danielle Hush, had her Nativity scene become the special 32c Christmas stamp in 1988.

256TC system is a welcome addition to its computing needs.

Computer education in 1989

IT IS WELL NIGH impossible to get anything out of anyone around the Christmas break (which is when this section was compiled). However, contacts have been made far and wide in computer education circles and we will keep you up to date with what is happening around the country. Here is what is in store for 1989 –

14 – 17 March

Australian Personal Computer Show, Darling Harbour, Sydney.

Look out for hardware and software companies strutting their stuff at Australia's premiere computing show. (Many thanks to Atari for bringing the show to the attention of the education pages.)

18 March

Annual General Meeting of the NSW Computer Education Group, at the Northern Districts Office, 2.00 pm

16 to 18 June

7th Annual NSW Computer Education Group Conference, Leura Gardens Resort – Deadline for submission of papers is 31 March, 1989.

6 to 9 July

Curriculum '89

Held by the Australian Curriculum Studies Association at the Australian National University, Canberra. This year's theme is 'Which Way for the Curriculum?' Contact Jim Cumming, DEET, (062) 89 1333, or Kerry Kennedy, CDC, (062) 89 3524, for more information regarding program details and registration.

1 to 4 October

National Computers and Education Conference, Canberra.

Theme: Backup the Future.

For information about attending the conference, preparing a paper and accommodation write to ACEC '89, PO Box 311, Manuka ACT 2603, or phone Eve Shaw on (062) 950 648.

NSW Computer Education Week

To be advised.

If your organisation, school or company have something planned for Computers and Education for 1989, please send all relevant information to Sharon France, 'Computers and Education', *Your Computer*, 180 Bourke Road, Alexandria 2015 NSW.

MS-DOS SOFTWARE

DON'T PAY MORE
THAN \$5 A DISK!

20,000 + Programs

The biggest &
best collection
in Australia

*(If you've read about it
it's sure to be in our
catalogue)*

Collected from the best Public Domain and Shareware programs from around the world, the SME Public Domain collection is clearly catalogued into 26 easy-to-find categories.

For your \$40 joining/member-ship fee all members receive our 200+ page A4 ring bound catalogue and our monthly newsletter with update listings of all new disks as well as user reviews of programs and 'helpline' networking.

And our prices are the
cheapest anywhere
5.25" format – \$5 a disk,
\$6 mail order
3.5" format – \$10 a disk,
\$11 mail order

Our current range of
software includes the following
No of disks:

Artificial Intelligence	9
Business Applications	123
Computer Education	23
Desktop Managers	35
Entertainment	79
Games	69
Home Applications	57
Maths/Scientific/Stats.	60
Misc./Special Applicat.	125
Wordprocessor/Editors	82
DOS/Disk Utilities	50
Misc./General Utilities	77
Printer Utilities	32
Bulletin Board Software	22
Communications	65
Databases	107
Education	48
Financial Applications	59
Graphic/Drawing	61
Languages	82
Reference Materials	33
Spreadsheets	48
Screen Utilities	27
Encode/Decode Utilities	11
Language Utilities	40
Programmer Utilities	21

We are adding approx. 30 new
disks to the library each month.

MAC OWNERS!!

MAC SHAREWARE/PUBLIC
DOMAIN SOFTWARE
LIBRARY

500 disks of the best Mac I &
II software.

\$20 Annual membership gets
you 160 page catalogue and
quarterly updates.

All disks only \$12 a disk,
\$13 mail order.

SME
PUBLIC DOMAIN
Established 1976

Head Office:

22 Queen Street, Mitcham, Vic. 3132
Tel: (03) 874 3666. Fax: (03) 873 4086.

Sydney Branch:

3 Russell Street, Granville, 2142
Tel: (02) 897 1566
(200 metres from station)

*Ring or call in to your nearest office today,
or post or fax to our Mitcham office.*

To SME Public Domain Pty Ltd, 22 Queen Street, Mitcham, Vic.

- ☐ Please enrol me in your MS-DOS Library. I enclose \$40.
☐ Please send me my MAC Almost-free catalogue. I enclose \$20.

Surname First name

Optional address

Town/Suburb Postcode

Tel No: (.....)


Payment by cash B/Card VISA M/Card Cheque

Card No. Expiry Date/...../.....

Signature

How did you hear about us?

YC/Mar



386 TOWER PC

The 386 Tower PC is a high performance system that's IBM* AT* compatible. However, the 386 Tower PC gives you 2-5 times the performance.

FEATURES:


- Intel 80386-16MHz microprocessor
- Switchable 16/20 MHz
- 2 M/Byte fitted. Total memory expandable up to 16 M/Bytes.
- Up to 2 M/Byte or 8 M/Byte RAM modules on system board or on RAM card
- Option for 80287 & 80387 co-processor socket
- Operates in page mode with interleaved memory subsystem
- Shadow RAM supported to allow system BIOS to be executed on system memory instead of slower EPROM
- Four 16-bit I/O slot. Three 8-bit I/O slot, and one 32-bit memory slot.
- 8042 keyboard controller interface for AT* compatible keyboard
- Seven direct memory access (DMA) channels
- Chips and Technology chip set
- AMI 386 BIOS/Phoenix 386 BIOS/AWARD 386 BIOS (AMI fitted)
- 50 M/Byte hard disk. 42 M/Byte formatted. Fast access.
- EGA card

\$5,995




BABY AT* COMPATIBLE COMPUTER! 2 M/Byte \$2,695

- Final assembling and testing in Australia!
- 4 M/Byte Main Board, 2 M/Byte installed
- Switchable 8/10/12 MHz
- 1.2 M/Byte Floppy Disk Drive
- 80286 CPU
- Colour Graphics Display Card
- 8 Slots
- Floppy & Hard Disk Controller
- Printer Card and RS232
- Keyboard
- 200W Power Supply
- Manual
- 6 Months Warranty
- Size: 360(W) x 175(H) x 405(D)mm
- With 20 M/Byte Hard Disk \$2,695
- With 40 M/Byte Hard Disk \$2,895
- With 80 M/Byte Hard Disk CALL



RIPPER STRIPPER
Remove ugly paper feed edges quickly and cleanly with this simple little gadget.
C21085 **\$9.95**



IBM* XT* COMPATIBLE COMPUTERS FROM \$995

Check these features and our prices. We're sure you'll agree they're exceptional value for money!

- Final assembling and testing in Australia!
- Fast TURBO Motherboard
- AT* style keyboard
- Tested by us for 24 hours prior to delivery!
- 8 Slot motherboard
- 12 months warranty!
- 150W power supply

*\$995 WORKSTATION COMPATIBLE COMPUTER

256K RAM, Single Drive, Graphics and Disk Controller Card. **\$995**


640K RAM TURBO COMPATIBLE COMPUTER

2 x 360K Disk Drives, Multifunction Card, Colour Graphics, Disk Controller, 1 Serial, Parallel Port. (Includes Timer Disk). **\$1,195**

WITH 20 M/Byte HARD DISK:
& single 360K Disk Drive ... **\$1,495**
& dual 360K Disk Drives ... **\$1,895**


WITH 40 M/Byte HARD DISK:
& single 360K Disk Drive ... **\$1,695**
& dual 360K Disk Drives ... **\$1,895**

WITH 80 M/Byte HARD DISK:
& single 360K Disk Drive ... **CALL**
& dual 360K Disk Drives ... **CALL**




IBM* COMPATIBLE CARDS

EGA Card only **\$330**
PAL/EPROM Prog. Card ... **\$245**
Extended 3-5 M/Byte (AT) **\$299**
Colour Graphics **\$99**
Floppy Disk Controllers
360 K **\$52**
360K/1.2/1.44MB **\$139**
Printer Card **\$29**
Multi I/O Card **\$145**
Mono Graphics Printer/TTL **\$109**
Games Card **\$29**
RS232 Card **\$55**
RS232 & Clock Card **\$65**
Hard Disk Controller Card... **\$195**
XT 8 MHz Turbo Motherboard excluding RAM **\$169**
XT 10 MHz Turbo Motherboard excluding RAM **\$199**
Serial/Parallel/Games **\$115**



EPSON LX-800 PRINTER

- NLQ Mode
 - 180 C.P.S. & 25 C.P.S.
 - Tractor or friction feed
 - Proportional printing
 - Convenient push button control panel
 - Standard Parallel interface
- **\$495**



150W SWITCH MODE POWER SUPPLY FOR IBM* PC/XT* & COMPATIBLES

DC OUTPUT: +5/13A, -5V/0.5A
+12V/4.5A -12V/0.5A
Cat. X11096 **\$129**

200W SWITCH MODE POWER SUPPLY FOR IBM* AT* & COMPATIBLE

DC OUTPUT: +5/16A, -5V/0.5A
+12V/5A -12V/0.5A
Cat. X11097 **\$199**

180W SWITCH MODE POWER SUPPLY FOR BABY AT* COMPATIBLES

Cat. X11098 **\$169**



IBM* XT* COMPATIBLE CASE


XT* size and styling. Features security key switch, 8 slots, and mounting accessories.
Size: 490(W) x 390(D) x 140(H)
Cat. X11090 ... only **\$69**

IBM* XT* COMPATIBLE CASE WITH AT* STYLING

Now you can have AT* styling in a XT* size case. Features security key switch, 8 slots, and mounting accessories.
Size: 490(W) x 145(H) x 400(D)
Cat. X11091 **\$99**

BABY AT* STYLE COMPUTER CASING

Compact foot space. Features security key switch, 8 slots, and mounting accessories.
Size: 360(W) x 175(H) x 405(D)
Cat. X11093 .. **ONLY \$99**




IBM* XT* COMPATIBLE KEYBOARD

- 100% IBM* PC*, XT* compatible
 - Low profile keyboard design
 - Proper placement of shift keys with large key tops to suit professional typists.
 - 3 step height/angle adjustment
 - Cherry brand TS-M00001 19mm low profile switches, meet 30mm ergonomic requirement and provides high performance and maximum reliability.
 - Curl lead plugs straight into PC
 - 3 Status displays
- Just like the "Real McCoy" only at a fraction of the price!
Cat. X12020 only **\$89**



PANASONIC KX-P1081 DOT MATRIX PRINTER

- 120 C.P.S.
 - Pica or Elite character set
 - Print Modes: NLQ, Dot Graphics, Draft, Proportional Font.
 - Reliable and Compact
 - Proportional Printing
 - Logic Seeking
 - 1K Printer Buffer
- C20035 **ONLY \$379**




SAMSUNG 20MHz COMPOSITE MONITOR X14516 AMBER \$109

GOLDSTAR 12" TTL MONITOR X14502 AMBER \$119



RITRON MULTISYNC VGA COLOUR MONITOR Quality Auto VGA, EGA, CGA monitor without the high price tag!

Display Tube: 14 inch 90° deflection P22 Non-glare, tint. 0.31mm Dot pitch, Active Display Area: 245 x 165mm
Resolution: 800 dots(H) x 600 lines(V)
Display Colour: TTL input TTL input: 8/16/64 colours Analog input: unlimited colours
..... only **\$945**



DATA TRANSFER SWITCHES

If you have two or four compatible devices that need to share a third or fifth, then these inexpensive data transfer switches will save you the time and hassle of constantly changing cables and leads around.

- No power required
- Speed and code transparent
- Two/Four position rotary switch on front panel
- Three/Five interface connections on rear panel
- Switch comes standard with female connector

2 WAY RS232 X19120 **\$69**
4 WAY RS232 X19125 **\$79**
2 WAY Centronics X19130 **\$69**
4 WAY Centronics X19135 **\$79**

PRINTER LEAD

- Suits IBM* PC/XT, compatibles
- 25 pin "D" plug (computer end) to Centronics 36 pin plug

P19029 (1.8 metres) **\$14.95**

P19030 (3 metres) ... **\$19.95**

P19032 (9.5 metres) . **\$39.95**



PRINTER RIBBONS TO SUIT:


CP80, SX80, DP80, BX100
MB100 (C22036) 10+
\$8.95 **\$7.95**

MX/80 FX/80 RX/80 (C22031) 10+
\$8.95 **\$7.95**

MX100, FX100, RX100 (C22002) 10+
\$19.95 **\$18.95**

LX80 (C22003) 10+
\$9.95 **\$8.95**


LQ1000 (C22012) 10+
\$27.60 **\$25.00**



MOUSE


MICROSOFT* COMPATIBLE!

- Auto-Selection and Auto-Transfer between Mouse System PC Mouse Mode and Microsoft Serial Mouse Mode
 - Microsoft Serial Mouse and Mouse System compatible
 - Super high tracking speed: 600mm/sec
 - Super high resolution: 200 D.P.I. (0-12mm/dot)
 - Silicon rubber coated ball
 - Optical rotary encoder
- Cat. X19952 **\$94.95**




WITTY MOUSE

- Three buttons, user definable.
 - Silicone coated steel ball.
 - High resolution movement of 195 dots/inch. Smaller table space and less hand movement required
 - Optical rotary encoder
 - Max. tracking speed: 200m/sec
 - Mouse resident firmware
 - Size: 116 x 66 x 34mm
 - Mouse Driver Software included, allowing you to install with all popular software packages. Also included is the handy Pop-Up menu software that allows the user to integrate the mouse with the keyboard, DOS, and other popular software packages.
- Cat. X19950 **\$59.00**



JOYSTICK FOR IBM

Features Selectable "Spring centring" or "free floating". Electrical trim adjustments on both axis. 360 degree cursor control
C14205 **\$39.95**




APPLE* II SERIES COMPATIBLE JOYSTICK

These joysticks have adaptor connectors to suit the Apple II, IIC, IIE and II+ computers. Features include selectable "spring centring" or "free floating". Electrical trim adjustments on both axis, 360° cursor control and dual fire buttons
C14201 only **\$39.95**



ENCLOSED PRINTER STAND


- Keeps your paper and print-outs neat and orderly.
 - Transparent cover makes it easy to check on paper supply.
 - Paper can be fed from the centre or the rear according to the design of the printer
 - Removable drawer which allows paper to be changed without moving the printer.
 - Retractable rear basket makes print-out collection fast and convenient.
 - Suitable for most printers
- C21055 **\$59.95**



9 PIN TO 25 PIN CONNECTOR ADAPTORS

The perfect solution! Features gold plated pins.


X15668: DB9 Plug to DB25 Socket
X15669: DB9 Socket to DB25 Plug
\$10.95



RS232 GENDER CHANGERS

- Saves modifying or replacing non-mating RS232 cables.
 - All 25 pins wired straight through
- Cat. X15650 **Male to Male**
Cat. X15651 **Male to Female**
Cat. X15652 **Female to Female**

Normally \$14.95 each
Only \$9.95^{ea}



5 1/4" DISK STORAGE

- 100 x 5 1/4" disk capacity
 - Smoked plastic hinged lid
 - Lockable (2 keys supplied)
- C16020 **only \$15.95**

50 x 5 1/4" DISK STORAGE

- 50 x 5 1/4" disk capacity
 - Smoked plastic hinged lid
 - Lockable (2 keys supplied)
- C16025 **only \$14.95**

80 x 3 1/2" DISK STORAGE

- Holds up to 80 x 3 1/2" diskettes.
 - Smoked plastic hinged lid
 - Lockable (2 keys supplied)
- C16038 **only \$19.95**

40 x 3 1/2" DISK STORAGE

- Holds up to 40 x 3 1/2" diskettes.
 - Lockable (2 keys supplied)
 - High impact plastic lid and base
- C16035 **only \$14.95**



20 M/BYTE HARD DISK
Drive with controller card. IBM* compatible. 12 month warranty.
X20010 **ONLY \$449**

42 M/BYTE HARD DISK

IBM* compatible. 50 M/Byte unformatted. 12 month warranty.
Without controller .. **\$595**
With controller **\$695**

40 M/BYTE VOICE COIL HARD DISK


IBM* compatible. 28 msec access. 12 month warranty
Without controller .. **\$950**

80 M/BYTE VOICE COIL HARD DISK

IBM* compatible. 25 msec access. 12 month warranty.
Without controller. **\$1,595**

330 M/BYTE VOICE COIL HARD DISK

IBM* compatible. 18 msec access. ESDI, 12 month warranty.
Without controller **\$3,200**



QUALITY JAPANESE DRIVES!!

5 1/4" 360K DRIVE

- 500K unformatted.
 - IBM* XT* compatible
- Cat. C11901 **\$239**

5 1/4" 720K DRIVE

- 1 M/Byte unformatted
 - IBM* AT* compatible
- Cat. C11906 **\$269**

3 1/2" 1-44 M/BYTE DRIVE

- Switchable 1-44 M/Byte formatted or 720K formatted
 - Double sided, double density
 - 5 1/4" mounted
- Cat. C11911 **\$225**

CONTROLLER CARD TO SUIT

X18009 **\$139**

DISCOUNT PRICES!

ROD IRVING ELECTRONICS

All sales tax exempt orders and wholesale inquiries to:
RITRONICS WHOLESALE,
56 Renver Road, Clayton,
Phone: (03) 543 2166 (3 lines)
Fax: (03) 543 2648

SYDNEY: 74 Parramatta Rd.
Stanmore, 2048.

Phone (02) 519 3134

Fax (02) 519 3868

MELBOURNE: 48 A Beckett St.

Phone (03) 663 6151

NORTHCOLE: 425 High St.

Phone (03) 489 8866

CLAYTON: 56 Renver Rd.

Phone (03) 543 7877

MAIL ORDER & CORRESPONDENCE:

P.O. Box 620, CLAYTON 3168

Order Hotline: 008 33 5757

(Toll free, strictly orders only)

Inquiries: (03) 543 7877

Telex: AA 151938

Fax: (03) 543 2648



**ORDER HOTLINE
008 335757
(TOLL FREE)**

STRICTLY ORDERS ONLY

LOCAL ORDERS & INQUIRIES

(03) 543 7877

POSTAGE RATES:

\$1 - \$9.99	\$2.00
\$10 - \$24.99	\$3.00
\$25 - \$49.99	\$4.00
\$50 - \$99.99	\$5.00
\$100 plus	\$7.50

The above postage rates are for basic postage only. Road Freight, bulky and fragile items will be charged at different rates.

Errors and omissions excepted. Prices and specifications subject to change.

IBM*, PC*, XT*, AT*, are registered trademarks of International Business Machines. *Apple is a registered trademark. Denotes registered trademarks of their respective owners.



ENORMOUS RANGE!



APPLE* COMPATIBLE SLIMLINE DISK DRIVE

Compatible with Apple 2+

Cat. X19901 **Only \$179**


FREE PACK OF S/S DISKS WITH EACH DRIVE!

APPLE* IIC COMPATIBLE DISK DRIVE

(including cable **only \$199**

FREE PACK OF S/S DISKS WITH EACH DRIVE!


(*Apple is a registered trade mark.)



DIRECT IMPORT 5 1/4" DISK DRIVE!

Double sided, double density, 500K unformatted, 360K formatted. Direct import price!

C11801 **Only \$139**



"NO BRAND" DISKS!

Now you can buy absolute top quality disks that are also the cheapest in Australia! They even come with a lifetime warranty, which indicates the quality of these disks. So why pay 2-3 times the price for the same quality?

Packs of 10, D/S D/D without boxes, or brand name, just their white paper jacket, and index labels. (5 1/4" disks includes write protects).

5 1/4" 2S/2D "NO BRAND" DISKS

10+ DISKS	100+ DISKS	1,000+ DISKS
\$6.95^{ea}	\$6.75^{ea}	\$6.50^{ea}

(ALL PRICES PER 10 DISKS)

5 1/4" HIGH DENSITY DISKS (DOUBLE SIDED)

10+ DISKS	100+ DISKS	1,000+ DISKS
\$21^{ea}	\$20^{ea}	\$19^{ea}

(ALL PRICES PER 10 DISKS)

3 1/2" 2S/2D "NO BRAND" DISKS

Suitable for IBM, PS/2, Macintosh, Atari, etc.


\$21

(ALL PRICES PER 10 DISKS)



MICRODOT DISKS!

DESCRIPTION	1-9 BOXES	10+ BOXES
3 1/2" 2S/2D	\$23.95	\$22.95
5 1/4" 2S/2D	\$11.95	\$10.95
5 1/4" 2S/HD	\$21.00	\$20.00




VERBATIM DISKS!

(ALL PRICES PER BOX OF 10 DISKS)

DESCRIPTION	1-9 BOXES	10+ BOXES
3 1/2" 1S/2D	\$39.95	\$37.95
3 1/2" 2S/2D	\$46.95	\$43.95
3 1/2" 2S/HD	\$99.00	\$89.00
5 1/4" 1S/2D	\$22.00	\$21.00
5 1/4" 2S/2D	\$26.00	\$24.00
5 1/4" 2S/4D	\$75.00	\$70.00
5 1/4" 2S/HD	\$41.00	\$39.00

Mac School Magic!



Not so long ago, the notion that a computer could run a school seemed a fantasy. Now there's a program which will let the Apple Mac do just that – Dof Dickinson reports . . .

A FEW YEARS ago, when computers were as rare as hen's teeth in classrooms, a friend of mine arrived at school to find he had been promoted overnight, without pay, and put in charge of the school computer. The standard in-service training of the day ran something like: 'Here you are, mate, it came with a manual!'

A resourceful man, he soon had the 8-bit machine figured out, and the Principal arrived along with a gaggle of teachers for a tour of inspection. The first questions on the audience's lips were those that must have rung through many classrooms back in '83. 'Can it predict lotto numbers?' – this was, of course, the Principal.

'I suppose it will be running the school next' – from an anxious teacher.

Running the school was the last thing we thought computers would ever do.

Well, it's 1989 now, and we're talking an Apple Mac SE with a 20 megabyte hard disk in the staff room and our once naive teachers have smartened up. Now they *want* the computer to run the school and woe betide if the software isn't compatible with the other Apples in the classrooms or the IBM in the office!

Mac School

SOFTWARE developers are in tune with teachers. Mac School, a total school administration package distributed by Dataflow, lets the computer do all the tasks teachers hate and leave them

free to get on with teaching. The most hated tasks are, of course, reports, scheduling, attendance, and recording marks – the day to day running of the school. Mac School will run the library.

Mac School comes as a series of six modules – all of which are compatible so that data from one can be transferred into another, which saves teachers that most precious resource of all – time.

The six modules in Mac School are: Scheduling, Attendance, Marks, Report Card, ASCII Transfer and Library. You need a Mac to run the program, and for those wealthy school readers among you, Mac School will operate over a network of Macs using Tops or AppleShare. For the rest of us, Apple II computers with 128 kilobytes of memory will operate the Marks module either alone (in a Macless school) or in conjunction with the system. All you have to do is purchase a separate Apple II version. That way, individual teachers can collate their marks on Apple II computers and then have that information read into the Mac SE for use with other modules in Mac School.

Scheduling

SCHEDULING is the first module that most administrators and teachers pounce on with interest – the school timetable being such a thrilling annual nightmare. With a little information from you, this module will produce your school timetable. The limits of the program are a maximum of 4000 students in up to 8 terms at one time. This is ideal for planning HSC courses – timetabling two years at once, you can organise up to 500 subjects, 1500 classes and unlimited academic levels.

You then determine your ideal number of sections for each course, and teachers are automatically assigned to the classes. Any changes can be made at this time to tailor the timetable more precisely to the school and the teachers' loads. Then the computer produces the timetable and puts students into the appropriate classes. The program can be overridden at any stage to make adjustments, and new students can be added manually to each course or automatically inserted into the existing timetable.

Attendance

THIS GOES goes far beyond the tick for present or a cross for absent in the register. The program will record daily, half-daily and period attendance and will accept up to 120 different codes

for absent, present and late. It will also produce attendance reports and highlight attendance trends. There's no limit to the number of students you can record information about and the duration is for a full school year.

Marks

TO USE THIS program, teachers can either download lists of class names from any other module, or enter them directly themselves. With the list of names, you can set up your own electronic markbook which you can update as you go along over the school year.

The six modules in Mac School are: Scheduling, Attendance, Marks, Report Card, ASCII Transfer and Library.

The best thing about this program is that it does calculations for you automatically that once took the best part of an evening. It works out class averages, standard deviations, weights and makes instant comparisons to class average. It will take information for the whole class and print it out as a spreadsheet showing tasks, marks, student names and comments or numeric grades.

When you wish to insert a comment about a student's performance on an individual report card, the program allows for up to 999 standardised versions, or any number of manually entered ones. This means you can resort to the tried and trues: *Micheal's work has been consistent all term* (he never made a single effort!) or can add some more elaborate ones for the kind of situation you do not expect to encounter regularly: *Virginia had a sensational term, culminating in her attempt to burn down the school gym. We wish her well in her new institution.*

The Report Card module is handy when it comes to the usual unpaid overtime expected at report time. (Are you listening, Metherell?) Report Cards draws information from both the Attendance and Marks modules to maintain a complete student history of performance and attendance.

The report cards can look quite dressed up as the Report Manager allows you to import graphics (say, the school logo and motto) so that they appear on the top of each report card to give a professional nourish. You can also throw in a special message to all parents appearing on each report – 'Awfully sorry, but Metherell is closing this school down next term, so bang goes your child's education.'

ASCII Transfer

YOU MAY or may not need this feature, according to the kind of hotchpotch of computers you've got at school. If, like many, you've got an IBM in the office, a clone in the staffroom, a few different vintage ole faithfuls scattered around the classrooms, then the ASCII Transfer feature will be essential.

Provided your computers can read or write data as a simple ASCII text file, you can use this module to import data into Mac School or export data from Mac School. This means that student information, course requests and so on, can be read and edited

A screen showing a student's personal details as they appear in Mac School. Because the modules are all compatible, once the information is keyed in, it can be easily transferred between applications.

on a host of computers outside the Mac and then imported back into the system where necessary.

Library

YOU MAY need a 20 megabyte Mac SE or an add-on external hard drive to operate this module. You'll realise why it needs the extra memory when you see what it can do! It provides a complete library system which can track up to 30,000 books and 4000 borrowers.

That way, individual teachers can collate their marks on Apple II computers and then have that information read into the Mac SE for use with other modules in Mac School.

When you start the system, you need to enter information about the students and staff who'll be borrowing books. This can

be done either directly into the Library module, or to save several hours of work, you can import that information from the main administration system. You can then set borrowing privileges from 0 to 50 for students and staff.

Each book is then listed by titles, author subject, number of copies and Dewey number to aid classification. Once this is done, you have a working library system that will merely need updating with new books and new students as the years go by.


The program will print labels and catalog cards, and will even allow you to use a light pen to check books in and out if they have bar codes; if not, you have to enter the book and student numbers manually. The program will track damaged books, and highlight overdue borrowers with an option to print an overdue notice both by book or borrower. You can also keep an eye on borrowing statistics which are available by 'most checked-out' books, overdue books, teacher and student. The program also provides a statistical summary and year-end inventory of books.

The complete system costs \$2995 – that's the lot, everything you ever needed to run the school and more. Otherwise you can pick and choose and buy some of the modules separately. Scheduling costs \$1850. Library \$1150, Marks \$450, Attendance \$925 and ASCII Transfer \$450 (you can't purchase the Report Card module individually). You can also buy an Apple II version that needs 128 Kbyte for Marks either as a stand-alone at \$300 or as an add-on to Mac School package for \$150. These are the school prices excluding tax. The program is distributed by Dataflow (02) 331 6153 and can be purchased from authorised Mac School resellers. □

...a total graphics solution for the serious presentation user...

☐ DRAWING
☐ GRAPHICS
☐ WORD
☐ CHARTING

all included in one powerful presentation package for a value packed price of
\$750
(excluding tax)



GEM®

Presentation Team™

Another great product from:



DIGITAL RESEARCH®

YES!..

... I would like to know more about the "GEM Presentation Team".

PLEASE SEND DETAILS:

NAME:

ADDRESS:

..... P/CODE.....

PHONE



RETURN TO:
**QUERCUS
DISTRIBUTORS**

**159 BURBRIDGE ROAD
HILTON, S.A. 5033
PHONE (08) 234 1411
FAX (08) 234 1311**

**The Amazing ...
MAESTRO
2400ZXR**

Telecom Approved

As Used by -

- Hewlett Packard
- AWA Nortel
- University of Sydney
- Monash University
- Australia Post
- Telecom Australia

2400

**B.P.S. FULL
DUPLEX
MODEM**

\$399.00

**Retail
Incl. Tax**

Money Back Guarantee If Not Completely Satisfied Within 14 Days

Uses the Latest Technology D.S.P. Chip-set with Performance Equal to or Better than Modems Costing **\$1600.00** or More!

Automatic Everything ... Auto-Answer, Auto-Dial, Call Progress Monitoring, Pulse / Tone Dialling, Line Condition Monitoring, Hayes Compatible.
V.21, V.22, V.22bis, V.23 (300/300, 1200/75, 75/1200, 1200/1200, 2400/2400)
V.23 with automatic bit rate converter

Maestro V.32 Super Executive (avail Jan '89)

V.32 9600 FULL DUPLEX on a standard telephone line

V.32 - V.21 - V.22 - V.23 - V.22 bis ... The absolute latest in technology. Uses an awe inspiring three **digital signal microprocessors**, controlled by a Super 8 microprocessor running at 20MHz!! Hayes compatible, auto dial, auto answer, auto disconnect modem.

Not \$5000 or \$3000 BUT AN **INCREDIBLE \$1500** (incl tax)

2400XR DATA OPTIMIZER

V.22 - V.22 bis - **MNP Mode 5** data compression with Hayes compatibility, auto dial, auto answer, auto disconnect with error checking. This modem is capable of quadrupling the data flow with MNP Mode 5. Depending on the file you can reach a staggering 9600 bps peak compression - error free!

Astounding Value!!

\$499 incl tax (Available January 1989.)

Model 2400XR

\$369.00

Incl. Tax

V.22, V.22bis Bell 103, 212, 2400

Telecom Approved

Features - Automatic Everything and

- Hayes 2400 "AT" command set compatible
- 27 "S" registers
- Extensive self-testing
- Non volatile RAM
- Call progress monitoring
- Uses the latest technology DSP chip-set
- Asynchronous / synchronous

NOVIX

Super Computer

"The mind boggling power of this board still amazes me. Imagine having all the power of a Dec Vax 11/780 computer, sitting in your hand and being capable of running from a nicad battery. The future is here with us today using the power of the NC series uP chips." Roy Hill "Your Computer," Feb '88

4 MIPS **\$699** kit form
\$950 assembled

1200 Bit Stream Flyer

\$199.00

- Manual dial
- Manual answer
- V.22, Bell 212

Undoubtedly the cheapest
1200/1200 bps V.22
modem in Australia

MAESTRO Pty Ltd

Calool Street, South Kincumber 2256

Phone Your Order NOW

(043) 682 277, 682 278

All Major Credit Cards Accepted

Why a computer goes BANG!



THIS ARTICLE should have appeared at the start of the Hardware Hacking series, not in the middle of it! We are going to look at what can go wrong with your computer, why it goes wrong, and what you can do about it, or do to prevent it in the first place. The configurations described below may vary between brands, but generally all clones have the same essential layout.

The power supply

THIS IS the big silver box at the rear of the case housing an IBM-compatible computer. At the back it has connectors for mains power input and output; at the right is the proverbial 'big red switch' that turns the whole computer on and off; in the top is a cooling fan.

The IBM power supply comes in several different wattage ratings, depending on the size and complexity of the computer it serves. Its purpose is to convert the 240 volt AC mains voltage to four DC voltages needed by the computer and the disk drives: -12 volts, -5 volts, +5 volts, and

If anyone's computer is going to go BANG!, it'll be Tom Moffat's – so, who better to advise on things to watch out for and not to do!

+12 volts. The circuit is generally a very advanced design, using a 'switching regulator' to do the voltage conversion. This is a big improvement over the traditional type of power supply, which uses a large, heavy power transformer to do most of the converting before the voltages are subjected to a linear regulator.

The switching regulator controls the voltages available to the rest of the computer by simply turning the mains on and off at a very fast rate, much as if you quickly turned a room's light switch on and off. Although the light would certainly

flicker a bit, its overall average brightness would depend on how much of the time the switch was in the ON position, compared with how long it spent OFF (this is the general idea behind those variable light dimmers you can use to replace a room's normal light switch).

The switching regulator is very efficient compared to the more traditional linear regulator. But since there is no power transformer, the main transistors in a switching power supply must handle the full 240 volt mains voltage, and here's where the trouble can start. Transistors, like most electronic devices, have maximum voltage ratings. Exceed the rated voltage, and the device will surely fail.

If you look on the back of an IBM-type power supply of Asian origin (and most of them are) you will probably see a label stating that its mains voltage rating is 220 VAC (volts AC). Even though it's a pretty poor design practice with little safety margin, many of these power supplies use power transistors rated at 250 volts. Now, consider using one of these in Australia, where the mains voltage is a nominal 240

volts. If the voltage varies upwards by only 4 per cent, well within normal limits, it goes over the 250 volt rating of your transistors and **BOOM!** you kiss your power supply goodbye.

It is possible to get switching transistors with a voltage rating of 400 for only a few cents more than the 250 volt versions. But Asian manufacturers, trying to keep costs at rock bottom, choose the cheaper ones. Many of these supplies find their way into Australia, really at no fault of the importers. I have been through two different IBM compatible computers so far, and both of them had their power supplies blow up.

Luckily this generally happens within a short time of purchase, and causes no damage to the computer itself. The computer simply goes dead (messing up any file you may be working on). A technician can easily replace the 250 volt transistors with 400 volt versions, but it means complete disassembly of the power supply to get at them. Your warranty should definitely cover this problem, but if you are purchasing a new IBM compatible machine it would be worth making sure any power supply faults will be fixed free.

Another power supply problem isn't really part of the electronics; it's the fan. I had one of these pack up and it was replaced under warranty without question. The fan seemed to be getting slower and slower, and finally started to make 'flopping' noises, as if someone had stuck a piece of paper into it. Disassembly and inspection revealed nothing other than a slight stiffness as the blades were turned by hand. Shot bearings I guess, but the fan didn't seem to last very long. Something else to make sure is covered by your warranty.

The main circuit board

YOU WOULDN'T expect this would be a source of trouble, but sometimes it can be ... it can break in half! The main system board in an IBM style computer is a large, unsupported area of fibreglass sheeting. As the various plug-in cards are inserted or removed from the slots, the board flexes and twists.

In decent-quality clones the system board is made of fairly thick fibreglass with good thick copper tracks bound onto the board. But in some of the cheapies, the manufacturers have saved money by using the thinnest possible fibreglass sheet with the thinnest possible tracks. When you insert or remove a card, the stress can cause the circuit board material to crack, and as it splits it severs the cop-

per tracks near the break. Sometimes the breaks in the tracks are so fine the unaided eye can't see them. The most harmful breaks are intermittent, sometimes conducting and other times not, causing erratic and untracable operation of the computer.

So if the system board breaks, it generally has to be totally written off and replaced. I have a friend in Melbourne who found he could save himself a hundred dollars or so on the already cheap Melbourne shop prices by ordering an IBM compatible direct from Hong Kong. When it arrived he plugged one of his cards into a system board slot and **CRACK!** a written-off system board. This had to be replaced by another (thicker) system board bought in Melbourne, for around \$200. So it cost him \$200 to save \$100.

*The moral of the story is
look before you buy, and
avoid flimsy circuit
boards like the plague!*

The moral of the story is look before you buy, and avoid flimsy circuit boards like the plague! Inspect several different computers, and open the bonnet of each one and apply slight hand pressure to the system board. You'll soon see which ones are flimsy and which are robust. Be gentle doing this, don't smash a system board in the shop!

If you already own a computer with a thin system board, just try to interfere with it as little as possible. Remove and replace cards only when absolutely essential, and handle them as if they were made of egg shell.

The monitor

THIS IS one you keep hearing about ... don't do this or don't do that, or you'll damage your monitor. Well, there's a certain amount of truth in this, and a certain amount of folklore. Under normal computer operations there's probably not a lot you can do to hurt the monitor, other than possibly running it without the computer turned on. But you like to go beyond 'normal' operations don't you; otherwise you probably wouldn't be reading this series.

A computer monitor has a circuit to make its scanning electron beam move back and forth (the *horizontal* section), and another circuit to make the beam move up and down (the *vertical* section). As well, there is a circuit to brighten and darken the screen as it is scanned by the electron beam (the *video* section). If it is a colour monitor there will be three video sections, one for each of the three primary colours: red, green, and blue; if these signals are taken directly from the computer, it's called an 'RGB' monitor. A *composite* monitor receives all three colour signals, as well as the horizontal and vertical signals, from the computer along one shielded wire. There is internal circuitry to unscramble all the individual signals and send them off to their proper destinations. Now, if you take a composite monitor, and add circuits to receive video and sound signals off air, you have what's known as a 'colour telly'.

In fact, some of the really flash Japanese big-screen televisions sold in hi-fi shops are actually a separate composite monitor and a television tuner, connected together with a coaxial cable. You could probably use the big monitor on your computer if it had composite video output (most do), or you could plug your computer monitor into a television tuner and watch even junkier things than your computer provides. If you're using the composite system you could run the signals into and out of your video recorder and record whatever is going to your computer's screen. In practice this sometimes doesn't work very well, although one computer, the BBC Acorn, will produce truly stunning graphics onto a video recorder. I think this might be because the machine was originally designed to be used by the BBC for television classes on computer science.

Enough dreaming, back to realities. Here's how you can blow up your monitor. Some monitors, mostly of the composite type, have what are known as 'free running' horizontal and vertical circuits. This means they keep scanning the electron beam back and forth, up and down, at approximately the correct speeds, even when no computer is connected. When the computer comes into play it sends synchronizing pulses to the monitor to keep the horizontal and vertical circuits ticking over at exactly the right speeds, instead of approximate rates.

The more 'professional' types of monitors, particularly those meant for use with monochrome (Hercules) graphics adapters, have 'driven' vertical and horizontal circuits. This means a pulse is required

from the computer for each sweep of the electron beam, and if the pulses are coming at the wrong rate or not at all, the sweep circuits go wild.

The sweep circuits are in fact oscillators, which, because of tuning components within them, want to oscillate at only one correct frequency. It's a bit like blowing across the top of a bottle; for a given bottle size there's only one note the bottle will toot. You can blow all sorts of different ways, but the bottle will only toot one note and only when blown the right way. A 'driven' sweep circuit is similar, if you drive it improperly, it will just stop tooting!

Another characteristic of oscillators is that they draw very little power when tooting correctly, but they draw heaps of power when they're trying to oscillate, but can't. So a driven oscillator that's not getting the drive it expects from the computer will show its anger by drawing lots of power and eventually blowing something.


The drive signals for a driven monitor's horizontal and vertical circuits originate in the CRT Controller chip, which can be programmed to provide all manner of horizontal and vertical drive signals. When the computer boots up, it automatically programs the chip with the right values for the intended type of monitor. Once you know exactly what you're doing you can program your own values into the chip to produce a different number of rows or columns on the screen or whatever. (There are also functions within the BIOS which will do this for you; we'll explore these in detail in a further article in this series.)

Some programs use the BIOS functions, or program the CRT controller chip directly, to do such chores as switching from text to graphics mode and back again. During the short time re-programming is taking place the drive signals may stop briefly, and this explains why some monitors emit a sudden squeak as they switch over – it's the sound of the horizontal oscillator going out of control for only an instant. Allowed to continue, it would probably blow something. If your monitor ever squeaks like this, and keeps it up, turn it off quickly!

As you can imagine, it would be unwise to blindly feed new values into the CRT chip's registers, because you could certainly end up wrecking your monitor. You should also avoid operating the monitor with the computer switched off, or disconnected. Some monitors have special mains cords that can plug into the

switched socket on the computer's power supply; this means the monitor is automatically switched off when the computer is switched off.

One more trap I've discovered is the Reset button. If you press it briefly in the normal way to reset a hung computer, no worries – but if you press it and hold it in for several seconds, it will stop the CRT controller sending drive pulses. On my monochrome monitor this causes much squealing as the horizontal circuit gives up altogether. The vertical still seems to work, after a fashion. The result is an extremely bright vertical line which could easily cause a burn in the screen phosphor.



The disk drives

EVERYONE knows you shouldn't pour a cup of coffee over a disk and then shove it in a disk drive, and everyone knows you should make some attempt to keep the heads clean. But as well as the problems of dirt, damage can be done to disk drives by simply writing the wrong values to the wrong registers.

For instance: there is a chip in any disk-based computer called the 'floppy disk controller', or FDC. Everything to do with the disk drives is channeled through, and controlled by, this chip; the same applies to hard disks. The FDC has a series of control and status registers, just like the CRT controller chip on the video card. One thing you can do is write a number into the 'track' register and then tell the FDC to move the disk drive's read/write head to that track number. This is fine for tracks up to 40 or so, but what happens if you tell the drive to go to track 55 or something? All goes well until the head passes track 40, but then it slams itself against a mechanical stop another 15 times, making an awful noise and probably knocking the

whole works out of alignment.

I haven't been game to fiddle with the FDC on an IBM, after the devastation I once caused on a Microbee. I was playing around with an FDC command that reads into memory a whole track, formatting and all. I sent a command to the FDC, telling it to step to track 35. Trouble was, my thinking had slipped into decimal for some reason, while the program being worked on was in hexadecimal. So the number '35' was interpreted as track 53 decimal. The head stepped along to the end of its travel, and then had 13 tries at self-destruction.

Moral of the story: if you're going to attempt to program the FDC directly, make sure you know what you're doing, don't make any silly mistakes, and be prepared for a heavy repair bill. I have been contemplating doing an article of experimenting with the FDC, but as yet I haven't got up the nerve to jeopardize the health and well-being of my drives. Perhaps I shouldn't encourage you to do it either. Anyhow, most functions you would want are available through the BIOS, and that's pretty bombproof.

Now to the matter of hard disks. I have thought the matter out very carefully, and I don't own a hard disk. The use of a hard disk implies that you're going to be storing valuable material on it permanently. And after some of the disasters I've perpetrated on my floppies, I just couldn't trust myself not to wreck it. For 'users', the people who run ready-made software for business purposes or Cad or whatever, a hard disk would be indispensable. But if you're doing software and hardware development, especially down to the individual chip level, a hard disk in its present form is just too vulnerable.

What I would like to see is a hard disk unit with a mechanical switch on the front that could be manually thrown to make the drive physically incapable of writing, no matter what. If I can get my hands on a hard disk unit to fiddle around with, I'll see if there's some way to modify it to make it totally write-proof under any circumstances. If I succeed you'll certainly hear about it through this magazine.

In the meantime, if you're a hacker with a hard disk, just make sure you back up everything on it to nice safe floppies before beginning any hardware project, especially if it's something that hasn't been done before. I still only feel safe when I see my most valuable work safely on floppies, locked away in a plastic box, well out of the reach of an enraged IBM! □

Assembling QuickBasic

- Part 2

Having covered QuickBasic routines in January, Jeff Richards continues with procedures for creating Assembly language function routines – they are very similar to those used to create Subs, but functions can be easier to use in QuickBasic programs.

BEFORE considering FUNCTION procedures and the way they differ from SUB procedures, a comment on the format of the arguments to the routine is in order. When calling such a procedure from a QuickBasic program it is usual to insert a variable as the argument: BITSET A,B. for example. However, any argument of the correct type can be used – in these examples this means anything that is an integer. Therefore the arguments can be variables, literals, constants or expressions. Thus, you could use BITSET A,1, BITSET 0,1 or BITSET 5,B+2.

While each of these forms is legal, they may not all be useful. If a procedure modifies an argument and returns it to the program, then a procedure call that uses a literal, a constant or an expression for the argument will appear to fail. What happens is that when a literal, constant or expression is used QuickBasic creates and initializes a temporary variable for that argument, and it is the address of this temporary that is passed to the procedure. The procedure will then alter this temporary by storing a result in it, but when it terminates and control is passed back to the calling program, the temporary is discarded, and the result cannot be retrieved.

This is obvious in the case of a literal or expression, but it's easy to pass a constant as an argument, and then spend a lot of time wondering why the procedure doesn't seem to alter the argument at all. This is one of several reasons why functions are often preferable to Subs.

The structure of a function is identical to that of a Sub, except for the way the result is returned. For a function, the result of the procedure is left in the AX register when the procedure returns. If

it has been defined correctly, QuickBasic knows that the AX register contains the result, and it is presented to the calling program as the value of the function.

Functions aren't prevented from returning results in their arguments, and this technique is often used for complex procedures that return multiple results. One result – an error code perhaps – is returned as the value of the function, while the others are returned in the arguments. However, this technique is rare in Basic – functions usually return a single result as the function value, and statements (which are equivalent to a Sub) don't usually modify their arguments (although Swap is an exception to this).

For an example of a function we will extend the BITSET and BITCLR examples from Part 1 (Feb '89) to include a test function, BITTST. This function will return 'true' if the nominated bit in the integer is set, otherwise it will return false. The full routine is presented in Listing 1.

TITLE BITS.ASM - QuickBasic Library Routine

DOSSEG

PUBLIC BitSet, BitClr, BitTst

```

;*****
;* FUNCTION BITSET (I%, N%)                               *
;* FORCE BIT NUMBER N% IN INTEGER I% TO 1.                 *
;*****
BitSet PROC                                ;Procedure starts here.
    push    bp                                ;1 Save BP register.
    mov     bp,sp                            ;2 Make BP into frame pointer.
    mov     bx,[bp+6]                        ;3 Use frame pointer to get the
    mov     cx,[bx]                          ;4 second parameter into CX.
    mov     ax,1                             ;5 Load 1 into register AX
    shl     ax,cl                             ;6 and shift it left N% places.
    mov     bx,[bp+8]                        ;7 Get the first parameter
    mov     cx,[bx]                          ;8 into CX.
    or      cx,ax                             ;9 Force the bit on.
    mov     [bx],cx                          ;10 Replace the parameter.
    pop     bp                               ;11 Retrieve BP and
    ret     4                                ;12 return past two arguments.
BitSet ENDP                                ;Procedure ends here.

```

```

;*****
;* FUNCTION BITCLR (I%, N%)                               *
;* FORCE BIT NUMBER N% IN INTEGER I% TO 0.                 *
;*****

```

```

D:\>masm bits;
Microsoft (R) Macro Assembler Version 5.00
Copyright (C) Microsoft Corp 1981-1985, 1987. All rights
reserved.
    51560 + 271796 Bytes symbol space free
    0 Warning Errors
    0 Severe Errors
D:\>link /q bits
Microsoft (R) Overlay Linker Version 3.61
Copyright (C) Microsoft Corp 1983-1987. All rights reserved.
Run File [BITS.QLB]: mylib.qlb
List File [NUL.MAP]:
Libraries [..LIB]: balb40.lib
D:\>

```

Figure 1. This is the actual display of the compile/link process to turn BITS.ASM into MYLIB.QLB.


```

BitClr PROC                ;Procedure starts here.
    push    bp             ;1 Save BP register.
    mov     bp,sp          ;2 Make BP into frame pointer.
    mov     bx,[bp+6]      ;3 Use frame pointer to get the
    mov     cx,[bx]        ;4 second parameter into CX.
    mov     ax,1           ;5 Load 1 into register AX
    shl     ax,cl          ;6 and shift it left N% places.
    mov     bx,[bp+8]      ;7 Get the first parameter
    mov     cx,[bx]        ;8 into CX.
    not     ax             ;9 Invert the mask bits.
    and     cx,ax          ;10 and force the bit off.
    mov     [bx],cx        ;11 Replace the parameter.
    pop     bp             ;12 Retrieve BP and
    ret     4              ;13 return past two arguments.

```

```

BitClr ENDP                ;Procedure ends here.

```

```

;*****
;* FUNCTION BITTST (I%, N%)                *
;* RETURN TRUE IF BIT N% IN INTEGER I% IS SET, *
;* ELSE RETURN FALSE.                    *
;*****

```

```

BitTst PROC                ;Procedure starts here.
    push    bp             ;1 Save BP register.
    mov     bp,sp          ;2 Make BP into frame pointer.
    mov     bx,[bp+6]      ;3 Use frame pointer to get the
    mov     cx,[bx]        ;4 second parameter into CX.
    mov     ax,1           ;5 Put a 1 in the low bit
    shl     ax,cl          ;6 and shift left N% places.
    mov     bx,[bp+8]      ;7 Get the first parameter
    mov     cx,[bx]        ;8 into CX.
    and     ax,cx          ;9 Test the bit and set flags.
    jz      TstEnd         ;10 Skip if zero flag set
    mov     ax,-1          ;11 else load -1 into result.
TstEnd: pop     bp          ;12 Retrieve BP and
    ret     4              ;13 return past two arguments.

```

```

BitTst ENDP                ;Procedure ends here.
END                          ;Module ends here.

```

Listing 1. An example function – it extends the BITSET and BITCLR examples given in February to include a test function, BITTST. This function will return 'true' if the nominated bit in the integer is set, otherwise it will return false. This listing includes the Bit-Clear version of the bit-set program presented in February; it follows the same structure as the first program, but differs in the way the result is calculated. Since the 80x86 CPU does not support a NAND operation, it must be done in two steps. Firstly, the mask is inverted with the NOT instruction, then it is ANDed with the supplied number. The result is to clear the indicated bit, rather than setting it. If in doubt, try it with pencil and paper.

As an exercise, try rewriting BITSET and BITCLR so that they are functions as well as Subs: that is, the argument is modified, but is also returned in AX. What advantages does this give for using the function/SUB in a program?

The first thing to note is that this function is almost identical to the BITSET procedure. The AX register is set up as a bit mask, with the nominated bit set and all others cleared. It is then ANDed with the integer argument, but this time the AX register is the destination. This means that the result of the AND will be a zero value in the AX register if the bit was not set, and an unchanged value if it was. More importantly, however, the Zero flag in the CPU flags register will be set if the result in AX is zero, and this flag can be used to control a conditional jump that will insert the True or False condition into AX, ready for the return.

Actually, only a False value has to be inserted. If the Zero flag is set, then the result in AX is zero and the bit was not set. A result of zero corresponds to False (as far as QuickBasic understands true and false) so no further action is needed. However, if the Zero flag is not set, and the result of the bit test is true, then we need to load a value of -1, which is True to QuickBasic, into AX.

```

DEFINT A-Z
DECLARE FUNCTION BITTST%(I%, N%)
WHILE A <> -1
    INPUT "Number = ",A
    FOR I = 15 TO 0 STEP -1
        IF BITTST%(A, I) THEN PRINT"1";ELSE PRINT"0";
    NEXT I
    PRINT
WEND

```

Listing 2. A demonstration of the BITTST function – it displays the number entered in binary.

Having tested the Zero flag and loaded AX accordingly, the routine is nearly finished. All that is needed is to retrieve BP from the stack and execute a RETURN with a parameter of 4, indicating that the function was called with 2 arguments.

Of course, using a function is different from using a Sub. Firstly, functions must be DECLARED (this is optional, though recommended, for Subs). Secondly, functions cannot be used as stand-alone statements, but must be part of an expression. Thirdly, functions have a type, just as any other variable does. A program to demonstrate the BITTST function is presented in Listing 2 – this displays the number entered as binary. □

A note on style

THE PRESENTATION of a program can make a significant contribution to its clarity, and most programmers follow some sort of rule about style to help minimize the need for additional comments. The standard used here is –

Assembler directives – all upper case;

Labels and Variable names – capitalized, with embedded capitals to give a clue to their construction;

Mnemonics and registers – all lower case.

Names are kept short, and do not use any special characters. Some programmers prefer longer, more descriptive names, but often typing and spelling errors mean that long names cause more trouble than they are worth.

Problem: Control Solution: HI-TECH C

HI-TECH C is now better than ever, with more processors and operating systems supported, new features and even better code optimization than before. Our compilers are wholly developed in Australia but are used by over 10 thousand programmers world-wide.

FEATURES

- ☐ ANSI Standard C
- ☐ Compact Fast Code
- ☐ Complete Library
- ☐ Macro Assembler
- ☐ Linker and Librarian
- ☐ Cross Reference
- ☐ Full Library Source
- ☐ Execution Profiling
- ☐ Interrupt Support
- ☐ Floating Point Arithmetic
- ☐ Mathematical Functions
- ☐ Comprehensive Local Support
- ☐ 12 Months Free Updates

APPLICATIONS

- ☐ Robotics
- ☐ Remote Control
- ☐ Telemetry
- ☐ Process Control
- ☐ Lift Control
- ☐ Monitoring
- ☐ Space Applications
- ☐ Bionics

Our compilers are breaking through the frontiers of modern technology. For high performance, reliable, software development tools contact HI-TECH Software or our dealers today!

SUPPORTED PROCESSOR FAMILIES

8086/186/286
Z80/64180
68000/010/020
8096/80C196
8051/8031
6800/6801/68HC11/6301/6303
6809

HOST OPERATING SYSTEMS

MS-DOS/PC-DOS
CP/M-86
SCO XENIX
ATARI ST
APPLIX 1616

HI-TECH

S O F T W A R E

NATIVE C COMPILERS

CPM-80 \$195
MS-DOS \$300
CP-M 86 \$300
ATARI ST \$250
APPLIX 1616 \$250

CROSS C COMPILERS

\$495 — \$895
(DEPENDENT ON TARGET AND HOST)

All prices are in Australian dollars and exclude sales tax and delivery.

The Cutting Edge

HI-TECH Software, P.O. Box 103, Alderley, Qld, 4051.
Ph: (07) 300 5011 Fax: (07) 300 5246 BBS: (07) 300 5235

AUTHORIZED DEALERS

AUSTRALIA:

Baltec Systems (07) 369 5900
Macrodynamics (03) 720 2399
BJE Enterprises (02) 858 5611
Esis Pty. Ltd. (02) 467 2032
Program Development Systems (03) 793 4698

NEW ZEALAND:

R.A. Bell Inst. (04) 764 516

UNITED KINGDOM:

Greymatter (0364) 53499

U.S.A.:

Z-World (916) 753 3722

JAPAN:


Southern Pacific (043) 314 9514



MICRO-EDUCATIONAL PTY LTD

Unit 8, 235 Darby St, Cooks Hill NSW 2300 Phone (049) 264122 Fax (049) 262194

DISKS



Wabash DataTech and Verbatim Datalife brand disks. Lifetime warranty. Over 4,000,000 sold a year.

5.25" DSDD (Wabash)
10+ - \$1.00
100+ - \$0.90
400+ - \$0.75

5.25" DSHD (Wabash)
10+ - \$3.50
100+ - \$3.20
400+ - \$3.00

3.5" DSDD (Wabash)
10+ - \$2.75
100+ - \$2.60
400+ - \$2.40

3.5" DSHD (Verbatim)
10+ - \$7.95
100+ - \$7.00
400+ - \$6.50

APPLE/IBM JOYSTICK




Anko joystick. Highly durable. Suits Apple II+, IIe, IIc, IIGS and IBM. Features 2 fire buttons, self centring. **\$46.00**

COMMODORE JOYSTICK



Joystick for Commodore, Atari, Amiga, etc. Auto-firing mechanism. Great price! **\$25.00**

THE BUTTON



From Bowthorpe. Spike and surge filter. Protect against lightning strikes. \$35 is a small price to protect your valuable equipment. **\$35.00**


WESTINGHOUSE SPIKE FILTERS



More substantial than the Button. Filters out current fluctuations. 3Amp version suitable for most single unit installations.


3Amp - \$145.00
6Amp - \$155.00
10Amp - \$165.00

PANASONIC KX-P1081 PRINTER



A 144cps dot-matrix printer. Also prints 28cps in NLQ. Tractor feed, friction feed as standard. Switch selectable print mode selector. Budget priced. Epson and IBM compatible. 12 month warranty. **\$399.00**


DISK FILES



Quality disk files made from high-impact plastic. Keep your disks safe from dust.

DD100(100 x 5.25") - \$25.00
SWS60(60 x 5.25") - \$20.00
DD80L(80 x 3.5") - \$30.00
DD40L(40 x 3.5") - \$20.00
DD10L(10 x 5.25") - \$3.00
DD10A(10 x 3.5") - \$3.00

SOFT DISK CASE



Soft disk carry cases for 3.5" and 5" disks. Anti-static and X-Ray shielded.

10 capacity - \$20.00
20 capacity - \$30.00


TOOL/ CLEANING KIT



Contains all the tools you need for the care and maintenance of your computer. Screwdrivers, mini vacuum cleaner, disk cleaning kit, antistatic wipes, etc. **\$95.00**


UNINTERRUPTABLE POWER SUPPLY

A battery-backed uninterruptable standby power supply from Primax. Provides continuous protection against line noise, transients, surges, spikes, brownouts, etc. Battery will cut in if power fluctuates more than $\pm 10\%$. Powerful enough to power two IBM XT's with hard disks and two monitors (one colour, one mono). Both an audible and visual alarm is provided when power drops. Audible alarm may be disabled if required. Protect your investment in computer equipment and time, by purchasing a UPS today! Only limited stocks available at this price.




ONLY \$699

EPSON LX-800 PRINTER



From the world's leading manufacturer of printers. Fast, highly reliable, IBM compatible. Top speed 180cps in draft, 24cps in NLQ. **\$525.00**


WIRE PRINTER STANDS



Sturdy wire printer stands with output tray for collection of paper. Paper may be stored underneath.

10" version \$35.00
15" version \$45.00

PERSPEX PRINTER STANDS



An Australian made and designed printer stand. Holds 500 to 1000 sheets of paper underneath. A very popular item.

10" version \$35.00
15" version \$45.00

PHONE (049) 26 4122

MAESTRO 2400 ZXR MODEM



Our top selling modem. Supports 300, 1200, 1200/75 and 2400 baud. Auto-answer, auto-dial, disconnect. Hayes AT compatible. Over 14,000 sold. Telecom approved.

\$399.00

MAESTRO 2400 XR MODEM

Similar to ZXR, but doesn't support 300 and 1200/75 baud rates.

\$369.00

MAESTRO v.32 SUPER EXECUTIVE



Again Maestro have broken the price barrier, with the release of a 9600 baud modem for under \$2000. Way under. Also supports 300, 1200, 1200/75 and 2400 baud. Absolute latest in technology.

\$1500.00

MAESTRO 2400 DATA OPTIMIZER



A MNP Mode 5 data compression, 2400, 1200 baud modem. Auto everything with error correction. Capable of quadrupling the data flow, depending on the file, transmission can reach 9600bps - error free.

\$499.00

SERIAL/PARALLEL CONVERTERS



These devices do what the name says. Converts parallel signals to serial and vice versa.

Parallel to Serial **\$120.00**
Serial to Parallel **\$120.00**

ANKO APPLE MOUSE



Mouse for Apple IIc, Mac 512, and Mac Plus. 200 DPI resolution. One button. Cheaper than Apple equivalent.

\$69.00


LOGITECH MOUSE



For IBM PCs and compatibles. Fully Microsoft compatible. Includes full suite of driver software.

Serial version **\$199**
Bus version **\$249**

MONITOR MOVER



A monitor arm, allows full 360° rotation of monitor. Keyboard tray.

\$199.00

MONITOR SWIVEL



A desk based monitor swivel. Allows tilting of monitor.

\$35.00

CABLES

We stock a range of cables, most for \$30. Please call if your requirement isn't listed.

2m male-male serial **\$30**
2m male-female serial **\$30**
2m IBM Printer cable **\$30**
2m IBM AT serial cab **\$30**
2m male-male centron **\$30**

T-SWITCHES

You can share peripherals between various computers.

TSW2P

One parallel to two **\$60**

TSW4P

Four parallel to one **\$120**

TSW2XP

Two parallel to two **\$120**

TSW2S

Two serial to one **\$55**

TSW4S

Four serial to one **\$110**


TSW2XS

Two serial to two **\$110**

POCKETP: Pocket sized one parallel to two **\$100**

POCKETS: Pocket sized one serial to two **\$90**

MOUSE MAT



Micro-Educational mouse mat. Made from neoprene. Protect your desk from scratches.

\$15.00


MOUSE HOLDER



Attach your mouse safely on the side of your monitor, computer or desk.

\$9.95


CPU STAND



Vertical CPU stand. Suitable for IBMs and similar. Adjustable size.

\$30.00


KEYBOARD SLIDEAWAY



You can now fit any keyboard, wide or narrow, under your desk.

\$50.00

KEYBOARD DRAWER



Stores keyboard under your monitor or computer, freeing up valuable desk space, and keeping your keyboard safe from damage, spillage, etc.

\$70.00

COPY HOLDER



Complete with detachable line guide. Suitable for A4 sheets and smaller. Desktop based.

\$25.00

SOFT EYES SCREEN FILTERS



Protect your eyes from screen glare and reflections. Made from carbon mesh fibre.

12" monochrome **\$35**

12" colour **\$40**

14" monochrome **\$45**

14" colour **\$50**

MAIL ORDER FORM

Dear George,
Please send me the following: _____

By Post ☐ (min. \$4), or Courier ☐ (min. \$10)

Enclosed please find Cheque/Money Order/Bank-card/Mastercard/Visa no. _____

Expiry date: ____ / ____


Name: _____

Address: _____

Phone: _____

Postage Rates: Allow the above rates for orders up to 5Kg. Rates increase after this. If unsure, please ring us.

Are you safe?



WELCOME to another edition of Twilight Bytes, in this episode will Martha find out that Bob has been cheating on her and using another BBS, will the phantom password hacker destroy the credibility of some System Operators? Don't touch that dial!

As I write this a number of BBS systems in Sydney, Melbourne and Brisbane are being struck by break ins. Someone (or a group) is attacking the software that runs BBSs in an attempt to gain access to system information.

Now most systems (like Prophet) require that you register, submit your address, telephone number(s) and other information that allows the system operator to validate your credentials. Sometimes this information is stored on the same computer as the bulletin board, others print the information for review and some simply check and delete it.


Under normal circumstances you would have nothing to worry about, if someone knows your name they can generally find you pretty quickly (assuming you are reasonably honest).

So what is the threat? Let us have a little think. The break-in person was attacking systems and using some lesser known features to program the bulletin board to send privileged files to the cracker (notice I am not calling this person a hacker). In general, the file stolen was the system user data file which generally contains names, suburb, terminal settings and some system related information (like the number of files downloaded).

Pretty safe you say, well the other thing that is stored in the file is your logon password. This is the biggest threat to you from most of these break-in type operations, and only if you let it. If you use a number of boards (and most people do) it is quick and simple to use the same password on all of them. But, and here is the catch, if any one of the systems that you use reveals your password to someone you are really at risk!

Imagine that you are using a couple of systems and that you are having ongoing conversations with people, which is about normal for most users. Your password is stolen and this cracker type gets on and start posting all sorts of messages with your name and password. The other users of the board and the system operator are going to take a great deal of convincing that it really was not you!

How do you protect yourself? The simplest and most effective way is to use a different password on every system you call. Yes, it is a pain, yes it does mean remembering a number of



Using an idea he got from train conductors of the time, Hermann Hollerith devised a machine that could tabulate census data automatically. An operator simply placed the card with punch holes representing data, into the reader slot; when the cover was closed, pins were pressed against the card. Where there were holes, the pin would fall through into a trough of mercury, trip an electric circuit, and the counter clocks would be advanced. Using this device a single operator could process in excess of 50,000 census forms in a day.

passwords, but you will be a lot safer. The other thing to do is change your password every so often and do not use obvious passwords, like your name or suburb.

Hermann – you have a lot to answer for!

Hermann Hollerith has a lot to answer for: he is personally responsible for causing the computer industry. If your wife is a computer widow and threatens to 'shoot the guy' tell her she is too late, by about 60 years! Hermann worked for the US Census Bureau during the late 1890s in the section that correlated census into statistics.

Just imagine that you had to compile a report of all the people in your street. You'd want their ages, sex, marital status and salary entered on a form.

Assuming everyone gives you that information, you'd have to collate it to provide statistics

that you see used every day. If your street had more than 10 houses and you actually just thought about the amount of work it would take manually, you'd probably just forget it.

If you thought that was bad, back in 1880 there was a census in the USA and six years later they were still trying to collate the information. And – they had to start preparing for the 1890 census! Now our friend Hermann was involved in all of this and decided there just had to be a better way of doing all of this. One of his initial ideas was to use paper rolls like a pianola (you go find out what a pianola is, you young whipper snappers).

Using an idea he got from train conductors of the time, Hermann devised a machine that could process all of the census and tabulate it automatically. When you presented your ticket on a train the conductor would use a punch on the ticket to record where you got on and where you should get off. Hermann decided that this was the way to go (after considering continuous tape).

The machine looked like a wall of clocks and 'read' the holes punched in the card with census data and recorded which settings were on (guess where binary comes into play); it also counted the number of times that setting was on. An operator simply placed the card into the reader slot; when the cover was closed, pins were pressed against the card. Where there were holes, the pin would fall through into a trough of mercury and trip an electric circuit. Depending on the setting in the machine, the counter clocks would be advanced. Using this device a single operator could process in excess of 50,000 census forms in a day.

This 'tabulating machine' was programmed by wiring up switches to a tabulator (or sort chute); as the switches were tripped, the current advanced the clocks or did other work). This method of programming is where the term 'hardwired programs' came into being! The device was eventually modified to process other types of data, like business records – and the computer (albeit mechanical) industry was born. The company Hermann formed was called Tabulating Machine Company (TMC); after merging with a number of companies, it finally became known as International Business Machines (IBM).

IBM soon mastered card reader technology, so other 'information processing' companies – particularly NCR, which was by far the biggest in the industry then – were forced to install IBM card readers (and punches) for their customers to provide a reliable processing system.

What happened at the census bureau? Well, they found Hermann's machines too expensive and built their own. □

Australian PAMS

Listing

Release: 8901 1 Jan 1989

New systems: 13
Online: 2
Unknown: 6
Offline: 19
Name Change: 10
Amended: 55
TOTAL Systems: 306

Primary electronic

collection points

The last full listing was given in the October 1988 issue; refer to the Services page on how to obtain Back issues.

ACT – PC Exchange RIBM
(062) 58-1406

NSW – Prophet TBBS
(02) 628-5222

Vic. – Brainstorm OZ!
(03) 758-7086

Qld. – AMPAK Opus/PRBBS
(07) 263-7070

SA – Oracle PC-Network
(08) 260-6222

WA – Nemo Multiple BBS
RAPL
(09) 370-1855

ACT

*** NEW System ***

MICSIG Fido

Phone: (066) 85-1026

Baud: V21 V22 V22bis V23

Access: Public

BBSSoftware: Fido

*** Offline ***

Pharmacy BBS

NEW SOUTH

WALES

*** Amended ***

ABBSNET

Sysop: Michael Pigram

Phone: (02) 630-3693

Baud: V21

Access: Public

Hours: Weekdays: 1830 – 0600

Weekends: 24 Hours

Computer: C-64

BBSSoftware: SynTech

*** Amended ***

AUGUR TBBS

Sysop: Mark James

Phone: (02) 311-3052

FIDONet: 712/302

Baud: V22 V22bis V23

Access: Reg VA

Computer: IBM XT Clone

DOS: PC DOS

BBSSoftware: TBBS

*** NEW System ***

Coastal Communications

Sysop: Chris Patten

Phone: (02) 977-6869

FIDONet: 714/906

Baud: V21 V22 V22bis V23

BBSSoftware: QuickBBS

*** Amended ***

Coastal Opus BBS

Sysop: Kevin Mann

Phone: (043) 23-2275

FIDONet: 711/430

Baud: V22 V22bis V23 PEP

Access: Reg VA

Computer: IBM AT Clone

DOS: MS DOS

BBSSoftware: Opus

*** Amended ***

Commodore Pursuit TBBS

Sysop: Warren Hillsdon

Phone: (02) 522-9507

Baud: V21 V22 V22bis V23

Access: Mem VA

Computer: IBM AT Clone

DOS: MS DOS

BBSSoftware: TBBS

*** Amended ***

Computrol

Sysop: Robert Spence

Phone: (02) 489-6848

Baud: V21 V22 V22bis V23 B103

B212

Access: Reg

Computer: IBM XT Clone

DOS: MS DOS

BBSSoftware: GTPower

*** Amended ***

Cybersoft Opus

Sysop: Heath Rogers

Phone: (02) 212-2261

FIDONet: 712/202

Baud: V21 V22 V22bis V23

Access: Reg LVA

Computer: IBM XT

DOS: PC DOS

BBSSoftware: Opus

*** Amended ***

Delta Net

Sysop: Geoff Arthur

Phone: (02) 457-8281

FIDONet: 711/415

Baud: V21 V22 V22bis V23

Access: Reg

BBSSoftware: QuickBBS

*** Offline ***

Disaster Area

*** NEW System ***

K.K.K BBS

Sysop: Jim Lynch

Phone: (02) 418-6005

Baud: V21 V22 V22bis V23

Access: Reg

BBSSoftware: TBBS

*** Amended ***

Konektion Business Link

Sysop: Robert Earle

Phone: (02) 906-1354

FIDONet: 711/410

Baud: V22 V22bis

Access: Reg VA

Computer: IBM XT Clone

DOS: PC DOS

BBSSoftware: Opus

*** Unknown ***

Nebula RAPL

*** NEW System ***

Outdoors Education

Sysop: Mel Lee

Phone: (046) 66-9881

Baud: V21 V22 V22bis

Access: Reg VA

Computer: IBM AT Clone

DOS: MS DOS

BBSSoftware: GTPower

*** Amended ***

Prophet TBBS

Sysop: Larry Lewis

Phone: (02) 628-5222

FIDONet: 713/600

Baud: V21 V22 V22bis V23

Access: Mem Reg VA

Computer: IBM AT Clone

DOS: PC DOS

BBSSoftware: TBBS

*** Online ***

Small Business

Sysop: Geoff Bilborough

Phone: (049) 50-4211

Baud: V21 V22 V22bis V23

Computer: IBM XT Clone

DOS: MS DOS

BBSSoftware: QuickBBS

*** Amended ***

SMUG Opus

Sysop: Stephen Thompson

Phone: (02) 476-6396

FIDONet: 711/417

Baud: V21 V22 V22bis V23

Access: Mem Reg VA

Computer: IBM XT Clone

DOS: MS DOS

BBSSoftware: Opus

*** Amended ***

Tech Exchange

Sysop: Chris Moran

Phone: (02) 712-2282

FIDONet: 712/708

Baud: V21 V22 V22bis V23

Access: Reg LVA

Computer: IBM AT Clone

DOS: MS DOS

BBSSoftware: Opus

*** Online ***

The Ivory Tower

Sysop: Colin Leslie

Phone: (02) 668-8021

FIDONet: 712/624

Baud: V21 V22 V22bis V23 B103

B212

Access: Public

Computer: IBM XT Clone

DOS: MS DOS

BBSSoftware: Opus

*** Name Changed ***

The Pig Pen BBS

Note: Now Called

ABBSNET

*** Amended ***

The Twilight Zone

Sysop: The Mystic Machine

Phone: (065) 72-3970

Baud: V21 V22 V23

Access: Reg LVA

Hours: Weekdays: 2100 – 0600

Weekends: 24 Hours

Computer: Apple //e

DOS: PRODOS

BBSSoftware: GBBS

*** NEW System ***

Ultimate-10

Sysop: Ben Woo

Phone: (02) 484-4004

FIDONet: 711/802

Baud: V21 V22 V22bis B103 B212

Access: Reg LVA

Computer: Super-10 XT

DOS: MS DOS

BBSSoftware: Opus

VICTORIA

*** Amended ***

ABE Opus

Sysop: Nick Mleczko
Phone: (03) 288-3599
Baud: V21 V22 V23
Access: Public
*** **Unknown** ***
Alloy Opus BBS
*** **Amended** ***
AmigaLink
Sysop: Bohdan Ferens
Phone: (03) 792-3918
Baud: V21 V22 V22bis V23
*** **NEW System** ***
AmigaLink II
Sysop: Gary Gajic
Phone: (03) 376-6385
Baud: V21 V22 V23
Access: Mem LVA
Computer: IBM XT
DOS: MS DOS
BBSSoftware: Opus
*** **Amended** ***
Antartic Crystal Symphony
Sysop: Greg Jones
Phone: (03) 874-4176
Baud: V22 V22bis
Access: Mem VA
Hours: Nightly: 2200 - 0700
Computer: IBM XT Clone
DOS: PC DOS
BBSSoftware: Opus
*** **Amended** ***
Anzugs CBCS
Sysop: Gordon Castle
Phone: (03) 563-2496
Baud: V22bis PEP
Access: Mem Public
Computer: IBM Model 80
DOS: PC DOS
BBSSoftware: Opus
*** **NEW System** ***
Arcadia Opus
Sysop: Andrew Newbury
Phone: (03) 267-8793
Baud: V21 V22 V22bis V23
Access: Public
Computer: IBM XT Clone
DOS: MS DOS
BBSSoftware: Opus
*** **Offline** ***
Atlantis RBBS-PC
*** **Amended** ***
Brainstorm Oz!
Sysop: Rowan Stevens
Phone: (03) 758-7086
FIDOnet: 632/322
Baud: V21 V22 V22bis V23 B103 B212
Computer: IBM XT
DOS: MS DOS
BBSSoftware: Opus
*** **Offline** ***
Bubble n' Squeak Opus
*** **Amended** ***
Custom Programming OPUS
Sysop: Allan Williamson
Phone: (03) 848-3331
Baud: V22 V22bis B103 B212
Access: Mem VA
Computer: IBM PC Clone
DOS: PC Dos
BBSSoftware: Opus

*** **Amended** ***
DECUS
Sysop: Peter Hill
Phone: (03) 62-5806
Baud: V21 V22 V22bis V23
Access: Mem VA
Note: Press SPACEBAR for connection
*** **Unknown** ***
Devils Playground BBS
*** **Amended** ***
Doodz Domain
Sysop: Scott Rigby
Phone: (03) 646-5861
Baud: V21 V22 V22bis V23
Access: Public
BBSSoftware: QuickBBS
*** **Amended** ***
East Suburb Eighty User Group
Sysop: Martin Axford
Phone: (03) 819-5179
FIDOnet: 632/347
Baud: V21 V22 V22bis V23
BBSSoftware: Opus
*** **Name Changed** ***
Electric Dreams Opus BBS
Note: Now Called
Truth BBS
*** **Amended** ***
Engbase CBCS
Sysop: Greg Furlong
Phone: (03) 29-6336
Baud: V21 V22 V22bis
BBSSoftware: Opus
*** **Name Changed** ***
EXCALIBUR-64 RCP/M
Note: Now Called
The CP/M Connection
*** **Name Changed** ***
Further Regions QuickBBS
Note: Now Called
The Further Regions QuickBBS
*** **Unknown** ***
Island BBS
*** **Name Changed** ***
MACE-ATARI BBS
Note: Now Called
Melbourne Atari BBS
*** **Unknown** ***
MacLink BBS
*** **NEW System** ***
MainframeZ BBS
Sysop: Andrew Whittle
Phone: (03) 466-2006
Baud: V21 V22 V22bis
Hours: Weekdays: 1800 - 0830
Weekends: 24 Hours
BBSSoftware: QuickBBS
*** **Amended** ***
Melbourne Atari BBS
Sysop: Stuart Szabo & John Burgess
Phone: (03) 899-6203
Baud: V21 V22 V23
Access: Mem VA
BBSSoftware: FoReM
*** **Amended** ***
MESA RBBS
Sysop: David Woodberry
Phone: (03) 563-9102
FIDOnet: 632/349
Baud: V21 V22 V23

Access: Mem Reg VA
Computer: IBM XT Clone
DOS: MS DOS
BBSSoftware: Opus
*** **Amended** ***
Microscience Computers BBS
Sysop: Stephen Rivenell
Phone: (03) 786-7187
FIDOnet: 635/361
Baud: V21 V22 V22bis
Access: Mem Reg
Computer: FireStar 286
DOS: MS DOS
BBSSoftware: Opus
*** **Amended** ***
Midnight Frog BBS
Sysop: Scott Enwright
Phone: (03) 596-1589
Baud: V21 V22 V22bis V23
Access: Public

*** **Offline** ***
Silicon Valley
*** **Amended** ***
Software Mail Centre
Sysop: Maurie Halkier
Phone: (03) 725-1621
Baud: V22 V22bis
Access: Public
Computer: Eastcomm PC/XT
DOS: PC DOS
BBSSoftware: Opus
*** **Offline** ***
Sotec BBS
*** **Name Changed** ***
Southern Mail
Note: Now Called
Software Mail Centre
*** **NEW System** ***
The Bridge

*How do you protect yourself?
The simplest and most effective way
is to use a different password
on every system you call.*

BBSSoftware: Opus
*** **Name Changed** ***
Miki's Opus CBCS
Note: Now Called
The Macro Shed
*** **Offline** ***
MouseText
*** **Offline** ***
Nostromo
*** **Offline** ***
Omegatex Videotex Service
*** **Amended** ***
PC Connection IBBS
Sysop: Lloyd Borrett
Phone: (03) 388-0909
Baud: V21 V22 V22bis V23
Computer: IBM XT
DOS: MS DOS
BBSSoftware: IBBS
*** **Offline** ***
Pegasus
*** **Offline** ***
PHYSI-CHALL
*** **Name Changed** ***
Premier Systems
Note: Now Called
USUFRUCT BBS
*** **Amended** ***
Sam's Opus BBS
Sysop: Alan Haslar
Phone: (03) 563-1117
Baud: V21 V22 V22bis V23
Access: Public
BBSSoftware: Opus
*** **Offline** ***
Sendata

Sysop: David Beckwith
Phone: (03) 563-8070
Baud: V22 V22bis
Access: Public
Computer: Sharp PC 7100
DOS: MS DOS
BBSSoftware: Opus
*** **Amended** ***
The CadPhone
Sysop: Stuart Szabo
Phone: (03) 890-0091
FIDOnet: 633/367
Baud: V21 V22 V23
Access: LVA
Computer: HP Vectra 286
DOS: PC DOS
BBSSoftware: Opus
*** **Unknown** ***
The Comedy Company
*** **Amended** ***
The CP/M Connection
Sysop: Maurice Copeland
Phone: (057) 83-1040
Baud: V21 V22 V22bis V23
Access: Public
Hours: Weekdays: 1800 - 0800
Weekends: 24 Hours
*** **Amended** ***
The Crossover
Sysop: Stephen Paddon
Phone: (03) 367-5816
Baud: V21 V22 V22bis V23
Computer: IBM AT
BBSSoftware: QuickBBS
*** **Amended** ***
The Domestic Engineer
Sysop: Rob Roder

CHOOSE ANY 3 PROGRAMS FOR ONLY \$9.00

Plus free membership to CHOICE MARKETING SOFTWARE CLUB

TELEPHONE (09) 459 8894 FACSIMILE (09) 481 0074

The following software will work only on IBM and compatible personal computers.

CM100 PowerMenu — Dos Menu program with built-in file manager.

CM101 Intelli-trieve Weighted-retrieval for dBase III+.

CM102 Ez-Form — Create new forms or modify existing ones to suit your needs.

CM103 Q-Modem — Full feature communication program.

CM104 PC-Prompt — You will never forget the right format for entering Dos Commands again.

CM105 PC-Deskteam — Calculator, calendar, Dos util., notepad, etc.

CM106 Word Processing for Kids — A word processing program designed for kids.

CM107 Origami — Teaches you the Japanese art of paper folding.

CM108 Arcade Games Collection — An assortment of the finest 'arcade type' games including Scramble and Donkey Kong.

CM109 ImagePrint — Allows you to produce letter quality print on your Epson or compatible printer.

CM110 ProComm — Communication program that allows you to go to Dos without terminating.

CM111 Sidewriter — If your report won't fit into a page, print it sideways.

CM112 PC Outline — Resident outlining program.

CM113 PC Style — Writing analysis program.

CM117 PC-Stock — Plot stock analysis graphs on monitor or printer.

CM119 Basic Games — Various games in Basic including Bowling, Keno, Spacewar and more.

CM120 Desktop Publisher — Publishing program for newsletters or simple applications.

CM121 LottoPro — Helps analyse Lotto trends.

CM122 Bookkeeper — A complete financial tool for business and personal use where complex accounting software is not needed.

CM123 Poker Anyone? — Five card draw poker against the computer.

CM124 Duke Language Toolkit — Create foreign and other fonts for EGA.

CM125 Record Collector — Professional level music cataloguing program. You find song by title, artist, label, producer and many more.

CM126 HDMIII — Hard disk menu system up to 10 menus/10 selections.

CM127 Lititgex — For keeping track of legal research, evidence, etc.

CM128 ABC Fun Keys — For ages 2-5; learning alphabet keyboard.

CM129 AnyWord — Text file index retrieval system.

CM130 PC-Flow — A flow chart designing program.

CM133 T.O.P. — Over 40 procedures and functions for Turbo Pascal 4.

CM134 Bradford — Letter quality fonts for Epson MX and FX.

CM135 Weight Control — Assists you in diet with info about dieting, self test.

CM136 Context & Snipix — Superimpose graphics onto text for use in desktop publishing.

CM137 Beginning Sound — Helps pre-schoolers learn to read.

CM139 Grab Plus — Automatic envelope addressing utility and address database.

CM140 Formgen — Design forms for home and office.

CM141 Trilogy — Note storing and retrieving utilities for writers and others.

CM142 Domino — Play dominos against the computer.

CM143 Styled — Writing analysis program.

CM144 Card Track — Credit card statement analysis program.

CM146 Manage — Improve your management skills by answering questions on various management topics.

CM147 Automenu — Dos Menu Program.

CM149 As Easy As — Lotus 1-2-3 look-alike.

"... am eagerly awaiting the July Software of the Month." — D.D., Tamworth.

Choice Marketing Software Club's "Value for Money" package includes:

- 10 days Free Trial. You may examine the programs in your own home and, if not completely satisfied, return them within 10 days. Your membership will be cancelled and you will owe nothing.

- Free Membership. There are no annual membership renewal fees — as a member you need buy only 4 program diskettes at regular low club prices of \$10 during the coming year. You may resign any time thereafter or continue to enjoy club benefits as long as you wish.

- Free Newsletter. Every month you will receive the club newsletter PD SOFT which will cover the software selection of the month, reviews, and the latest sharewares and public domain programs as alternatives.

- Every month you will get a selection of the latest and the best programs automatically. Each month more than 500K of the best programs are compressed into our monthly selection. You need do nothing; they'll be shipped to you automatically. If you don't want a selection, or prefer an alternative, or no software at all, just fill out the convenient form always provided and return it to us by the date specified.

- Access to thousands of good quality software programs at the cost of \$10 per disk plus \$3 shipping and handling charges. The cost of \$10 covers duplication costs, advertising, upkeep of library, computer equipment, newsletter, staff wages and sales tax. Some of the software in the library is subject to additional registration fees payable to the author for regular usage of their program. It's a case of you pay the registration fees if you like it, if not you don't, but you may still keep the program.

What our customers say:

"Once again, compliments on the prompt execution of orders." — M.M., Fremantle.

"I would also like to pass on my thanks for what must be one of the best value software packages (service) to be found within the marketplace." — M.A., Traralgon.

Mail to:

**FREE POST A13
CHOICE MARKETING SOFTWARE CLUB
PO Box 648, Gosnells WA 6110**

YES! Please accept my application for membership in the **Choice Marketing Software Club**. Send me the 3 programs whose numbers I have indicated in boxes below plus my **FREE** membership, for only \$9.00 (\$19.00 for 3½" disk) plus \$3.00 shipping and handling. I agree to the Club Plan as described in this ad I will take 4 more programs at regular low Club prices in the coming year and may resign at any time thereafter.

I wish to receive the 3 selections marked in the boxes provided:

--	--	--

Diskette Size: ☐ 5¼" ☐ 3½" *

NAME _____ (please print)

ADDRESS _____

SUBURB _____ STATE _____ POSTCODE _____

Enclosed please find my payment as follows: Cheque / Money Order / or please charge my Visa / Bankcard.

Card No.: _____ Expiry Date: _____
SIGNATURE _____
(If under 18 parent must sign) _____

Y/C 3.89

Phone: (03) 720-6356
Baud: V21 V22 V22bis V23
Hours: Daily: 2130 - 0800
BBSSoftware: QuickBBS

*** Offline ***

The Dreamscape BBS

*** Amended ***

The Fruit Shop

Sysop: Greg Broadley
Phone: (03) 859-1246
Baud: V21 V22 V22bis V23
Access: Reg VA
Hours: Weekdays: 1800 - 0900
Weekends: 24 Hours
Computer: IBM XT Clone
DOS: MS DOS
BBSSoftware: Opus

*** Amended ***

The Further Regions QuickBBS

Sysop: Chris Brunton
Phone: (03) 725-1923
Baud: V21 V22 V22bis V23
BBSSoftware: QuickBBS

*** Offline ***

The Graveyard BBS

*** Amended ***

The Hot-Line

Sysop: Mark Firus & Darren King
Phone: (03) 547-5117
Baud: V22 V22bis B103 B212
Access: Reg LVA
Computer: IBM XT Clone
DOS: MS DOS
BBSSoftware: Opus

*** Offline ***

The Info-Source BBS

*** Offline ***

The Krime Philes CBCS

*** Amended ***

The Labyrinth BBS

Sysop: Stephen Jones
Phone: (03) 318-6562
Baud: V21 V22 V22bis V23
Access: Reg VA
Computer: IBM XT Clone
DOS: MS DOS
BBSSoftware: Opus

*** Amended ***

The Macro Shed

Sysop: Miklos Bolvary
Phone: (03) 887-1756
FIDOnet: 633/374
Baud: V22 V22bis B103 B212
Access: Reg VA
Hours: Daily: 2100 - 0900
Computer: ELT 286 Baby AT
DOS: PC DOS
BBSSoftware: Opus

*** Amended ***

The NATIONAL CBCS

Sysop: John Blackett-Smith
Phone: (03) 25-6904
Baud: V22 V22bis PEP
Access: Public
Computer: IBM AT
DOS: MS DOS
BBSSoftware: Opus

*** Name Changed ***

The ODBS & Sensible Solution BBS

Note: Now Called The Hot-Line

*** Amended ***

The Real Connection

Sysop: The Real Article & Deep Image
Phone: (03) 288-0810
Baud: V21 V22 V22bis V23
Access: Public
Computer: IBM XT Clone
DOS: DoubleDOS
BBSSoftware: Opus

*** NEW System ***

The Ultimate 64

Sysop: Mike Kobiolke
Phone: (03) 735-5551
Baud: V21 V22 V22bis V23
BBSSoftware: Punter

*** Amended ***

Truth BBS

Sysop: Peter Studley
Phone: (03) 813-1663
Baud: V21 V22
BBSSoftware: Opus

*** Amended ***

USUFRUCT BBS

Sysop: Jason Soberblom
Phone: (03) 743-7671
Baud: V21 V22 V22bis V23
Access: Public
Computer: Vax 11/780
DOS: VMS
BBSSoftware: Spitfire

*** Amended ***

Valicomm Opus/QuickBBS

Sysop: Bill Walker
Phone: (051) 27-2572
FIDOnet: 633/365
Baud: V21 V22 V22bis V23 B103 B212

Access: Reg VA

Computer: IBM XT Clone

DOS: PC DOS

BBSSoftware: Opus & QuickBBS

*** Amended ***

Wesley College/Starfleet Command BBS

Sysop: Grand Admiral
Phone: (03) 522-7275
Baud: V21 V22 V22bis V23
Access: Public
Computer: IBM XT Clone
BBSSoftware: QuickBBS

QUEENSLAND

*** Offline ***

Binary Barrels System BBS

*** Name Changed ***

Coelurus BBS

Note: Now Called
Gumtree?BBS

*** NEW System ***

Grammar BBS

Sysop: Barry Taylor
Phone: (077) 72-6052
FIDOnet: 640/702
Baud: V21 V22 V22bis V23
Access: Reg LVA
Computer: IBM XT Clone
DOS: MS DOS
BBSSoftware: Opus

*** Amended ***

Gumtree?BBS

Sysop: Peter Brewer
Phone: (075) 63-2621
FIDOnet: 640/601
Baud: V22 V22bis
Access: Mem Reg
Hours: Weekdays: 2100 - 0800
Weekends: 24 Hours
Computer: IBM XT Clone
DOS: MS DOS
BBSSoftware: Opus

*** Offline ***

Ozforum

SOUTH

AUSTRALIA

*** NEW System ***

Coffee Time BBS

Sysop: Terry Mulvaney
Phone: (08) 254-9423
FIDOnet: 681/860
Baud: V21 V22 V22bis V23
Access: Reg LVA
Computer: IBM XT Clone
DOS: MS DOS
BBSSoftware: Opus

*** Amended ***

Elite BBS

Sysop: Andrew Gleave
Phone: (08) 337-6115
Baud: V21 V22 V22bis V23
Access: VA
Hours: Daily: 2230 - 0730
Computer: Amiga 500
DOS: AmigaDOS
BBSSoftware: BBS-PC!

*** Amended ***

Phone Box BBS

Sysop: Darryl Merritt
Phone: (08) 380-5505
FIDOnet: 681/854
Baud: V21 V22 V22bis V23
Access: Public
Computer: Mitec
DOS: MS DOS
BBSSoftware: Opus

*** Amended ***

The Bureau BBS

Sysop: Patrick Browne
Phone: (08) 258-1466
FIDOnet: 681/855
Baud: V21 V22 V22bis V23
Access: VA
Computer: Kaypro XT
DOS: MS DOS
BBSSoftware: Opus

*** Amended ***

Trivia BBS

Sysop: Daron Ryan
Phone: (08) 377-0049
Baud: V21 V22 V22bis V23
Hours: Weekdays: 1800 - 0800
Weekends: 24 Hours
DOS: MS DOS
BBSSoftware: QBBS

*** NEW System ***

Void BBS

Sysop: Plembardian
Phone: (08) 388-5497
Baud: V21
Access: Public

Hours: Daily: 1700 - 0900
Computer: Amstrad PC1640
DOS: MS DOS
BBSSoftware: Wildcat

WESTERN

AUSTRALIA

*** Amended ***

Bit-Board

Sysop: John Hamill
Phone: (09) 417-3706
FIDOnet: 690/620
Baud: V21 V22 V22bis V23
Access: Public
Computer: Everex AT
DOS: MS DOS
BBSSoftware: Opus

*** Amended ***

Gamma Istari

Sysop: Richard Dale
Phone: (09) 493-1534
FIDOnet: 690/626
Baud: V21 V22 V22bis V23 B103 B212
Access: Mem LVA
Computer: IBM AT
DOS: MS DOS
BBSSoftware: Opus

*** Amended ***

Kardinya Turbo BBS

Sysop: Tony Salmeri
Phone: (09) 331-1695
Baud: V21 V22 V22bis V23 B103 B212
Access: Reg LVA
Computer: IBM XT Clone
DOS: PC DOS
BBSSoftware: Turbo BBS

*** Amended ***

Oasis ST BBS

Sysop: Lou Schillaci
Phone: (09) 430-5431
Baud: V21 V22
Access: Mem LVA
Hours: Mon - Sat: 1800 - 0800
Sun: 24 Hours
Computer: Atari
DOS: TOS

BBSSoftware: Michtron

*** Amended ***

Paragon Computers BBS

Sysop: Paul Reeves Steve Quartely
Chris Parker
Phone: (09) 325-5160
Baud: V21 V22 V22bis V23
Access: Public
Computer: Atari ST
DOS: Gem
BBSSoftware: Michtron

*** Amended ***

Pegasus RBBS

Sysop: Michael Russell & John Chin
Phone: (09) 344-8025
FIDOnet: 690/621
Baud: V21 V22 V22bis V23
Access: Reg VA
Computer: Epson AX
DOS: MS DOS
BBSSoftware: RBBS

*** Offline ***

West Coast BBS


FLIPPIT

THE STUNNING NEW AUSTRALIAN PROGRAM

Tired of the same old shoot-em-ups? Give your trigger finger a rest, and exercise your grey matter, FLIPPIT is a puzzle, FLIPPIT is a game, FLIPPIT is, above all else, **FUN**.

It has over 100 levels, plus a randomizer which will create infinite levels if you **ever** get all the way through.

FLIPPIT is a game for all ages. It only takes seconds to learn, but it takes years to master.



Available from: Microcomputer Spot, Grace Bros (selected stores), Actcom Computer Centre Belconnen, A.C.T. Harvey Norman (selected stores), Myer, Westend Computer (Qld, Vic), Clayfield Computers Qld, Computech Braddon A.C.T. and leading computer retailers throughout Australia.



Best quality, best price and best service — insist on products from Pactronics "the user-friendly company".


N.S.W.: Pactronics Pty Ltd, 33-35 Alleyne Street, Chatswood. (02) 407 0261
VICTORIA: Pactronics Pty Ltd, 51-55 Johnston Street, Fitzroy. (03) 419 4644
QUEENSLAND: Pactronics Pty Ltd, 12 Stratton St, Newstead, 4006. (07) 854 1982
SOUTH AUSTRALIA: Baringa Pty Ltd, (08) 271 1066 ext. 6132
WESTERN AUSTRALIA: Pactronics, Unit 13, 113 High Rd, Willetton 6155. (09) 354 1122

SAVE OVER 25% ON THE IF YOU C



THE COMPLETE SAILING HANDBOOK A beautiful 340 page hardcover book, filled with everything you need to know about sailing. Magnificently illustrated with more than 1000 diagrams and photographs. \$29.95 \$21.95 (CACOM24) **SAILING YEAR 1987-1988** An excellent, informative review of the year's sailing racing. Plenty of bright action pictures bring the text alive to capture the interest of the expert and spectator alike. 256 pages beautifully presented in a hard cover. \$29.95 \$21.95 (CASA11) **PACIFIC SAIL** The vast Pacific Ocean has been sailed by ships from the west for many centuries. All these vessels realistically depicted in superb paintings in this 192 page hardcover book. \$29.95 \$29.95 (CAPAC1) **THE SMITHSONIAN BOOK OF FLIGHT** "I can't answer except to assure you that it will be spectacular" (Orville Wright, commenting on the future of aviation). We think you will find this beautiful 288 page history of flight book the same. \$29.95 \$44.95 (TWSM1) **OUTBACK PUBS OF AUSTRALIA** Over 50 beautifully reproduced prints of Rex Newell's paintings. Featuring outback pubs in Australia and the tales connected to them. \$26.95 \$19.95 (CAOUT1) **EXPLORE TROPICAL QUEENSLAND** From the Great Barrier Reef to its vast outback plains, tropical Queensland is full of amazing and colourful contrasts beautifully presented in this 160 page book. \$29.95 \$21.95 (CAEXP2) **DINKUM AUSSIE PICTURE BOOK** Contains over 100 superb photographs which show Australia at its best. Everything from rolling wheat fields to the Sydney Opera House. \$74.95 \$10.95 (CADIN8) **EXPLORE AUSTRALIA'S GREAT INLAND** 160 pages of suggested outback trips, beautifully depicted in full colour photography. Ideal for ideas before you get down to the real planning. \$29.95 \$21.95 (CAEXP1) **THE ENCYCLOPEDIA OF AIRCRAFT** This meticulously researched encyclopedia presents an unrivalled record of over 500 military and civilian aircraft in Australia and New Zealand today. Each entry accompanied by a photograph. \$29.95 \$29.95 (CAILL10) **THE AUSTRALIAN ADVENTURE** This superb 528 page book reflects the best of Australia's travel and adventure destinations. Beautifully presented with glorious colour photography. It would be a valued asset to any library. \$49.95 \$36.95 (CA AUS61) **PRESENTING AUSTRALIA** A land of harsh beauty magically captured in over 400 photographs and engraving, this book brilliantly reveals the charm and appeal of Australia, past and present. \$26.95 \$19.95 (CA PRE1) **DINKUM AUSSIE ODDITIES** A light hearted look at the weird and wonderful things, mostly man made, but some natural, which makes Australia unique. \$8.95 \$6.70 (CA DIN3) **DINKUM AUSSIE BICENTENARY** Bob Ryan looks at the lighter side of the first fleet and early settlement. He explores the bumbles and bickering, the beer and the beauties, the frolics and fun. \$8.95 \$6.70 (CA DIN5) **DRUNK, INSANE OR AUSTRALIAN?** Here it is an Australian publishing first. The first detailed, factual account of the funniest and most bizarre events in recent Australian history. \$8.95 \$6.70 (CA DRU1) **THE OUTDOOR TRAVELLER'S GUIDE TO AUSTRALIA** This is the premier guide to exploring and enjoying the landscape wildlife, and vegetation of Australia. Superbly presented with 242 colour photographs and 15 full colour maps created especially for this book. \$29.95 \$21.95 (WC 0000000) **ACES HIGH** Fast jet fighter, transport and trainers, all the way from the target tug to top gun itself, modern military air power captured in its element by some of the world's finest aviation photographers. \$29.95 \$21.95 (CA ACE2) **MODERN FIGHTING AIRCRAFT SERIES** Each of these fantastic books has more than 100 full colour photographs on some of the most well known and sophisticated military aircraft. Complete with profiles, cutaway and dozens of explanatory diagrams. The series includes the Harrier, F/A-18 Hornet, F-111, AH-1 Cobra Attack Helicopter, F-16, F-14 Tomcat, F-4 Phantom II, B-1B, A-10 Thunderbolt II and the F-15 Eagle. \$19.95 \$14.95 each (CA FAC) **MIDDLE AGE RAGE ... AND OTHER MALE INDIGNITIES** At last, an honest hilarious guide to that mysterious and terrifying phenomenon. Male Middle Age. \$9.95 \$7.45 (CA MID1) **FOOD CHEMICAL SENSITIVITY** This book deals with the variety of additives that have been introduced to help food stay fresher longer, maintain its colour, look appealing longer, etc. Many of them can do immeasurable damage to the body. Here is what you can do about them. \$12.95 \$9.70 (WC 063120836) **THE DINKUM AUSSIE DICTIONARY** A list and definitions of all those words and phrases that only an Australian can understand (... and some even Australians don't know!) \$8.95 \$6.70 (CADIN1)

SE MAGNIFICENT BOOKS ORDER NOW!



TO ORDER

Simply fill in the coupon remembering to include the code numbers and \$5 postage and handling. If the coupon is missing write down the names, code numbers and prices of the books you require. Include your name, address, telephone number, plus cheque, money order or credit card details (card type, card number, expiry date and signature) and send it all to Federal Publishing book offer, Freepost No 4, PO Box 227, Waterloo, NSW 2017. No stamp required. And don't forget to sign all orders.



NEW PRODUCTS

Software

CRAFT

Tycomp

Phone: (02) 600 8666

Price: See below

The Contractor's Reporting, Accounting and Financial tools, CRAFT, is part of Tycomp's Open Systems range of accounting software for small to medium businesses. It provides contractors with immediate access to detailed or summarised job costs over a range of jobs.

Users can track all sub-contractor, payroll, materials, equipment and overhead costs for all jobs in progress. CRAFT configures the basic software to match the normal processing and reporting needs of the construction and contracting industries. It is designed to operate in single-user, multi-user and networked environments. CRAFT caters for any size of installation from 1 to 30 terminals. All the most popular operating environments (PC-DOS, Xenix, Unix and so on) are supported. The price for CRAFT is dependent on user requirements and Open Systems modules purchased.

dBase IV Developers Edition

Ashton-Tate

Phone: (02) 868 3600

Price: See below



Ashton-Tate has announced the availability of the dBase IV Developers Edition (\$2230) and upgrades from all previous versions to dBase IV and the Developers Edition.

Existing dBase III+ users who purchased between February 17 and October 31, '88, can upgrade for \$40. Users of dBase II, III, or

III+ who purchased before this date can upgrade for \$220. The upgrade for the Developers Edition is \$610. To upgrade, users should return system disks and a cheque to Imagineering, or phone (02) 663 8755.

Lotus Magellan

Lotus

Phone: (02) 287 1900

Price: See below

Lotus

Lotus Magellan is a software utility that provides users with unprecedented access to, and control over, all information stored on their DOS-based computers. Its text-search technology allows users to instantly find information anywhere on their hard disks by specifying concepts, phrases or even precise words.

Once a file has been located it can be easily copied, moved

deleted and/or printed. Magellan also allows bits of files from different applications to be put in one file, as well as being able to launch directly into another application.

The applications supported in Magellan's viewing mode, by file-format readers include: Lotus 1-2-3, Lotus Symphony, Manuscript, Agenda, WordPerfect, IBM Display Write dBase, Word, WordStar, Multimate and all ASCII files. A hard disk of 512 Kbyte of memory is required, as is DOS Version 2.1 or higher.

MacBlast

Mini Computer Systems

Phone: (03) 528 2711

Price: Not supplied

MacBlast is not a Macintosh zip-ping around hyperspace, but a data communications package for the Mac II, SE and MacPlus. It is the latest addition to the Blast (BLocked ASynchronous Trans-

mission) software for computer-to-computer communications.

MacBlast offers fast, error-free asynchronous data transfer between a Mac and more than 30 mainframes, minis and PCs. Blast sends and receives data simultaneously and resumes transfer at point of interruption rather than the beginning of file, if disconnections occur.

Systems supported by Blast include the full Data General and DEC ranges, Burroughs/Unisys, AT&T Unix, SCO Xenix, Wang VS, NCR Tower, Hewlett-Packard, Prime and Harris Lanier, as well as PCs, PS/2s and compatibles.

This latest version of MacBlast conforms to the Mac screen format and includes data compression, auto call to remote locations and password protection.

MainLan

Personal Computer
Software

Phone: (02) 923 2899

Price: See below

MainLan is network package that includes software, adapters, cable and instructions. The system can connect up to 63 computers over distances to 300 metres. Each station in the network can transfer files between each other, send and receive electronic mail, and output through any printer.

MainLan consists of a circuit board, which plugs easily into an expansion slot of in each PC to be connected, appropriate cabling and the operating software. The networking program loads automatically into memory and remains RAM resident, until called into action by just two keys when the user wants to connect into the network. Full security is an inbuilt feature; MainLan complies with the Net BIOS standard and also has PC LAN facilities as an integral part of the network operating system.

It provides a true networking

Fantasy for the New Year

Hail, Hail, It's the New Year!
What kind of things
Would bring me good cheer?

Let's see announcements galore -
Flood from vendors like a river
Describing wondrous new
products
That they actually deliver!

And software, yes, software
In colour and glory,
Available on time,
No delay and no story.

Give me brand new hardware,
Open architecture each one,
That plug into my net,
Between my clone and my Sun.

Let's have hard drives with
knowledge
That come from small cash
But that back themselves up
Just before the system crash.

What else can I use?
How 'bout a new printer
That prints with a laser
And runs like a sprinter?

Or maybe an upgrade
With lots of great tricks
That makes my old PC jr
Run like a '386?

And finally, a user interface
That has the right bent
Because it knows what I typed
Was not what I meant!

So let's toast the New Year
From a glass with a stem
And hope all these things
Come labeled 'IBM'.

- Andrew M. Einspruch

environment which allows the use of such programs as dBase III+, WordPerfect, Lotus 1-2-3 and Paradox. The starter pack is priced at \$1499, the extension at \$749 (both prices include tax).

Tandy OS/2

Intertan Australia
Phone: (02) 675 1222
Price: \$699



Tandy has announced that its OS/2 implementation for the 3000, 4000 and 5000 PC series. OS/2 is a single user, multi-tasking operating system, which offers the customer several enhancements over MS-DOS 3.xxx, while still maintaining compatibility with most existing programs. Using the 80286 protected mode on either an 80286 or 80386 computer, OS/2 breaks the 640 kilobyte memory barrier and allows 16 Mbytes of addressable memory. It is available from Tandy Computer Centres, selected Tandy Electronics stores and participating dealers nationwide.

NetManager

Com Tech
Phone: (02) 290 3477
Price: \$2350

NetManager is a user support system for networks running under Novell Netware, 3Com, Banyan Vines and IBM's PC Lan. It allows users to link the screens and keyboards on any two workstations, and provides a centralised Help Desk for PC and network support.

NetManager also provides full access to a user's keyboard and screen. The product can generate various reports to identify the support activity on an network

and to highlight training and evaluate users' productivity. It requires MS/PC-DOS 3.1 or higher and 9 to 31 Kbyte of RAM, depending on the type of network used and the level of graphics desired.

PC-MOS/386

Software Product Support
Phone: (02) 419 5366
Price: See below

PC-MOS/386 is a DOS-compatible multi-user, multi-tasking operating system designed for the enhanced capabilities of the 80386 processor.

Standard DOS applications such as Lotus 1-2-3, dBase, WordPerfect, SuperCalc and so on, can be accessed, with full multi-tasking on the main CPU and all the terminals. Each user can run several programs concurrently, enabling sharing of peripherals. No retraining is required as PC-MOS uses familiar commands like 'dir' and 'copy'. PC-MOS/386 is priced at \$372 (single user), \$1260 (5-user version) and \$1740 (25-user version).


pcEMU-50

MPA
Phone: (03) 894 1500
Price: \$120

The pcEMU-50 is terminal emulator software package that can be run as a standalone program, or installed as a memory resident program to allow hot key access to the host computer - from within a DOS application. The program can be run as a background task and can be activated at any time to allow access to a remote computer. empcEMU-50 allows the PC to emulate a Wyse 50 terminal. A key feature is that a user does not have to exit from their PC application to access the Unix or Pick-based minicomputer system. The product requires 64 Kbyte of memory.

Perform

AYR Electronics Australia
Phone: (02) 684 2244
Price on application



Perform is a time/attendance software package that operates with any IBM XT, AT or compatible. Designed as a front-end to virtually any payroll system, Perform processes 'in and out' punches (ASCII time and attendance records) according to user company policies, and from this raw data calculates hours worked per employee and department.

Perform provides screen prompts during set-up. Employee information, schedules and company policies are entered quickly and changed easily when necessary. Each employee can be provided with an individual schedule and the number of hours that the employee is allowed to work can be pre-authorised. Overtime can be accrued on a weekly or daily basis or a combination of both. Perform is a comprehensive time and attendance package that can be supplied as a comprehensive start-to-finish 'turnkey' installation, complete with all back-up and support services.

Personal REXX 2.0

Bryte Software
Phone: (02) 220 6702
Price: \$295

Personal REXX, the PC implementation of IBM's strategic SAA language, includes a compile option as the major feature of Release 2.0. In this instance, the term compile means the ability

to generate and store the internal pseudo-code that the REXX interpreter uses during the execution of a REXX program or macro. When executing a compiled version of a program, the loading of source code into memory becomes optional. Other enhancements are support for enhanced keyboards and DOS 4.0, and on line help.

QMAP

Ernst & Whinney
Phone: (02) 230 9999
Price: Not supplied

QMAP has been developed by a committee of business people and government representatives to assist management to look comprehensively at their organisations and strengthen an orientation towards the customer and their requirements.

It is a software-based group facilitation tool which helps executives to clarify objectives; identify key processes; specify key users/customers; define customer expectations; select the right performance measures and provide a streamlined databases for gathering, analysing and reporting of performance measurement data.

SmartForm Designer

Clarix
Phone: (02) 697 8577
Price: \$496

SmartForm Designer allows Mac users to quickly create professional looking forms for their personal or business use. Forms can be printed out and filled manually with a typewriter, or completed electronically with SmartForm Assistant.

The forms-specific graphics tools in Designer include fields with labels, combs (boxes that accept individual letters or numbers), lists and checkboxes. Users control the size and shape of objects that make up the form by mouse or keyboard.

DISKETTES (PKT. 10)

energy
CONTROL

LIFETIME GUARANTEE

26 Boron Street,
Summer Park, Brisbane
Qld. Australia. 4074
Fax: (07) 376 3286

PHONE
(07) 376 2955

5 1/4 D.D. 360K	\$6.58
5 1/4 H.D. 1.2MB	\$17.88
3 1/2 D.D. 720K	\$20.50
3 1/2 H.D. 1.44 MB	\$55.90

100% ERROR FREE

NEW PRODUCTS

Vaccinate Plus

PC On

Phone: (02) 899 2166

Price: \$89.95



Vaccinate Plus is an anti-viral software package that finds and traps computer viruses before they replicate. It incorporates 10 programs for security against all forms of virus attack. The package includes proprietary vaccines for all MS-DOS programs, data backup programs, plus a boot track vaccine. This provides protection against infection in the invisible sectors where software control begins.

Vaccinate Plus does not require operator intervention and takes less than 1 Kbyte of RAM.

WordPerfect 4.2 for SCO Xenix

WordPerfect

Phone: (02) 498 7155

Price: \$1795

WordPerfect

A Xenix version of WordPerfect, WordPerfect 4.2 for SCO Xenix, is also the first for Intel based 80386 machines. The version was ported specifically for the 80386.

The Xenix version is identical to the PC 4.2 single user version and supports a wide range of terminals and printers.

WordPerfect includes up to 24 snaking or parallel on-screen columns, table of authorities, line numbering, block/move feature and a document comments feature. It can be used on 80386 machines running SCO Xenix System V, Release 2.2.2.

WordStar Professional 5

WordStar Australia

Phone: (02) 411 7255

Price: \$625

WordStar Professional Release 5 is an update of the original WordStar word processing program for IBM PCs and compatibles that includes over 300 new features. The Advanced Page Preview feature allows users to see an entire document, including font styles and sizes on screen, prior to printing. Optional pull-down menus help the new user to be more productive.


Release 5 includes new productivity enhancing features like newspaper-style columns, advanced footnoting, windows for comparing and editing two documents, both a spell checker and thesaurus complete with definitions, automatic reformatting, macros, undo and automatic save. New builtin functions include telecommunications log-

in, outlining and mail list management. Printer support is greatly expanded with proportional spacing and drivers for all popular laser and PostScript printers.

New Machines

KX-W1500

Panasonic



- 2400/2400, 1200/1200, 1200/75, 300/300
- Automatic Answer/Dial/Disconnect/Baud
- Full Hayes AT compatibility
- Call Progress/Line Condition Monitoring
- RE Shielding metal case enclosure
- Telecom Approved

PROGRAMMABLE: Super 8, 20MHz micro with FORTH Operating System Access.
32k ROM, 8k RAM included.
(32k RAM add \$30. Battery backed add \$30.)

RELIABLE: Performance equals or is BETTER than any 2400 baud modem on the market.

\$386 2-4 \$359
5-9 \$349 10+ \$312

*Add \$10 for SERIAL CABLE

(Please specify type)

*Add \$8 for Insurance & Delivery



(08) 255 0647



LIVING IMAGE

Box 409, ELIZABETH, SA 5112
Unit 9, Hewittson Rd, Elizabeth West

NEW PRODUCTS

Phone: (02) 886 0200
Price: \$1299

The KX-W1500 is personal word processor designed for home and small office use. It has an 80 character x 25 line CRT screen, 3 1/2 inch floppy disk drive and 12 inch platen.

The KX-W1500 has a 56,000 character internal memory, which allows the user to create large files or load them into memory for later revision. The word processor has a separate 20-phrase memory to store used blocks of data such as names. It also features builtin mail merge and mail list software, as well as word processing functions.

PC 381 and PC 382

Wang
Phone: (02) 925 5678
Price: See below


WANG

A U S T R A L I A

Wang has extended its PC 200/300 series with the introduction of the PC 381 and PC 382. Based on the powerful Intel 80386 microprocessor, the machines provide IBM PC, AT compatibility. The 381 is designed to meet basic customer requirements in the business market, while the 382 is suited to sophisticated graphic and communications applications.

The 381 and 382 are offered in nearly a dozen different configurations, providing customers with a broad range of memory, disk controller, fixed and removable disk storage, and monitor support options.

The PC 381 offers 16 MHz, while the 382 is a 20 MHz machine. Pricing starts at around \$4700 for the 381 and at \$5100 for the 382. Typical mid-range configurations, including 2 Mbyte memory, a 1.2 Mbyte 5 1/4 inch disk drive, VGA controller, 42 Mbyte hard disk (381), 68 Mbyte hard disk (382), are listed at around \$8100 and \$10,000 respectively. Both feature a chassis with 8 slots for peripherals and one to accommodate a 32-bit memory card.



Peripherals and Extensions

ClassicRAM

IPL Datron
Phone: (02) 698 8211
Price: Not supplied

The ClassicRAM 16-bit memory board provides up to 8 Mbytes of memory using Single-In-Line Memory Modules (SIMMs). It is for the IBM PC, AT and compatibles using Micro Channel features. The board is user field upgradeable in 512 Kbyte or 2 Mbyte increments, using 256 Kbyte or 1 Mbyte SIMMs.

Designed-in hardware support for multi-tasking makes the full 8 Mbytes of memory available under LIMS EMS 4.0.

Facit A1600

Elmeasco
Phone: (02) 736 2888
Price: See below

The Facit A1600 display terminal combines a crisp 14-inch black on white overscanned monitor, many interface options and the choice of three different keyboards. The A1600 is a family of


three terminals: the A1610, a basic IBM PC terminal plus Wyse 50/50+ and Televideo 910-950 emulations; the A1620, which emulates DEC VT220, VT100, VT52 and Data General D200-11, and the A1660, the enhanced version featuring Wyse-60, Televideo 910-960, H1500 Esprit II, ADM31, ADM3A/5, Adds VP A2 and IBM PC terminal emulation.

The A1610 is priced at \$950, the A1620 at \$1005 and the A1660 at \$1073; all prices taxed.

Facit B1400

Elmeasco
Phone: (02) 736 2888
Price: See below

Facit has expanded its B-line series of matrix printers with the



Sonics

the magazine for
hands-on music-makers

For subscription details, call (02) 693-6666



NEW PRODUCTS

release of the Model B1400. The B1400 is an 80 column 24-pin printer intended for low volume applications.

It comes complete with pull tractor, Centronics style parallel interface, 12 Kbyte buffer, IBM ProPrinter X24 command set and facilities for automatic loading of single sheets. Print speed in draft is 135 cps and 45 in letter quality. You can select either 10, 12, 15, 17 and 20 characters per inch in a variety of character styles. The parallel version of the B1400 costs \$926, while the serial version costs \$995.

Infinity 40 Turbo

Mitsui

Phone: (02) 452 0452


Price: \$3355 taxed

The Infinity 40 Turbo from PLI is a removable cartridge Winchester drive that boosts the performance of any Macintosh. It uses a 5 $\frac{1}{4}$ inch cartridge that can accommodate 44.5 Mbyte of data when formatted.

The Infinity 40 comes standard with TurboOptimizer software, which eliminates unnecessary drive-head movement and speeds up disk access. The package also includes a spooler and TurboCache, drive-accelerator software. The Infinity 40 Turbo also works with the IBM PC, XT, AT, PS/2 or compatibles.

Link MC27

MPA



NEW PRODUCTS

Phone: (03) 894 1500
Price: \$2000 taxed

MPA has released the Link MC27 terminal for Burroughs host Poll/Select computer systems. With Burroughs T27 emulation, it is also compatible with the ET1100 terminals. The MC27 incorporates concatenation. Features include choice of amber, green or soft white screen text, 14-inch display, three R232 ports (modem, printer, concatenation), large 8 x 13 characters on an 80/132 column display, 4 levels of security and ergonomic design.

M4-9914 and M4-8924 ATL Systems

Phone: (02) 807 0711
Price: Not supplied

ATL Systems has released two high performance GCR tape drives, the M4-9914 and the M4-8924. Features include 9-track IBM compatible open reel drives; universal data storage interchange for different computer systems; totally modular design concept, and Pertec/Cipher or embedded SCSI interface.


The M4-9914 is a low profile, auto loader in desk top or vertical configurations with speeds of 125 ips (inches per second) or 42 ips. Fast reposition of any non-buffer tape drive is featured. Three densities are offered - 800, 600 or 6250 bpi.

MacinStor CPA

Phone: (02) 476 6400
Price: Not supplied

The MacinStor range of three zero footprint external SCSI hard disk subsystems is designed to fit neatly under the Mac Plus. The 45ZFP, 90ZFP and 180ZFP feature

of the features of the ProDesigner Plus and can be upgraded to meet all the Plus capabilities. The Designer 800 is a full featured 8-bit card that is ideal for use with VGA single frequency analog and multi-frequency monitors. It can be upgraded to offer extended modes.



18 and 29 millisecond average seek times; up to 15 Mbits/sec data transfer rates; high speed software driver; 40,000 hours MTBF; automatic head parking and extensive burn in procedures.

They are also effective storage solutions for the Mac II or Mac IIx. All subsystems come with a comprehensive easy to use and install package of disk management software.

Orchid Designer VGA Series

Porchester Computers

Phone: (03) 537 2722

Price: Not supplied

Porchester Computers has released the Orchid Designer VGA series of graphic enhancement boards, the ProDesigner Plus, ProDesigner and Designer 800 support; they support 256 colours and shades of grey in a wide range of resolutions. All three cards are register and BIOS level compatible to allow the user to create graphics in the most applications.

The ProDesigner Plus is the most powerful in the series. It features Auto-Bus sense which 'senses' the host system bus interface and automatically switches for either 8-bit or 16-bit operation. It supports 17 VGA modes and has 9 extended modes. The Auto-Mode switch automatically determines the software graphics and application and switches to that mode.

The ProDesigner offers many

PC Experimenter Card

Electronic Solutions

Phone: (02) 427 4422

Price: \$125 taxed

Electronic Solutions has released a wirewrap card for engineers and others developing hardware add-ons for the IBM PC, XT, AT, '386 or compatibles.

The card provides a complete builtin data bus, address bus and I/O buffer circuit. It incorporates a universal address decoding chip and a DB25 female connector. Buffering of the inputs and outputs makes damage to the PC's bus from faults on the card impossible. The wirewrap area is 400 holes which are plated through for easy prototyping work.

PC-IO-DK

Procon Technology

Phone: (03) 336 4956

Price: \$325 taxed

The PC-IO-DK is an IBM PC 'real world' digital I/O board. It provides eight SPST relay outputs capable of switching 10 amps at 250 VAC or 30 VDC. The externally mounted board can be used for OEM applications, with up to 15 boards capable of being connected via computer ribbon cable to the parallel printer port on any IBM PC or compatible, providing a total of 120 inputs and 120 outputs. It may be mounted up to 30 metres from the computer and powered from a 5 VDC or 9-12 volt AC or DC source. Supplied with each board are IBM PC software driver rou-



tines for use with GWBasic, QuickBasic, TurboBasic, QuickC and all Microsoft languages. Other I/O options are available.

TX-14M6E monitor

Thomas Electronics of Australia
Phone: (02) 53 0721
Price: \$925 untaxed

The Panasonic model TX-14M6E high resolution colour 14-inch monitor is available through Thomas Electronics of Australia. The monitor is designed to work with EGA standard video cards. It delivers brilliant colours and low distortion, making it ideal for applications in CAM and industrial process control.

The monitor features 16/64 displayable colours, 0.6 mm maximum convergence at centre and 0.8 mm maximum at the corner. It is fitted with a dark tint anti-glare screen. Available in chassis form.

Miscellaneous

Flippit

Pactronics
Phone: (02) 407 0261
Price: \$39.95

Flippit is a puzzle game for the Amiga 500, 100 or 2000, Atari ST, C64 and IBM PC or compatible. The screen display is divided into two sections, the larger shows a 4 x 4 grid covered by squares with 2 different colours of patterns. The smaller also has a 4 x 4 grid, but the coloured squares are arranged in a different pattern. The object is to get patterns matching on both sides of the screen. This is done by clicking on a square in the larger grid to flip it to the opposite pattern. The trick is that when you click, it will flip two squares.

Pioneer Plague

Pactronics
Phone: (02) 407 0261
Price: \$59.95

Pioneer Plague is a Hold and Modify (HAM) game for the Amiga 500, 100 or 2000 computer. In the future, man's most valuable resource is space. Earth's population is rapidly exceeding its capacity to support human life in the manner to

which it has become accustomed. To overcome the increasing space shortage, unnamed scientists built the Pioneer Probe which finds planets and replicates Earth as well as itself, but with devastating results. It is your job to destroy the planets with the probes on them.

Computer standards Standards Association of Australia

Phone: (02) 963 4111
Price: See below

The Standards Association of Australia has published a number of new standards relating to the computer and data processing industries. AS 3594, Information processing systems – interface connector and contact assignments for ISDN basic access interface located at reference points S and T (ISO 887) is technically identical with ISO 877.

This standard specifies the 8-pole connector and the assignments of poles/contacts for use in physical interfaces of ISDN basic arrangements. These physical interfaces, where they exist, will be located at reference points S and T between TEs and NTs and between Nt1s and NT2s and shall conform to CCITT recommendation 1.430. Copies of AS 3594 cost \$10.80 plus \$2.50 postage and handling.

AS 3591, Information processing systems – Open Systems Interconnection – Basic connection oriented session service definition (ISO 8326) is technically identical with ISO 8326. This standard is one of the OSI series and defines, in an abstract way, the externally visible service provided by the OSI Session Layer in terms of the primitive actions and events of the service, the parameter data associated with each primitive action and event, and the relationship between, and the valid sequence of these actions and events.

Standard AS 3591 costs \$22.80 plus \$2.50 postage. All standards are available from ASA offices. A 25 per cent discount is available to subscribing members.

Tutorials

Micro Management Services
Phone: (02) 452 5966
Price: See below

Micro Management Services has released a number of new tutorial video products for dBase IV, Microsoft Word, and Lotus Agenda, as well as disk-based tutorials for the Novell system and dBase IV CBT.

The dBase IV video learning system is a 2-course video set comprising introduction and advanced instruction. By watching the video and using the practice disk, along with the hands-on

training guide, the trainee will be able to utilize the database capabilities; priced at \$745. The tutorial for Microsoft Word is an introduction to Version 5.0 and is also useful for 4.0. It is priced at \$440.

The Lotus Agenda tutorial is a 2-course set comprising an introduction to the Personal Information manager and Lotus Agenda advanced features (\$745). All prices taxed.

Macintosh with DOS!




Apple Australia has added the new Macintosh SE/30, released at MacWorld in San Francisco in late January, to the local product line (prices are yet to be announced). The new Mac is the first of the company's small-footprint transportable system range to incorporate Motorola's 32-bit 68030 microprocessor; a 68882 maths co-processor is also standard. According to Apple Marketing Director Tony Fraser, 'The SE/30 offers the performance of the Mac IIx in an SE box.'

The new 'compact' Mac has a slightly re-designed chassis which accommodates 1 megabyte of RAM on the motherboard (expandable to 8). Communications, additional memory, or an external colour or grey-scale monitor can be added through a new '030 direct slot', which is designed especially to take advantage of the speed potential of the new machine. While the new slot does not support existing SE add-ons, Apple will supply an upgrade kit for SE owners that includes a redesigned chassis with an 030 direct slot and a new motherboard with 1 Mb of memory.

A key feature of the SE/30 is the long-rumoured 1.44 megabyte Apple FDHD (Floppy Drive High Density) – an internal floppy drive that can read, write and format ProDOS, Macintosh, MS-DOS and OS/2 3 1/2 inch disks. It will work with 400 and 800 Kbyte Apple II disks; 400 Kbyte, 800 Kbyte and 1.44 Mbyte Macintosh disks; and 360 Kbyte, 720 Kbyte and 1.44 Mbyte MS-DOS and OS/2 standard density disks.

Also at MacWorld, Apple released Macintosh System Software 6.0.3. While the new system is 'optimised' for the SE/30, it can be used in all Macs (but it doesn't offer 'increased functionality to users in the installed base').

For the new version, changes were made to the Time Manager, AppleTalk Driver, and the Apple File Exchange facility has also been rewritten.




YES!! It Certainly Can **SCAN** — **SCAN**

**You too will dance with
“de” light when you Scan
text or graphics with the
new HS 3000**

- 100, 200, 300 and 400 DPI selectable
- 32 gray scales
- 2cm/sec max at 400 DPI
- Yellow-green light scanning gives sharper pictures even flesh tones
- Real time screen display
- Comprehensive software included in package
- Supports Dot Matrix printers and laser

The free **HALO DESKTOP PUBLISHING EDITOR** is a fantastic program in its own right. It supports multi input devices:

- Keyboard ● Mouse ● Lightpen ● Digitizer
- View and edit entire page or section thereof
- Powerful text manipulation
- Widest variety of type styles
- Underlining, filling, drop shadowing, titles etc
- Innumerable tools for sophisticated graphics



YES! Please arrange demo of your Scanner in my office (Sydney, Melbourne, Perth, Brisbane metropolitan only) ☐

Please send information on this and your other great products for my

PC ☐ Commodore ☐ Amiga ☐ Atari ☐ CPC ☐ PCW ☐

Name: _____

Address: _____

P/Code _____

Available from: Microcomputer Spot, Grace Bros (selected stores), Actcom Computer Centre Belconnen, A.C.T. Harvey Norman (selected stores), Myer, Westend Computer (Qld, Vic), Clayfield Computers Qld, Computech Braddon A.C.T. and leading computer retailers throughout Australia.



Pactronics

Best quality, best price and best service — insist on products from Pactronics “the user-friendly company”.

N.S.W: Pactronics Pty Ltd, 33-35 Alleyne Street, Chatswood. (02) 407 0261

VICTORIA: Pactronics Pty Ltd, 51-55 Johnston Street, Fitzroy. (03) 419 4644

QUEENSLAND: Pactronics Pty Ltd, 12 Stratton St, Newstead, 4006. (07) 854 1982

SOUTH AUSTRALIA: Baringa Pty Ltd, (08) 271 1066 ext. 6132

WESTERN AUSTRALIA: Pactronics W.A. Unit 13, (Rear) 113 High Rd, Willetton 6155. (09) 354 1122



Caches, SeeTree and a QB Toolbox

TALK OF PC performance, and many users immediately think of 80386 processors, the rumoured 80486 and high clock speeds starting at 25 MHz and ending in the stratosphere. Having bought a PC with a fast processor, far too many then settle for a slow hard disk. It's a bit like buying a race horse, tying it to a plough and expecting it to win races.

Hard disks have got faster. Those that use voice coils for head positioning typically are four times faster in average access time and track-to-track seek time, than those that use stepper motors to locate the heads. With typical speeds of the faster machines now approaching 25 times faster than an original PC (and sometimes even faster), a mere four to one speed increase on the disk is the limiting factor on performance, specially on networks and other disk intensive tasks.

The more sophisticated dumb controllers give additional throughput, mainly through use of small hardware caches, allowing more information to be read from a disk at a time, and doled out to the computer as required. Software caches also allow many sectors to be read from disk at a time, and again doled out to the machine as required. Most significantly, when a sector in cache is needed again, there is no need for a mechanical read – the data is read at the speed of light.

The problem with small caches on dumb controllers comes primarily from their size. Software caches suffer because they use up valuable system RAM, and consume valuable processor time.

Recently a new breed of cache has emerged. This takes the form of an intelligent hard disk controller with huge on-board cache memory, its own CPU and firmware for cache control. No longer are system resources eroded by cache control, and no longer is there a problem with

It's a bit like buying a race horse, tying it to a plough and expecting it to win races.

cache size chewing up system RAM. The use of the caching disk controller bypasses the speed limitations inherent in the electro-mechanical hard disk, and the time it takes for a head to flap around all over a hard disk.

Distributed processing

I recently took a look at a fascinating range of intelligent caching controllers from Distributed Processing Technology of Maitland, Florida. Its range includes many controllers and associated devices. The one of most immediate use to the owners of ATs, clones and typical '386s is the PM3011A Caching Disk Controller. When the first EISA bus machines are available, it should be suitable for them too.

The DPC range has a vast range of other caching controllers and SCSI host adapter/controller/drive combinations for all sorts of machines from ATs through the




Figure 1. The main screen of SeeTree – all the directories are shown, starting at the root directory, with the subdirectories at each level being connected to their parent directories by a line.

PS/2 range and Macs to some of the more common minicomputer busses. In this column I will mainly talk about the PM3011a, and refer you to the distributor, Micro General, on (02) 439 8400 for other applications.

The PM3011a is a full-length board to fit a typical AT. It has 512 kilobytes of cache RAM, and uses a 68000 CPU at 8 MHz along with on-board firmware to manage the cache. The memory is completely divorced from system RAM, and uses none of the 640 Kbyte needed by DOS, nor memory used by LIM 4.0. Additional boards can be plugged into adjacent slots and connected with ribbon cable to increase cache RAM in 2 megabyte or 4 Mbyte increments to a limit around 16 Mbyte.

A small daughter board can be plugged into the PM3011a near the rear, adjacent to the bracket that attaches any AT expansion board to the rear panel of the machine. The daughter board is around 90 mm square and can be either a floppy disk controller or a SCSI adapter.

Also found on the main board is an interesting ROM socket. It is designed to take the ROM from a Golden Bow DUB-14 'hardware bios table expander' board. When setting up a hard disk, a range of possible head/platter/cylinder configurations is defined in BIOS.

While additional types could be defined in software, it is a great advantage to be able to expand the BIOS table for new drive types, particularly if different operating systems are to be used and the device driver that comes with a new drive is DOS specific.

The DUB-14 board normally is plugged into a spare slot and extends the BIOS information, but at the cost of a slot. The ROM socket on the PM3011a does not save buying a DUB-14, but does save a slot. The user removes the ROM from their DUB-14, and installs it in the spare socket in the PM3011a. The DUB-14 manual and disk of utility software are then used with the PM3011a. The DUB-14 is not essential, but is an advantage with some drives and any controller.

Installation

Installation of the PM3011a in an AT is a snack. Open up the AT, disconnect the ribbon cables from the hard disk at the controller end, remove the existing controller, insert the PM3011a, and attach the cables.

The PM3011a can control MFM or RLL drives, and emulates the well known Western Digital controller, as seen from both




Figure 4. To change the FileSpec press F (for FileSpec), which allows selection of a pattern for the filenames to be displayed. Selecting *.* will show all files, while *.DOC will show all files with a .DOC extension, and all other files will be invisible, and any other pattern can be specified by the user.

the PC and the hard disk side. It is recommended that a low level format be done after replacing a conventional controller with a DPT controller, but this is far from essential and often one can be removed and the other installed without any problems. A low level format ensures that there won't be drive alignment problems as temperatures rise, particularly in networking situations with a heap of cache RAM and a high workload. The performance improvement is quite amazing – see Table 1 for the Coretest results.




Figure 3. Pressing S for Sort allows the user to decide in which order the file lists are to be sorted before display. The available options include name, extension, creation date/time or size.

Data integrity

One of the concerns that many people have when faced with a cache is data integrity. Losing data in a cache before the physical write to disk commences is not the problem because the original data is still intact. The concern is that, once the physical write starts, a power failure or any other reason that might interrupt the write, will result in a corrupted file.

It is the exposure time, the length of time that a physical write takes, that is the worry. The typical software cache actually extends the exposure time, and holds data in memory for a significant time. If it didn't, the demands on the processor to transfer data to disk would cause the rest of the application to slow down.

The use of intelligent caching controllers overcomes the problem by reducing the exposure time. The application starts to send data to the controller. After a brief delay, usually due to the application needing to read data, it starts writing to the disk. The writes are done very intelligently and with 'elevator seeking'. Sectors are written in an order that minimises the head travel, rather than the sequence in which they arrive at the controller.

The result is an increased data transfer rate, and a write that actually finishes earlier than a conventional write. The period




Figure 2. To undertake most tasks, a second level window is required. Move the cursor to the desired directory and press V for the View menu (shown above), C for the Copy menu, D for Delete, T for Transfer, X for eXecute or N for reName. The second level window appears, with a list of files in the directory. Files can be selected by moving a highlight with the cursor keys over the file name. Files can be selected by themselves or in groups, and actions like reName can be carried out using wildcards.

from starting a physical write to finishing is far less than for a conventional write with the head jumping all over the disk, and the exposure time is far less with the fast, intelligent caching controller.

The DPT range includes a board for the PS/2 range, giving all the disk speed and access benefits available on the AT. In addition, there are a range of SCSI systems. These can be a SCSI drive that mounts internally in an AT and is connected to a SCSI host adapter on the PM3011A. It could also be a caching controller and hard disks mounted in one or more 'tower' type PC casings, and connected to a SCSI host adapter in an AT or mini, or connected to some Macs with appropriate drives.

The towers are the sort normally used for a vertical AT standing next to the desk. Opening them up sees just a power supply, one or more hard disks, and a caching disk controller with SCSI input, but no motherboard or expansion boards. A cable runs from a SCSI host adapter in the AT, mini, and so on, to the first tower, and other towers are daisy-chained to the first tower. The potential maximum capacity with towers, and the appropriate drives, is over 10 gigabytes!

Such fast disk capacity offers a growth path for a network suffering from disk contention, and could avoid having to go to a mini with the associated data processing department, the need to rewrite custom software and the loss of the ability to use DOS applications.

No longer are system resources eroded by cache control, and no longer is there a problem with cache size chewing up system RAM.

Each board comes with a manual around 2 cm thick and a host of software drivers and utilities for DOS, SCO Xenix and Novell 2.1. With OS/2, no device drivers are needed as the controller ex-

actly emulates a Western Digital controller.

These days, with 25 MHz '386s becoming common, the limit to performance is the hard disk, and even the fastest drive is a bottleneck. Caching is essential, but caches that use up system memory and system processor time are of little advantage. The use of an intelligent hard disk controller with on-board processor, memory and firmware could be the solution to a data storage problem for many users.

SeeTree

Before hard disks came along it was possible to run a system from the DOS prompt. Now that most systems have a 20 Mbyte (or larger) hard disk, it's just too hard to remember all the names of the various directories on a disk. This is the simple sort of thing that computers are supposed to automate for us, and programmers the world over have seen this problem. As a result, there are a vast range of DOS shells and utilities to allow us to navigate more easily around a disk.

The most useful of these utilities display a visual image of the directory tree on the screen. All the directories are shown, starting at the root directory, with the sub-directories at each level being connected to their parent directories by a line. Finding out what files are in a given directory is easy, and most of these utilities allow for easy copying, renaming, viewing, editing and deleting of files. They also allow for creation and removal of sub-directories and can manipulate the disk in other ways.

There are just two problems with most of these utilities. Most of them are imported, and most cost a couple of hundred dollars per copy. As a result, few companies buy one for every machine, and few home users will have a legitimate copy! An answer has appeared in the form of a bargain-priced Australian product, SeeTree.

Running SeeTree

Make sure that the name of the directory containing SeeTree is mentioned in your PATH. Now, from the DOS prompt, type SEETREE to start the program. As it loads, SeeTree looks through the directories in your path for a file called CONFIG.SEE. This contains four lines, which specify various external editors or word processors to be run by the press of a single key from within SeeTree.

First, SeeTree reads the default disk, taking a few seconds to do so. Then the

main screen appears. At the top is the name of the current drive, and the free space in bytes and as a percentage. At the bottom are reminders of the available functions and the keys required to invoke them.

In between is a window, and in it the 'tree' of the drive is displayed. A bar graph indicates visually the amount of disk space consumed by the files in each directory, and the actual number of bytes per directory is displayed numerically. The number of files per directory is also displayed. Where the tree doesn't fit within the window, the cursor keys and PgUp and PgDn keys can be used to scroll to the desired place.

To log another disk, merely press Alt and the letter for the other drive. To re-log the existing drive the same procedure is used. If the same drive is being re-logged, its tree is replaced. If an additional drive is to be logged, its tree will be added to the display.

It is possible to have all drives on a system simultaneously logged, and to go from the tree for one, to the tree for another merely by using those cursor keys! Little use is made of function keys, with F1 offering minimal help, F2 giving basic information about the program, and F3 resetting the program by re-reading the logged drives.

To undertake most tasks, a second level window is required. Move the cursor to

SEETREE HELP SCREEN

Seetree has the following primary functions:

- Displaying the directory tree structure and used capacity of your disks.
- Selection of a CURRENT DIRECTORY from the tree diagram, menu fashion.
- Copying or Transferring bulk files from one directory to another.
- Deleting or reNameing bulk files from a directory.
- Viewing or Editing the contents of a file (uses your chosen editor).
- New directories can be made (MD), and empty ones can be removed (RD).
- As an interface to DOS: you can execute programs or DOS commands.

Pressing the RETURN/ENTER key will always LEAVE the most current window, except the main window containing the Directory TREE, from which you leave the program by entering Q - for Quit. This will select the directory that is highlighted as the CURRENT DIRECTORY on return to DOS.

MULTIPLE DISK DRIVES: To look at another drive, you hold down the ALT key and press the drive-key (ie. D key for drive D, A key for drive A etc. That disk has now been treed.) The tree diagram for each drive gets added onto the list. Thus the PGUP and PGDN keys can be used to access all disks currently treed; or you can quickly jump to the top of a disks tree by again pressing the ALT + drive-key (Note: the drive doesn't get re-treed unless it is drive A or B). SCALES for the bar charts are different for for each disk, using the full screen width. An EDITOR does not come with SEETREE (but a Public Domain LIST program is included on disk). You specify the editor (or Wordprocessor) of your choice to which you are most accustomed, and SEETREE uses it from within. You may pass the name of the editor after you type SEETREE, or place it in the CONFIG.SEE file.

Figure 5. The Help screen from SeeTree.

the desired directory and press V for the View menu, C for the Copy menu, D for Delete, T for Transfer, X for eXecute or N for reName. The second level window appears, with a list of files in the directory. Files can be selected by moving a highlight with the cursor keys over the file

name. Files can be selected by themselves or in groups, and actions like reName can be carried out using wildcards.

With the cursor over the name of a file in any of the second level windows, pressing V invokes an external program to scroll up and down through the file to view its contents. Similarly, pressing E invokes an external editor program, which the user defines in the first line of the CONFIG.SEE file mentioned earlier.

In addition, three other external programs can be assigned to the keys F5, F6 and F7, and these commonly will be word processors or editors but could be other applications programs. Pressing one of those function keys starts the word processor, and loads into it the file under the cursor.

Returning to the main screen, there are other commands available. Pressing S for Sort allows the user to decide in which order the file lists are to be sorted before display. The available options include name, extension, creation date/time or size. Pressing F for FileSpec allows selection of a pattern for the filenames to be displayed.

Selecting ** will show all files, while *.DOC will show all files with a .DOC extension, and all other files will be invisible, and any other pattern can be specified by the user. Pressing M for Mkdir or R for Rmdir make and remove directories, with Mkdir making a directory which is the

21.4 Mbyte Miniscribe 8425 10 MHz 0 wait state clone.

Test	CONTROLLER	
	3011a	DTC 5280
Data transfer rate	774.3 kBytes/s	241 kBytes per sec
Average seek	0.8 ms	73.1 ms
Track to track	0.8 ms	14.8 ms
Performance Index	76.410	2.187

Table 1. To test the PM3011A Caching Disk Controller, I used an AT clone, running at 10 MHz with 0 wait states, and a Miniscribe 8425 hard disk, a typical stepper motor unit and the well known hard-disk benchmark program Coretest. In a practical test, all files in a directory were repeatedly copied into another file, all joined together in the target file. As the copy procedure progressed, all the file names appeared on screen in the normal fashion - well, not quite normal: for while the messages themselves were completely normal, the speed at which they appeared was quite extraordinary. In fact, the file names scrolled past faster than the listing from a typical DIR, and far, far faster than any 'copy' that I had ever seen before.

QuickBasic Toolboxes

THERE ARE 38 main toolboxes, plus others for mixed language programming including calls to C and assembly language in the *Microsoft QuickBasic Programmers Toolbox* –

- ATTRIB manipulates screen and text attributes;
- BIN2HEX converts binary files to HEX equivalents; BIOSCALL accesses the ROM BIOS. BITS performs bit manipulation;
- CALENDAR has 20 time/date routines;
- CARTESIA has cartesian co-ordinate routines;
- CIPHER covers file security;
- COLORS selects VGA colors;
- COMPLEX has 14 complex numbers routines;
- CTOOLS1 and CTOOLS2 have between them 22 functions written in Quick C;
- DOLLARS has currency formatting routines;
- DOSCALLS makes MS-DOS system calls;
- EDIT carries out line and screen editing of strings;
- ERROR covers error handling;
- FIGETPUT gives fast access to binary files up to 3 Kbyte;
- FILEINFO has file and directory listing routines;
- FRACTION has 10 fractions functions;
- GAMES has some elementary functions for developers of games programs;
- HEX2BIN converts a HEX file to binary;
- JUSTIFY will pad out lines with space till they a predetermined length;
- KEYS gives enhanced keyboard input functions;
- LOOK has file viewing functions;
- MOUSGCRS, MOUSTCRS and MOUS-SUBS have routines for a mouse;
- OBJECT allows interactive creation of graphics objects;
- PARSE will parse lines and words;
- PROBSTAT has some probability and statistics functions;
- QBfmt is a utility to consistently format QuickBasic source code;
- QBTree creates a directory tree;
- OCAL creates a reverse polish notation calculator accessed from the command line;
- RANDOMS has a range of random number routines;
- STDOUT sends output to the MS-DOS standard output, allowing access to ANSI.SYS and so on;
- STRINGS has a vast range of string routines, including ASCII/EBCDIC conversion, and other filtering and padding routines;
- TRIANGLE has a collection of routines for calculating parts of triangles;
- WINDOWS gives pull down and other menu routines; and
- WORDCOUN is a simple program to count words in a file.

child of the directory under the cursor, and Rmdir removing the directory under the cursor.

Conclusion

SeeTree has almost all the functions of the market leaders, except perhaps for the ability to rename existing directories and to see a list of files in all directories at the same time. I liked SeeTree's use of external editors and word processors rather than internal editors; I did not have to learn another editor for use within the tree program, but had the full power of my favourite product. I also liked the simple screens and self-explanatory commands.

While there is some room for improvement, this is mostly only cosmetic things like improving the layout and language of the manual and help screen. Speed of disk logging is typical of many tree programs and, while not as fast as some, it is accept-

able. The actual speed of writing to the screen is a little slow, but again, this is really only a cosmetic thing as the program actually runs at quite an acceptable speed, even on a 4.77 MHz PC.

SeeTree is a reliable product at an amazingly low price, and is a worthy competitor to many imported products three to five times the price. It is a product of Solid SoftWare, PO Box 218, Belgrave 3160 Victoria. At only \$49 it is hard to go past it to a far more expensive imported product, and it is cheap enough to have a copy on every machine.

QuickBasic Toolbox

For the last few years it has been quite unfashionable to admit that you still program in Basic. The coming of structured languages at a reasonable price, including Turbo C, Turbo Pascal and Quick C, made it easy to write programs made up of re-

usable modules. Basic seemed to be languishing, but with the latest versions of QuickBasic all the advantages of structured languages have come to the language. At the same time, the strengths of Basic remain. While some other languages can 'talk' directly to the hardware more easily, and may be faster than Basic, it still is the easiest language in which to write file I/O or string manipulation routines.

The best way to learn a language is to read programs written by experts, and modify them for use in one's own programs. Unfortunately, the reference and tutorial books available to programmers tend to follow fashion, and at the moment C is in, Pascal is fading, and there are very few Basic textbooks on the typical shop shelves.

Even worse is that most of the books tend to be written for the older Basics and don't make full use of the features of the newer versions of QuickBasic. A solution is at hand in the form of a new reference book from Microsoft Press. Entitled *Microsoft QuickBasic Programmers Toolbox*, it is a treasure trove of code.

The book is no less than 500 pages long, and all but the first few pages are taken up with QuickBasic code. It consists of over 38 main toolboxes, each with many subprograms or functions, and each toolbox has a demonstration module using its routines. The code is meticulously commented and laid out, with each function or subprogram having a clear and extensive set of comments in a header which describes it, its usage and its parameters and variables. There are a vast number of subprograms and functions, and a simple list of their names (one per line) takes eight-and-a-half pages of the book!

All the code in the *Toolbox* is beautifully written. It solves real problems facing every programmer, amateur or professional. All the routines I tried ran perfectly and their value was obvious. It would take a long while to type in all the code, but all the source code is available on two disks direct from the USA. After reading the book, and typing in a few toolboxes, I ordered the disks and am eagerly awaiting them.

Microsoft QuickBasic Programmers Toolbox, by John Clark Craig, \$34.95 is published by Microsoft Press. My copy came from Hotline Books, George St, Sydney. Particular thanks are due to the people at Microsoft who, at very short notice, made a copy of Quick C available so that I could test the mixed language functions in the book. □

An Artic voice for blind users!

THE ROYAL Blind Society (RBS) has recently introduced a six week computer skills training course as part of a newly developed system for teaching the blind and partially sighted to use PCs and commercial software packages.

The system works by adding an Artic voice card to a personal computer. Guided by a synthesised voice, students select the program they want to run from the main menu. The voice then lets them know where they are in the program, and which commands or functions are available.

Ashton-Tate's Multimate Advantage II word processor program was the first software package chosen to start the training program. The Society has since added a broad range of programs, including WordStar, Open Access, IMS Accounting, WordPerfect and TypeQuick.

The RBS uses standard model PCs and laptops and adds an Artic business vision board and speaker for the unsighted user. Those who have partial sight can also use a large print reader in conjunction with the screen.

'Students are first taught about the voice component of the system using the board to interpret DOS commands and screen output,' explained Ms Griet Hesse, Computer Skills Instructor for the course.

'Then we teach them how to use specific products used in the business sector,' she said. 'While we already have a number of packages that are used with the course, we are currently evaluating different classes of software packages such as spreadsheets, financial packages and databases, that will expand the opportunities for our people. Of course, these need to be compatible with the Artic vision board. The board will work with almost any non-graphics package. We chose Multimate as a standard word processing package because it is widely used in industry and it's very easy to learn.'

The centre is equipped with nine PCs including Epson, IBM and Canon machines operating as standalones. Six students per six week course are catered for.

'The beauty of this course is that we use commercial products and modify them instead of specially made products; no specialist equipment needs to be supplied by the employer,' said Hesse.

The Royal Blind Society's new training course is offering blind users more employment opportunities.

Robert Thirlwell reports . . .

When the students complete the course, they can buy either a standard Artic voice card (\$1300) or an Artic Crystal card (from \$2700) which gives a clearer 'voice' – both cards fit standard DOS-based PCs. If you'd like to know more about the cards and their applications, contact Pulse Data, 1/22A Hunter St, Paramatta 2150 NSW. For more information on the course, contact the Royal Blind Society, (02) 747 6622. □




'The aim of our training program is to expand the employment opportunities of the visually impaired away from switchboards and special typewriters and away from high cost, specially built equipment. We are very pleased with the course and hold high hopes for the future' – Ms Griet Hesse, Computer Skills Instructor at the RBS.

dLETTER

MATT WHELAN

dMac way!

Until December, 1988, our dBase newsletter, dLetter, was published as a separate 8-page insert for subscribers only. It's now included as part of the magazine as a regular column. Here we present an index of listings, bug fixes, tips and technical notes from dLetter – copies are available by sending \$4 per issue to: dLetter, PO Box 227, Waterloo 2017 NSW.



CONVERT AN existing dBase application to run on the Macintosh? It had to be my unlucky day, I thought, as I told an old friend – grudgingly – that I'd 'give it a go'.

My reservations had nothing to do with the Mac, which I really enjoy these days, but were based on the uneasy marriage of an 'old-style' dBase application to the new-and-stylish WIMP environment.

dBase and the Mac just don't seem to get along. Not only did Ashton-Tate spoil things by releasing an awful/incompatible dBase Mac, but other venturers like Fox and Nantucket have found the market tough going.

It seems a faithful representation of dBase isn't welcome in the Mac world because it is too obviously not a Mac application – the user interface just isn't up to standard.

Easy going

Despite my reservations and the marketing problems, this conversion was so easy I couldn't believe it. It was the ideal problem to throw at Nantucket's McMax: a successful existing application the users were happy with, the change was required purely to suit the company's hardware needs.

A publishing house, it had switched to Macs to do its typesetting and design and had installed several machines. Now the company wanted to get rid of the last remaining non-Apple, which was retained for subscriptions processing.

The worst part of the whole conversion was the fact the 'non-Apple' was an old Morrow CP/M machine, and the subscriptions software was written in dBase II (remember dBase II?). Converting from dBase II code syntax and file formats to dBase III represented more than 90 per cent of the work.

I spent days on the attempt to bring this application out of its 'time warp'; once I had a dBase III version running on the PC, developing a Mac version of the code was almost instantaneous.

This wasn't a particularly tough compatibility test – dBase III code can be a lot more advanced than dBase II code – but it seems there is very little McMax baulks at in the dBase command set: the differences are mostly related to hardware variations (like different keyboards and filename/path conventions). Of almost 30 commands listed as 'not supported', I considered only two – LOAD/CALL and RUN – significant, and they aren't used in the majority of applications anyway.

Change for the better


The changes I made to port the subscriptions program to the Mac were *all* unnecessary – they took advantage of the extras in McMax to make the system a little friendlier, but could have been left out. For example, the 'non-standard' code included lines like –

```
SET title TO "Subscriptions"
```

```
SET procedure self
```

The first is quite different to the dBase SET TITLE command. In McMax, it allows you to define your own text for the window's title bar, which is a useful place to put headings for application modules and so on. The SET procedure command lets you include all routines in the same program file. McMax also includes limited access to the Mac's user interface –

```
f_root=getfile('GimmeDat!',"Select working database","MDBF")
```



A selection of Alert boxes is available to the McMax programmer, providing limited access to the Mac user interface.

This brings up a standard Mac file-selection dialog box, with 'GimmeDat!' replacing the usual 'Open' on the selection button, a help message ('Select working database'), and a filetype (McMax databases) to narrow the selection of files shown to the user.

Getfile() returns a fully qualified path/filename combination, so the following code was needed to separate the components for display purposes –

```
do while at(':',f_root)>0
  f_root = substr(f_root,at(':',f_root)+1)
enddo
```

Other user-interface access includes a set of Alert boxes. You pick

the box with appropriate 'buttons', and supply a message and a default response –

```
retn=notealert(1,msg)
badnews=stopalert(1,'There are some incorrect deadmail codes in the
file.', ;
'-- please check and correct if necessary . . .')
x=cautionalert(9,ESCAPE,"Make sure you have used PAGE SETUP, ", ;
"OPTIONS, and reduction percentage ", ;
"as necessary for your label format. ", ;
"Ready to go?")
```

Finally, McMax provides some of the printer control not found in dBase –

```
if .not. laser
  * Imagewriter, set font size etc...
  PRINTER CPI 18
endif
```

Plain and boring

The subscriptions program is plain and boring – even ugly – when compared to your average Mac program. Nothing written in everyday dBase could look good on the Mac.

But that's not the point. This subscriptions program does exactly what is needed, in a way the users are comfortable with because they mastered it years ago.

It creates labels and does reports – including sub-selections from the subscriber base – on laser or dot-matrix printers, offers full enquiry and update facilities, takes care of which issues have been sent and when renewals are due, and provides management statistics. Take out an alert box or two, and they could even run it on a PC if their hardware needs changing . . .

If you were wondering about converting a dBase application to the Mac, it isn't your unlucky day – it can be done, relatively easily. Your biggest problem might be finding a dClone: McMax isn't available here, and whoever is importing FoxBase/Mac is certainly keeping quiet about it. If all else fails, both are available mail order from the US.

From what I've heard and read, Foxbase is probably the better choice, although a more advanced McMax has been released since I did the conversion. If I can get the two newer products together, I'll report back with a comparison. □

Listings

Program Listings

Procedure file for dBase III:

David Hortin. Volume 1 Issue 5.

Swapping Printer Ports on the

IBM PC: Robert Boies. Volume 1 Issue 6.

Yet Another Printer Status

Checker: Ralph Davis. Volume 1 Issue 6.

INSERT.CMD: Rose dVines. Inserts a group of records in a non-indexed database. Volume 1 Issue 6.

Manipulating names: Les Bell. Volume 1 Issue 7.

Music.CMD Stephen Heusz and

Music2.CMD Rose dVines: Finds and displays records by artist. Volume 1 Issue 8.

Showdate.CMD: Grahame Davis. Retrieves CP/M-3 system date and time and reformats into strings. Volume 1 Issue 9.

Report Spooling for dBase III Plus: Tom Retting. Volume 1 Issue 9.

dCoder: Luis Castro. Performs a simple JOIN. Also an alternate UPDATE. Volume 1 Issue 10.

Bar Graphs from dBase II: Brian Evans. Volume 1 Issue 10.

Error History: Jeffrey Bersin and Nicole Hannes. Traps errors as they occur in dBase III, then lists them. Volume 1 Issue 11.

Backup.PRG: Ray Love. Backs up large files from dBase III to floppies. Volume 1 Issue 11.

Memo Field Reporting: Christopher White. Program to print formatted memo fields. Volume 1 Issue 12.

Reporting Your Relations: Karen A Robinson. Report.PRГ creates a report using two databases linked together. Volume 2 Issue 1.

Printer Status: David Jitts. Checks printer status before attempting to print from dBase III Plus. Volume 2 Issue 2.

Word Wrapping: Tom Rettig. Volume 2 Issue 3.

Easy Print Control From dBase: Kenneth Getz, Larry Abare, Karen Robinson. Volume 2 Issue 6.

Dear Dele: Geoff May. DATECHK.PRГ is a program segment for validating the date. Discusses date fields in dBase II and dBase III. Volume 2 Issue 7.

File Handle Status: Kenneth G Getz and Brenda Johnson-Grau. .BIN file to print out the number of file handles available for debugging purposes. Volume 2 Issue 8.

dCoder: Christopher White. Demonstrates the use of multiple input screens for each record, using any version of dBase III. Volume 2 Issue 9.

Open Twenty Files: James Troutman. Volume 3 Issue 1.

Disk Detective: Kenneth N Getz. Checks if there is a disk in the disk drive before attempting to write to it. Volume 3 Issue 1.

DELDUP.PRГ: Paul Ferrara. A program to look for duplicate entries in your database, and either delete or print them, according to your choice. Volume 3 Issue 3.

Reader.BAS: Michael Rychter. A program to read a dBase file off disk, and print the records in three columns. Turbo BASIC. Volume 3 Issue 5.

Clipper Browse: HM Van Tassel. A dBase III BROWSE emulation for Clipper. Volume 3 Issue 6.

What Key Was That? David Morgan, Kevin Shepherd, Phil Kimble. Returns output generated from the IBM PC keyboard and from Clipper's INKEY(). Volume 3 Issue 7.

Summer Fun: Using the New Goodies A program that demonstrates Clipper goodies. May 1988.

Disk Exploration in dBase III Plus: Jeffrey McCrimon. Getdrive.asm and Chdir.asm. May 1988.

Clipper Rules, Okay? Craig Yellick. The YC?RULER utility that helps you to quickly determine

cursor locations and rule columns. June 1988

Advanced String Searching: Chuck Litzell. If you are finding AT() too limiting, try this variation of a BASIC program, called POS() for string searches. Includes Pos.BIN program listing. July 1988.

Retrieving Drives and Changing Directories: Jeffrey McCrimon. Getdrive.BIN and Chdir.BIN assembly level program listings for retrieving the currently logged drive and changing directories from dBase III PLUS. August 1988.

dBase Calendar: Chuck Litzell. Calendar.PRГ displays a calendar for a given month on the screen. It can be used from the dot prompt, or could be called from your program's main menu as a convenience item. August 1988.

I.BIN Without MASM For Too Long: Chuck Litzell. How to use the DOS DEBUG command to mimic an assembler for interfacing with dBase III Plus. Includes the programs ATTRIB.DBG, GO-DBG, CLICKSTR.DBG, CCHART.DBG and sample programs. September 1988

Multi-level Field Cross-Referencing. Program to build cross-refer database for databases with multilevel fields.

Hints and Tips

dFunc: # or RECNO(). Volume 1 Issue 1.

A Revhead's Guide to dBase: Les Bell. Ways to optimise speed. Volume 1 Issue 1.

Rescuing dStroyed Files: Matt Whelan. dBase header structure. Volume 1 Issue 1.

Programming – the Initial Approach. Volume 1 Issue 2.

Function Key Programming in dBase III. Volume 1 Issue 2.

dFunc: Rose dVines. Lower to upper case function. Volume 1 Issue 2.

Across the page report formatting: Matt Whelan. Volume 1 Issue 3.

Line counting routine: For combining two databases in a report. Volume 1 Issue 3.

dFunc: Rose dVines. TRIM() Volume 1 Issue 3.

Mixing character and numeric fields. Volume 1 Issue 4.

dFunc: Rose dVines. LEN(). Volume 1 Issue 4.

Using Macros with dBrun: A.

Sterritt. Volume 1 Issue 4.

Simulating Arrays: Les Bell. Volume 1 Issue 6.

DEBUG command file: Marcus Anderson. Volume 1 Issue 6.

Speed tips: Les Bell. Volume 1 Issue 7.

dDeveloper: Baruch Bashan. dSigning Menu-driven Systems. Volume 1 Issue 7.

Menus: Their Structure and Use Part I. Christopher White. Volume 1 Issue 7.

Dear Dele: Geoff May. Dates in dBase III. Volume 1 Issue 7.

Dear Dele: Geoff May. List of BBS users in surname order. Volume 1 Issue 8.

dDeveloper: Christopher White. Menus: Their Structure and Use Part II. Volume 1 Issue 8.

dDeveloper: Christopher White. Menus: Their Structure and Use Part III. Volume 1 Issue 9.

Shifted Data Displays: Oliver Biggerstaff. Fix corrupted database files. Volume 1 Issue 9.

dFunc: Les Bell. The TEST() function. Volume 1 Issue 10.

Clinic: Ashton-Tate software support staff. Using INDEX without parameters, APPENDING part of a memo, formatting numeric output, sending output to an ALTERNATE file. Volume 1 Issue 10.

Dear Dele: Brian May. Use of the SET ALTERNATE command, printer control. Volume 1 Issue 10.

The Disappearing End-Of-File: Dennis S Brown. Naming memory variables & Useful Conventions: Les Bell. Customizing the dBase II Help Facility: Matt Whelan. Albums Database: dear Dele. Volume 1 Issue 11.

dBriefing: Reader's letters with hints; dTip: removing LOOP statements from programs; dCoder: Repair corrupt file headers with this BASIC program. Volume 2 Issue 1.

dFunc: Rose dVines. CHR(). Volume 2 Issue 1.

dFunc: Christopher White. For dBase III Plus users – IIF(), REPORT FORM, LABEL FORM, INDEXING, @...SAY. Volume 2 Issue 2.

Tips for dBase II users: Ashton-Tate's Software Support Centre. @...SAY to line 24, REPLACE/NOUPDATE, reserved device names, indexing rules, LOCATE and CONTINUE, # with APPEND. Volume 2 Issue 2.

dBriefing: Hints and listings

from readers. Volume 2 Issue 3.

dFunc: */DELETED(). Volume 2 Issue 3.

dTools: Rose dVines. The Graphics Library, Quicksilver, Clipper. Volume 2 Issue 4.

dLouse: Fixing foliated bTrees in dBase II. Volume 2 Issue 4.

dFunc: Rose dVines. @(), AT(). Volume 2 Issue 4.

dBriefing: Discussion regarding the TESTLOOP.CMD. Volume 2 Issue 5.

dFunc: Rose dVines. \$() – SUBSTR(). Volume 2 Issue 5.

Network Security: Richard Bunter and Karen Robinson. Using PROTECT, passwords, backups. Volume 2 Issue 5.

dCoder: The DO CASE. Programming hints. Volume 2 Issue 5.

dFunc: Mike Hedbloom and Christopher White. How STUFF works, with applications. Volume 2 Issue 6.

dBriefing: Default date formats, index sizes. Volume 2 Issue 7.

dTips II: RESET, REPORT FORM, FILE(). Volume 2 Issue 7.

dTips III: COPY STRUCTURE, APPEND FROM delimited, SET SCOREBOARD ON, 43-line mode, SET VIEW TO, SET SCOREBOARD/SET STATUS, SET FIELDS TO. Volume 2 Issue 7.

Building Systems in dBase Part I: Matt Whelan. Definitions, program flow, and much more. Volume 2 Issue 8.

dTips II: DGEN, STORE/TYPE, SET LINKAGE ON/OFF, SET FORMAT TO PRINT, SET DELETED ON/OFF. Volume 2 Issue 9.

Building Systems in dBase Part II: Les Bell and Matt Whelan. Good programming techniques: Pseudocode, I/O specification, flow charting. Volume 2 Issue 9.

Structured Programming: Les Bell and Matt Whelan. Volume 2 Issue 10.

Dear Dele: Using a logical field in a REPORT FORM, trapping function keys, restricting the use of DELETE FILES, alphabetical listing of keywords. Volume 2 Issue 10.

Getting into dBin: Matt Whelan. dBase III Plus assembler routines. Change directories, print screen. Volume 2 Issue 10.

EmBellishing Your Programs: Les Bell. Passwords, using macros, format files, colour and other enhancements, multiple assignment, TOTAL de-duplication, SUM, string comparison, speeding loops, LOCATE with indexed files, faster global REPLACES,

justification, removing blanks. Volume 2 Issue 11.

dear Dele: Indexing and dates. Volume 2 Issue 11.

dBdialler: Let your dBase programs look up your contact phone numbers in the database and call them for you with a smartmodem. Volume 3 Issue 1.

Dear Dele: How to MODIFY the STRUCTURE of a large dBase file. Also COPYING blocks of records from one file to another, ASCII values returned in response to WAIT, and SET HISTORY TO non-numeric. Volume 3 Issue 2.

dFunc: Dear Dele. Dbase III Plus functions including DISKSPACE(), RECCOUNT(), RECSIZE(), each of which allow the program to ascertain the amount of space needed to store a certain file. Volume 3 Issue 3.

Anudda Func: Dear Dele. TRIM(). Volume 3 Issue 3.

Printer Status: For Dbase III Plus. Volume 3 Issue 4.

Clipper: Creative Use of User-defined Functions. Includes Talk-On(), CENTER(), ISESCAPE(), ISDELAY(). Volume 3 Issue 5.

Support For Memo Fields: John Lamp. Article on MEMO program, written in C, for dBase III users. Volume 3 Issue 7.

Usage tips on the SUBSTR() function, .DBF file header, .DBF file size, @SAY PICTURE, SET SCOREBOARD, filename extensions, displaying a blank instead of zero, and blank lines using LABEL FORM. Also information on closing databases and copying files. August 1988.

dBase III Tips: & MACRO Filenames, @...GET...PICTURE, @...SAY, APPEND FROM...SDF/DELIMITED and dates, CLEAR GETS, CONFIG.DB, COPY DIF, CREATE/MODIFY LABEL, ERROR MESSAGE, ERROR(), INDEX, INSTALL. October 1988.

dNews and Reviews

A First Look at dToolkit: Rose dVines. Volume 1 Issue 1.

dBest Book for dJob: Rose dVines. Book reviews. Volume 1 Issue 1.

dBASIC; Version 1.1 of dBase III; Ashton-Tate to Buy Multi-mate. Volume 1 Issue 2.

dToolkit's dMenu: Rose dVines. Volume 1 Issue 4.

dToolkit's dBASIC review: Matt

Whelan. Volume 1 Issue 5.

dBase III Plus Rears it's head. Volume 1 Issue 8.

An overview of dBase III Plus. Dirk Erkelens. Volume 1 Issue 12.

dLatest: New products Coda, Genifer, multi-user Clipper, dBx (dBase to C translator). Volume 2 Issue 7.

dNetwork: dBase II info from Ashton-Tate's SIG on CompuServe and The Source. Volume 2 Issue 9.

On dLine. National dBase FIDO conference. Volume 2 Issue 10.

A Tale of Two dGenerators: Rose dVines reviews Coda and Generator, both code generators for dBase III. Volume 2 Issue 12.

On dLine: Micromart's Bulletin Board, Fidonet, and dBase Echo-mail. Volume 2 Issue 12.

Comparison of the performances of dBase compilers Clipper, Foxbase, Quicksilver, dBx. Volume 3 Issue 2.

Another Giant Step for the dBase Language. Special Clipper Issue. A listing of features, commands and functions in the 87 version of Clipper. Benefits of Clipper. Volume 3 Issue 4.

Anyone IV dBase? Matt Whelan. dBase IV and developments in dBase clones: Front Runner, Force III, MultiBase, dBFast. Volume 3 Issue 6.

dBase IV Dreamtime: Matt Whelan. The promised features of dBase IV. April 1988.

We're Back in dRace! Performance comparison between dBase III, Front Runner, Quicksilver, Clipper A86, Foxbase 2.00 and Clipper S87 April 1988.

Memory-Resident dBase: FrontRunner's abilities. April 1988.

New Clipper: More Summer Fun! Summary of updates on Clipper S87. May 1988.

Taking dBase To The Macs: A brief look at McMAX. June 1988.

Let's dBrief: A great programmer's editor. June 1988.

Smorgasbord? A hint at dBase IV's capabilities. June 1988.

dBase IV Launch Imminent? October 1988.

dBase IV: Major Changes. Includes a list of dBase IV commands. November 1988.

dBugz

dFacts: Matt Whelan. Bugs in FILE(), APPEND, ASSIST, SET EXACT ON, large numbers, nu-

meric inaccuracies. **Bug Reports on dBase II and III:** Part one of a large list. Volume 1 Issue 12.

Bug reports on dBase II and III: Part II of the list. Volume 2 Issue 1.

dBase III Bugs: PROCEDURE, RETURN TO MASTER, ZAP, PACK, INDEX FILES, TYPE. Volume 2 Issue 2.

dBase II Bugs: MEMORY VARIABLES, JOIN (Repeated use of). Volume 2 Issue 2.

dLatest: Version 1.1 of dBase III Plus. Bug fixes that address problems found in version 1.0. Volume 2 Issue 4.

dLatest Part II: More bug fixes in dBase III Plus version 1.1. Volume 2 Issue 5.

dBase II Bugs: JOIN, INSERT BLANK, INDEXING with \$, INDEX. Volume 2 Issue 6.

dBase III Bug Reports: TRIM with LIST or DISPLAY, SUM TO and PUBLIC memory variables, STORE large numbers, SORT with 66 records, for SUBSTR(), for a range of dates, SORT, SET RELATION TO, SET ORDER TO, SET HISTORY TO, SET FUNCTION, SET FILTER. Volume 2 Issue 8.

dBase II Bug Reports: Ignored commands after OTHERWISE and ELSE, FILE(), file structure corruption, EOF, EDIT after a NO FIND, DO WHILE, DISPLAY RECORD with INDEX, DELETE ALL/PACK and ghost field values. Volume 2 Issue 8.

Large And Nasty Bugs (or LAN bugs, for short): EDITing shared files with MEMO fields, ERROR conditions, SKIP/APPEND, SET RELATION TO/LIST, commands that remove and RLOCK(), RLOCK() and RUN/! (documentation error). Volume 2 Issue 9.

dBase II Bug Reports: COPY STRUCTURE, CREATE FROM, CHANGE and the ESC key, APPEND, @...SAY with uninitialized variable and others, @...GET. Volume 2 Issue 10.

dLouse! SET EXACT ON, SET ESCAPE ON/OFF, SET DELIMITERS ON, SET CARRY ON, SET (FULL SCREEN), ROUND(), REPORT FORM, MODIFY REPORT, REPLACE ALL, RECORD??? as a field name. Volume 2 Issue 11.

dBase III Bug reports: INPUT does not accept a carriage return, DO WHILE stops evaluating, COMMAND =, in CONFIG.DB (III Plus), Missing DO CASE or END-CASE statements, Building search conditions in ASSIST,

sending control characters with @...SAY, ASSIST/HISTORY, SET PATH TO, deleting records. Volume 2 Issue 12.

Bug reports: USE, SET PATH TO, SET INDEX TO ?, SET COLOR TO, SET CATALOG TO, ROUNDING, RETRY, READ-ONLY FILES. Volume 3 Issue 2.

More dBase III Plus bugs: IMPORT, DISPLAY STATUS, ACCEPT TO, SET STATUS ON, SET CATALOG ON, RETRY, READ-KEY(), INDEX, DO...WITH, CREATE REPORT, COPY TO DIF, COPY TO, APPEND FROM, TOTAL, SET FUNCTION TO, SET FILTER TO. Volume 3 Issue 3.

Bug Reports: III Plus. READ, RANGE, CHR(), APPEND/APPEND FROM. Volume 3 Issue 5.

LAN Bugs: EDITing MEMO fields, error messages, SKIP/APPEND (LAN.LAN1.1), SET RELATION TO/LIST(LAN.LAN1.1) Volume 3 Issue 6.

dBase III Bug Reports: ASSIST, APPEND FROM, TRANSFORM, SET TYPEAHEAD, SET MEMOWIDTH TO, SET COLOR TO on AT&T, RETRY, REPORT FORM, ASSIST, SORT, SET PATH TO/MODIFY STRUCTURE, SET DOHISTORY ON, REPORT FORM NOJECT, INKEY, exponentiation with many decimal places, ESC with INPUT and WAIT, creating a database with a single period. Volume 3 Issue 7.

Clipper Summer 87 Bugs - Already? Bugs and solutions for ASORT, CLEAR, FAT damage, DIR, CLIPSORT.TMP, colour settings, command line lengths, DEBUG's DOS shell, DEBUG's Display/Database Mode, FOR...NEXT - LOOP and getting .T. into a logical variable. There is also information on INDEX ON, INPUT TO, INT(), STR() on FOR...NEXT, SUM and VAL(). April 1988.

How to get the bugs away from editing a numeric field, ESC with INPUT and WAIT, EXIT and exponentiation. June 1988

Investigations into TEXT...END-TEXT, TOTAL, TRANSFORM, USE, and USE...ALIAS. July 1988.

Information on the & function, ?? command, @...CLEAR TO, @...GET READ, PICTURE, APPEND FROM, ASSIST, BROWSE and CREATE. August 1988.

dBugs Again: MEMO Fields, MODIFY REPORT, READKEY(), STR(), @...GET...PICTURE, @...GET/SET DELIMITERS ON. October 1988.



Databases for the Macintosh

ABOUT ONCE a year, I seem to get caught up in some project that requires the selection of a database management program for the Macintosh. And, because the software changes so rapidly these days, the selection necessitates a pretty thorough review of the programs available.

So I've had my nose down in a number of Mac database management programs for the last couple of months, and I've come to the conclusion that most of them are pretty good, but some are better. It's the old problem of horses-for-courses; you can't put your finger on any one program and say, 'This is the best!'

For instance, I've been very reluctant to spend any time with McMax from Nantucket Corporation, because some of the early reports I read about this program said that it was virtually a straight translation of dBase III+, which hadn't taken advantage of the Mac toolbox. In other words, it had the look-and-feel of Ashton-Tate's DBMS program for the IBM PC.

When you see how many database management programs there are around that do take advantage of the Mac toolbox, there appears to be little point in examining one that doesn't. If I'd wanted the look-and-feel of an IBM PC I would have bought one!

The trouble with this attitude is that it's too simplistic. There are many good reasons why you would want a translation of dBase III to a Macintosh. In fact I've got a whole lot of old CP/M dBase II files and command programs that I wouldn't mind porting over to the Mac.

So I've now spent some time with McMax and I'm impressed. From what I can see, it is an extremely good clone of dBase III, and you should be able to port both files and procedural language programs over to the Mac and use them without any problems.

Commands

There are a couple of IBM PC-specific commands that won't work, but these are pretty obvious and generally the program just ignores them. If you do have problems, then you've got a very good debug/trace system to let you find the idiosyncrasies anyway, so anyone with more than a passing knowledge of dBase

There are many good reasons why you would want a translation of dBase III to a Macintosh.

programming will be able to straighten the program out in a couple of hours at the most.

For some reason Nantucket haven't bothered to put out a multi-user version of McMax, and this is its main limitation. It would be an ideal program for small work-groups linked by LocalTalk to an AppleShare file server, but you would need a multi-user version with record-locking and so on. However, it does allow Mac users to access shared database files over TOPS with IBM PCs.

McMax is very fast in virtually every aspect, but you've got to see it simply as a version of dBase III ported to the Macintosh with virtually no consideration being paid to the special features of the Mac. It ignores the Mac interface for custom-built applications, and it has no icons, graphic capabilities and so on. But it is dBase III, and this is a big plus.

If you are simply setting up a couple of lists — customers, products, invoices, orders, or whatever — and you want to perform only simple calculations (say, to keep customer accounts or tax records) and your report requirements are fairly basic, then a simple 'related' flat-file program like FileMaker II (which used to be called FileMaker 4) will do everything that you want. FileMaker II isn't a true relational database manager, but it has the ability to look up information in another file, and so it is damned close to being 'relational'.

OverVUE

At this lower level also, you should look at OverVUE which I haven't seen advertised recently, or you might try to adapt HyperCard to your needs. OverVUE has some nice grouping features and an excellent array of 'attributes' which make it simple to use and relatively fool-proof, but it is

very basic, although excellent at what it does.

OverVUE is memory-based which means that it stores everything in RAM. This greatly limits its file size, but at the same time it means that OverVUE zips along at a pretty fast pace.

HyperCard is also pretty fast, but it can't do much at the present moment (especially with its lack of reports). However, it is about to be used as the front-end to a number of major database management programs (Oracle, Omnis 3, 4th Dimension), and so there are avenues for expansion. So, if you can get by using HyperCard now, then you will certainly be able to expand your capabilities later.

All of these programs are easy to use and very powerful, even though they are at a basic level when it comes to automated functions. However, before you leap to the conclusion that you want procedural programming to automate your databases, take into consideration the processes that these Mac programs do make available in checking and confirming data at the time of entry; this is the most important aspect of a database. If garbage gets in, you-know-what will come out.

The idea of 'attributes' attached to each fields seems to be the simplest way to police the data being entered. At the basic level these attributes simply consist of a choice of field types; dBase gives you Date, Text, Numeric, Logical and Memo, for instance, and it will only accept data that fits these categories. But more automated programs will allow you to set limits, or define things like CAPS ONLY, and so on.

The point is that a non-automated database nowadays will often do just as much, twice as quickly, and with ten-times the confidence, of a fully programmed dBase III of a couple of years ago. Don't imagine that you necessarily will get benefit from procedural language automation unless you have substantial sorting, calculation and updating requirements.

FileMaker II has one other important characteristic which could be an advantage for a small business and deserves special consideration. You can run it, as is, either as a standalone program or as a shared database on a small LocalTalk network. At the basic level you only addi-

tional cost is for the cables and the Local-Talk boxes, but if you expand, it can also run on a larger network with a fileserver.

Helix

At the middle level, you should look at Odesta's Helix, which doesn't have a procedural language, but is extremely powerful and easy to use, and also at Reflex Plus which has now been upgraded to have relational capability. At an application size of only 350 kilobytes, Reflex Plus is especially good for the smaller Macs around, but it's not programmable and it is not multi-user, so it is fairly limited.

At the higher level, where you want a database management program to churn through thousands of records, up-date complex inventory files, re-price the stock in a large warehouse, calculate different tax and margin rates, implement an automated ordering or invoicing system, and so on, you will probably need something with procedural language and relational capabilities.

ACIUS's 4th Dimension has been touted around as the solution to these problems, but it isn't relational and so, to a degree, you end up putting all your eggs in one basket — one enormous monolithic data file. With large databases (and you wouldn't bother to use 4D with small), the idea terrifies me!

At present we've only got Version 1.0 of 4th Dimension in Australia, but 2.0 is being beta-tested in the States and it is supposed to have sped things up and added a lot of features sadly missing from the first version. I think eventually 4th Dimension will be a great program, but it worries me more than a little at present!

It was designed to build big, sophisticated applications with elegant interfaces, but it is notoriously slow. If you do a lot of sorting, searching, or replacing, even with files of only, say, 3 to 4000 records, you'll find that you need to do a lot of waiting. At the present moment it needs a hard disk Mac II to get it close to reasonable speed. This shouldn't be necessary.

I spent a couple of weeks early last year trying to learn to use the program at a professional level, but it was all solid going through the manuals and tutorials. Perhaps I'm just getting old, but I found programming in 4D much less logical than with the old dBase. And since I stopped learning I've forgotten everything, and I can't face the thought of getting back in.

However, 4th Dimension is relatively easy to use at the basic level, but at the same time I wouldn't feel happy recom-

mending it for anything other than a major development project at the present moment — and then with an experienced programmer — mainly because it is unnecessarily complex, unless you've got a major problem. It is a program for professional database programmers who need a powerful development environment.

4th Dimension is also ideal for network use (you don't need a special version), and it's getting links into some of the mainframe systems through Network Innovation's CL/I linking language (Apple are putting money into this area), and then there's a new front-end connections to HyperCard to be considered. A lot of people are betting a lot of money on this program and its extensions.

Omnis 3

Omnis 3 from Blyth is a pretty standard standby; it has been around for quite a few years and is very popular. Quite a while ago Blyth upgraded it to Omnis 3+ and added a front-end package called Express. The new version, 3.3, is supposedly on its way, but I haven't seen any beta reviews.

The old Omnis 3 wasn't always easy to use and often irritating in some aspects. Express attempts to get over some of these problems by helping to build data entry layouts, report formats and so on, but the program is beginning to show its

age. Express feels to me a bit like a band-aid stuck on to the program to hide some basic defects, but I must admit that it seems to work okay. I still wouldn't make this my program of choice, however, a lot of people would differ with me on this one, so you can't cancel it out.

Ashton-Tate's dBase Mac was a program that Macintosh users and reviewers waited a long time for, and then were universally disappointed. Generally it is a bit of a dog's breakfast; it bears no relationship to the old dBase CP/M or MS-DOS programs except that it can import files from dBase III. But it can't import the dBase procedural language programs that automate the process so, at best, you've only got part-compatibility.

I also think that the data-entry process is very badly written and the whole program is very shoddy. I don't like it, and I don't know anyone who does.

There are a couple of real dBase clones that are much better. McMax, which I've already mentioned, appears to be excellent and you can import both files and command programs, but its a single-user program only. In case you're wondering, it was originally called dMac III from Format Software GmbH (German).

dBman-Mac from Versasoft is another one that I haven't had experience with, but it's up to Version 5.0 so it should be around somewhere. For some unknown




Figure 1. HyperCard is to be used as the front-end to a number of major database management programs, including Oracle, Omnis 3 and 4th Dimension.

reason, Versasoft claims that it will run on 13 operating systems including several versions of Unix – this, I've got to see!

And then there's the long-promised-but-not-yet-seen FoxBase+/Mac version 1.1 which is supposed to be as compatible with dBase III as McMax and equally as fast, but with new multi-user and run-time versions also available this year.

At this high-end of program complexity most organisations probably need a multi-user version, otherwise there's a lot of power going to waste; you don't use programs like this just to keep your phone list.

Everyone seems to be waiting for this program; the programmers must be having some troubles with FoxBase+/Mac because I've been seeing beta versions tested in the States for over a year now. This doesn't augur well for the future, but the tests say that it is fast, and dBase needs speed. One speed comparison of all major Mac databases (although McMax wasn't available) had FoxBase+/Mac as the clear leader in 70 per cent of all tests and at least twice as fast as the next best in about 60 per cent.

All of these programs are easy to use and very powerful, even though they are at a basic level when it comes to automated functions.

If you've got a mixture of IBM PCs and Macs in the work group, and you already have (or need) a large database with complex automation requirements, then you'll probably be using dBase. The original FoxBase was an MS-DOS relational database program that could run dBase III programs and files directly, so FoxBase+/Mac will do you nicely from all accounts.

However, if you are starting from scratch in a totally-Macintosh environment, then this is quite another matter. The dBase language is reasonably hard to

learn, and many of the functions that require procedural language programming in dBase III can easily be done by a non-programmer in something like Helix, Omnis 3+ or 4th Dimension.

At the even-more-powerful end of the scale, we will shortly be seeing Oracle on the Mac, with a network version out shortly after. IBM's Structured Query Language (SQL) has been built into the program, and it is integrated with HyperCard (as a front-end) by means of the external HyperTalk commands.


The significance of all this is that it gives you the simplicity of a HyperCard interface with the power to interconnect and query large mainframe databases, all within one package. This could well be the most significant development in this area for a long time, although the new version of 4th Dimension will have many of these capabilities too.

SQL is a database language which is now being widely accepted as *the* industry standard. It is powerful, terse, and easy to use, and it is constantly being extended into new areas like expert systems and artificial intelligence. □



BARCODE READER

Use a barcode reader within any software running on IBM XT/AT or compatible, running DOS 2.0 or greater.




Includes memory resident pop-up barcode printing software for any Epson compatible printers.

Dealer enquiries welcome.

These products available from:

MULTIVIEW COMPUTERS

1st Floor, 565 Willoughby Road
Willoughby N.S.W. (02) 958 2477



The change to a pure language

Now, C programmers can move over to C++ with Zortech C++ — the world's first 'true' C++ compiler for MS-DOS machines.

Zortech C++ is a 'true' compiler and fully conforms to Bjarne Stroustrup's specification as outlined in his book 'The C++ Programming Language'.

Previous implementations of C++ were actually 'translators' — only able to translate C++ source code into C. Of course, this was unacceptable due to the long translating and compiling times.

Now, C++ comes of age with the introduction of the world's first true C++ compiler — from Zortech!

■ Object Oriented Programming

C++ is to C what Module 2 is to Pascal. C++ brings 'classes' to C, so you can create separate modules that contain their own data and data-related operations. These 'classes' then become new types that can in turn be used to create further modules — this allows you to practically create your own language.

■ ANSI C Superset

You don't have to throw away your existing C programs — C++ is a superset of ANSI C. Now, you can take your Microsoft C or Turbo C compatible programs and easily migrate to C++ to take full advantage of the new C++ features.

■ 'Codeview' Compatible

Zortech C++ is compatible with 'Codeview' — Microsoft's industry standard source code debugger.

■ Improved Program Structure

As stated in 'The C++ Programming Language', by using C++: "It would not be unreasonable for a single person to cope with 25,000 lines of code."

■ Other benefits

Here's just a few: Operator overloading, overloading function names, default arguments to functions and better type checking.

\$199 without tax
\$214.80 with tax

OCR "SPOT"

To Convert Scanned Images to ASCII file format for use in Word Processors.

Imagine, all those legal documents, magazine and newspaper text can now be edited and stored in your PC.

- * "SPOT" with high quality deluxe SCANNER for

\$999

PUBLISH-IT

Desktop Publishing at an Affordable Price.

Works like Ventura Publisher at a fraction of the price and extremely easy to learn and use.

- * Publish-it with high quality deluxe SCANNER for only

\$799

BUDGET PRICE DESKTOP PUBLISHING

1. 300dpi Laser Printer
Ricoh Engine
1 Mb RAM +
25 Font Packs
HP LaserJet + &
FX Emulation

2. Deluxe Hand-held Scanner
GEM, OCR
WS2000, Dr Halo
PC Paintbrush &
MS Windows Compatible

3. Publish-it Desktop Publishing Software

Total Price for ALL 3 items is \$3800

"INFORMATE" AT Compatible Computers

1.2 Mb FDD, Multi I/O Card, HGA Card, FDD + HDD Controller,
101 Keyboard, 200 W Power

- * 286 CPU, 12 MHz, 640 RAM.....\$1900.00
- * 286 CPU, 20 MHz, 1 Mb RAM.....\$2200.00
- * 386 SX CPU, 25 MHz, 1 Mb RAM.....\$2500.00

Extra for Hard disk Drives 20 Mb: \$300 / 40 Mb: \$500 /
60 Mb: \$1000 (Voice Coil)

Multi-User System

Runs all DOS Graphics under C-DOS or Xenix. Connect up to 16 Users to only one 386 AT Computer. Two or more AT Computers can be linked together with ARC-Net. Each user can run multiple tasks on HGA or CGA Monitors. Conference facilities allowing users to work as a team and wide range of Multi-user Application Software also available.

Only \$500 per user plus Monitors and Keyboards.

CC DATA COMPUTERS

Ph: (02) 281 5122

A perfect batch!

Matching singles with a fourth generation language and a PC – 'Why not?' asks Merv Beamish.

THE COMPUTER allows us to play the devil's advocate,' said Marianne Dodds, psychologist and Sydney branch office manager of Yvonne Allen and Associates, recognised as one of Australia's most professional (and certainly one of the busiest) introduction services. Established in 1976, it now has over 800 clients on its books and offices in four states and Canberra.

A considerable and diverse range of data is gathered on each of its clients and stored on computer. 'At present, the computer works with objective criteria to give a list of names of possible matches for a client. It might come up with ten or twenty names; at the moment that is probably eight or eighteen too many,' Dodds continued.

'It was a brave step for a personal service of this nature to move into computers. The stigma of man-dates-monkey computer dating rip-offs is still with us and indeed, based on some advertisements in the daily press and singles magazines, one suspects such services are still with us.'

'People will say that we lose the personal aspect with computerisation. Yvonne Allen herself was quite worried about this when we first started, however the computer has made a huge difference for the consultants by giving them more time with the clients. In ten years this client group is going to be 'gi-normous.' We won't be able to offer professional face to face consultant servicing without the computer to mechanically sort and cross reference,' said Deirdre Stewart, a consultant, as the three of us sat in a neat little interviewing room at the agency.

Through advertisements in the popular press, telephone directory listings, or via recommendation, interested people contact the agency and are invited to one of the offices for a free initial interview. On the surface this is a low pressure marketing and sales exercise, but it is more. The



We are looking to use computers to do a lot more research analysis for us. Asking, for example, what percentage of women under 35 live in postcode area 2026. This would help us identify those areas from which we are likely to get the most clients and tell us how efficient we are in contacting them. We do an enquiry listing every day, as people ring up; amongst other information, this tells us where they heard about the service and what area they live in. That statistical analysis is going on all the time to help us with our marketing.

The statistics have been recognised as valuable research material by organisations such as the Institute of Family Studies in Melbourne, which is interested in human balance statistics. A number of magazines, such as the Bulletin, have also utilized the statistics – Marianne Dodds, Sydney manager for Yvonne Allen and Associates.

consultant the client meets will be one of the two, minimum, directly involved in the matching process.

'After the first interview the consultant will write out a report that includes basic objective criteria: height, weight, smoker, non-smoker and so on, but we also go a little bit further into our own reaction to the person, did they appear to be relaxed, open, shy – subjective information.'

'At this interview, if clients wish to proceed, they pay a deposit and are given an eight to twelve page questionnaire.'

The questions are open but searching, and encourage clients to analyse their personality and preferences. It takes about one evening to complete, and it can be quite exhausting. In general, the questions cover occupation, education standards, politics and religious leaning, height, weight, children and the like. Added to this is a section where the client outlines personal preferences in nationalities, physical appearance, sexual and personal interests. The client questionnaire also has a series of questions about performance under certain situations. Then there is a personality test from which the professionals at the agency gather more information.'

The questionnaire demonstrates the thoroughness of the service and the degree of information needed on a client to carry out the match making process. After the questionnaire is returned to the agency, and a second interview is arranged with a second consultant.

Being objective

RESPONDANTS are asked to a second interview to clarify any answers that seem a little hazy. Accepting the written word only could lead to misinterpretation, particularly in rating scales. 'In a one to ten scale we could perceive that a rating of seven isn't very important, but the client might disagree,' Dodds pointed out.

During the second interview, the

client's actual needs are established. Most clients are not really sure what they are looking for: is it to form a long term relationship, or, perhaps, build up a circle of friends after being separated or divorced? The self analysis nature of the questionnaire and the assistance of the consultant at the second interview establish goals for both the client and the agency.

'As you can see the amount of information gathered on any one client makes the initial sifting task, if carried out manually, a very laborious and time consuming job; a job to which the computer is better equipped to handle where objective data is involved,' continued Dodds.

'Objective information such as whether a person smokes or not, is not an emotional issue – it is a case of either you like smoking or you don't. The same applies to things like education: some indicate that they are only likely to get on with someone with a college education or up. These are all things a computer can sift through and say, yes, these two people cross reference and look okay on paper.'

In fact, all that some clients require is an objectives-only computer service. The agency does offer such a service with no human intervention in the matching process after the first interview. Naturally this is a less expensive alternative to the program described above, which includes the second interview and covers subjective data.

'However, with the objectives-only option, if someone makes a mistake, for instance a wrong age group decision, there is nothing we can do. But if they were in our other program, we can say, point out that specifying a certain age will rule out 90 per cent of possible matches. I will often transverse these barriers if I believe there is someone suitable, say, who happens to be a year or two out of the specified age group.'

With the full service, the system includes what the agency refers to as 'consultant sensitive monitors'. These are few in number, contain some subjective information and are generally based on a one to ten grading scale. For example, the subjective data gathered is used to grade a client's 'style'. The consultant can play devil's advocate by amending this grading up or down, or change its relationship to various other items of data to observe the cross reference variations between clients.

Whilst the agency would like to include more of these monitors within their system, they admit it is a bit on the 'hazy'

Sculpture's long period of evolution, claim MPD, has lead to a stable product which combines speed with very fine data handling capacity.

side and are looking for alternative ways to represent subjective scales of measurement. One possibility is through the use of colour scales. The psychology of colour (red for anger, blue for coldness and all the shades in between) may be able to be adapted to scaling a person's personality using a computer.



People say that we lose the personal aspect with computerisation. Yvonne Allen herself was quite worried about this when we first started, however the computer has made a huge difference for the consultants by giving them more time with the clients. In ten years this client group is going to be 'gi-normous'. We won't be able to offer a professional, face to face consultant servicing without the computer to mechanically sort and cross reference.' –Deirdre Stewart, Yvonne Allen consultant.

Sculpture

THE ACTUAL computer system software was developed in Basic on Sculpture, a 4GL compiling language which can work with twenty interrelated master files, by Brad McMaster, then with British company Innovative Software in 1981. By 1982, the software, called Genesis, had been rewritten in C, renamed Sage and implemented under Unix. Since its development, there have been a number of enhancements; the current version is 1.16.


Kieth Ashman, who conceived the language, founded his own company, Microprocessor Development Ltd (MPD), to market and support the product. MPD has offices in London, Sydney and New York. McMaster is now the managing director of MPD in Australia.

At present, the system installed at Yvonne Allen and Associates runs under DOS on IBM compatible equipment, but the portability of Sculpture will allow it to move across machines and operating systems to keep abreast with the expansion of the agency. It will also allow an upgrade from single to multi-user systems without altering the software. As we go to press, the agency is installing a mini computer.

Sculpture's long period of evolution, claim MPD, has lead to a stable product which combines speed with very fine data handling capacity. The language uses powerful command verbs to obtain shorter than average periods for both coding and debugging.

The accumulated client base offers the agency a very powerful marketing and research database. 'We have a population of people who are normal whereas many studies, for example the Hyatt report, use clinical or very limited samples. Our sample is made up of singles who voluntarily joined our group. We would actually like someone to come in here and do a PhD utilizing our twelve years of statistics based on thousands and thousands of questionnaires. The information has varied as we've developed over the years, but certainly for the last five years – since we've introduced the computer – it has been very consistent and comprehensive.'

Yvonne Allen and Associates is a practical business that deals in very personal dreams – dreams both of their clients and those who make up the agency. Already they have franchised the agency under a strict, annually reviewed, licensing scheme and the agency sees itself developing as an umbrella organisation covering such things as singles travel, lifestyle seminars and counseling. □



A typical Forth application

LAST MONTH, I started a discussion of the Thomson chip set and promised to provide further details and specifications this month. As most readers will probably be aware, the project is now alive and a full description is provided in 'Introducing the Maestro Super Executive modem' in this month's issue.

I also promised to discuss the way Forth handles its dictionary and I will continue with that now. Compiled Forth has a structure that is totally unlike any other compiled language. The reason for this is in the nature of Forth itself – the 'threaded subroutine' concept. Figure 1 shows the manner in which a typical Forth application is built. It makes no difference whether the words are those defined by the user, or whether they are part of the main dictionary. This is another beauty of Forth – it does not distinguish between its own 'system' words and those that are user defined.

Let us examine Figure 1 in some detail, bearing in mind that whilst this describes a typical Forth application, it is by no means a definitive exposition of any single Forth implementation. All definitions (that is, new words) start with a '1' in bit 7 of the first memory location devoted to the new 'word'. This location is called the Name Field Address – NFA in Figure 1. Bit 6 (labeled 'P') is the Precedence Bit.

This is an extremely important bit as it enables a special class of Forth words to be identified – IMMEDIATE words, which are always executed (rather than compiled), even within a new colon definition. When new words are defined that need to be identified as IMMEDIATE words they are always followed by the word IMMEDIATE. This sets bit 6 of the new word to a '1'. An example of this would be the word BEGIN, whose definition is –

```
: BEGIN ?COMP HERE 1 ; IMMEDIATE
```

I do not intend to discuss the above construction until a later column, sufficient to say that all words such as BEGIN, AGAIN, DO, LOOP and so on are all IMMEDIATE words.

Bit 5 of the NFA is called the SMUDGE Bit. This bit has a multitude of uses, but its main use is to prevent error messages from fouling up a re-definition of a pre-existing word. Setting the 'Smudge Bit' to a

Is there anyone out there who has any routines for solving differential equations?

'1' (rather than a '0') will prevent the new word being found in a dictionary search. The remaining five bits of the NFA are used to store the length of the word's name.

For this particular implementation we can have words with name lengths up to 31 characters. Note that not all 31 characters may be stored – cmForth only stores the first 2. Newcomers should acquaint themselves with the manner in which their particular version operates (do an ASCII DUMP on the dictionary). In the case of cmForth for example, the words THIS and THAT would be considered identical – both are 4 characters long and the 2 letters stored are the same – TH.

Immediately following the last stored character of the name, is the Link Field Address (LFA). The sole purpose of this location is to store the address of the NFA of the previous word. It is the LFA that provides the thread used by Forth to perform its dictionary searches and calls to previous definitions. I have shown this threading in Figure 1, by a series of 'arrowed lines', linking each of the definitions.

Following the LFA comes an area containing the Code Field Addresses (CFAs) appropriate to the type of word being defined. In the supplied example, the CFAs point to the routines for : and ; – indicating that the words that would have been defined here are colon definition words. CONSTANTS, VARIABLES and so on, would have CFAs pointing to appropriate run time routines for each of their differing types.

In the case of colon definitions, the final section of the word's definition is the Parameter Field Address (PFA). This section contains the CFAs of all of the words (in the order they were defined) as well as any other CFAs of such words as . – used to print out messages on the monitor.

F88 (or F-PC as it is also known) does not follow the above procedure – the NFA,

CFA and PFA for each word are stored separately, in order to allow for more efficient use of the much larger memory space available on IBM PCs and clones.

For those who wish to examine the construction of their particular version of Forth, try the following –

```
: AA . ' This is a test' ;
```

```
0 VARIABLE TEST1
```

```
10 CONSTANT TEST2
```

```
: BB . ' This is a test too' ;
```

```
' AA DUP . 120 DUMP (RET)
```

The first four lines provide us with several new definitions to examine – ' (called Tick) finds the address of the first word (AA), which is then DUPLICATED and . (printed). We then DUMP 120 consecutive memory locations to the output device, in order to examine them. In the case of F88 we can use DUMP, XDUMP and YDUMP to examine the areas mentioned above.

Forth in action

One of the long time supporters of Forth in Australia has been Ken Curry, the managing director of Energy Control in Queensland. Ken is negotiating with several Forth organisations in the US to obtain local reprint rights for appropriate articles.

One of these is especially interesting – a Forth controlled floppy disk certification machine which complies with ANSI specifications. Quoting from the introductory section of the paper –

Forth offers special advantages in an interactive environment. Even an interpretive language, such as Basic, does not run at full speed interactively. Therefore, such applications as timing loops or controlling high speed A/D converters are impossible to implement interactively.

Forth is the only language that runs interpretively at full speed because it uses an interpretive compiler . . . Programmers who have tried Forth find that it can cut their development time by a factor of ten for equivalent assembly language programming, and by a factor of two for equivalent high-level language coding. The increase in productivity becomes even more apparent in sec-

ond and third generation models of the same product.

Letters

I received a letter from Dr Chris French, who is interested in some Forth routines for text sorting, numerical routines and a simple method of solving differential equations. The first two of these are fairly simply catered for by the examples provided with F-PC (F88). The third is not so easy. Is there anyone out there who has any routines for solving differential equations? I seem to remember from my ter-

tiary days that there was a thing called the Runge-Kutta Method for integrating DEs, but the exact mechanism eludes me.

One of the most productive SuperComputer users is David Doupe, from up near Dorrigo in NSW. David does lots of exciting things with the SuperComputer (must be that clean country air). He has provided me with the source code screens for connecting a keyboard directly to the Super-Computer. He also gave me some routines to save dictionaries to the EPROMs. I will put these on the YC Bulletin Board as soon as it is resurrected.

Many thanks to those of you who have taken the time to write and let me know your views of the column. It appears that everyone wants something different – beginners want more of the beginners info, experts want something more challenging and those in the middle want something in between. I shall attempt to cater to all of these requests, although not necessarily in each column. For those advanced programmers, how about sharing some of your special interest routines with others? I would be glad to include them in the column. □





Figure 1. Construction of a typical Forth application – see text for definition of symbols used.

MegaScan.TM

More than
the world's
fastest
publisher.



It's still no contest.
Nobody can beat the speed of a MegaScan-based system when it comes to scanning, manipulating or publishing images, photos and text.

MegaScan, designed by Advanced Vision Research, is the only system that combines a flatbed scanner with interface technology and graphics manipulation software into a single, integrated solution for any application. Desktop publishing, image archiving, OCR input and more.

The scanner: born in the USA.

The MegaScan Image Scanner is the only U.S. designed and manufactured flatbed desktop image scanner on the market today. It can scan line art or photos, at a resolution of 300 dpi and 32 levels of gray. All in just 9 seconds from scan to edit!

The MegaBuffer.TM *One card. One slot.*

Two jobs. Fast.

With 1.3MB of on-board RAM, the MegaBuffer is the interface between your 286 or 386-based CPU scanner and laser printer. It also holds the full-page bit map

Softscreybe.TM


President's
alternative to
PostScript.[®]

SoftscreybeTM is a PostScript[®] language interpreter which can interpret PostScript[®] page description language files and subsequently convert the information to print an equivalent result on an on-postscript[®] laser printer.

This means that you no longer have to be linked to an expensive PostScript[®] laser printer for publishing results.

SoftscreybeTM is a software package which works in conjunction with the AVR-MegaBufferTM card which is compatible with any 286-386 P.C. compatible computer.

With the added advantages of MegaScanTM software you can capture your PostScript[®] originated file in the MegaBufferTM and in turn save it in MegaScanTM MSI format which will allow you to print in an amazing 10 seconds after conversion.




from the scan and is the "page" where you merge text, graphics and photos to create a 300 dpi image in true WYSIWYG.

And with the full page in the Mega-Buffer, zooming, scrolling and pixel - editing are real-time operations.

MegaScan eliminates laser-lag too. Because the MegaBuffer's 1.3MB of RAM also acts as a printer controller. So you can print direct to the laser printer engine for full-page 300 dpi output in just 10 seconds. Every time. Regardless of page size. Regardless of printer memory.


The software: power and flexibility.

MegaScan software is a single application providing scanner control, a powerful paint/pixel editor, extensive image processing, text editing, page make-up and a screen snapshot utility. Also included is a RAM disk utility so the MegaBuffer card



Optimum options.

Optional capabilities include user trainable OCR, PC-to-FAX communications and font creation software to make it even easier to capture, edit, store, communicate or produce high-quality graphics and text.



More than fast—affordable.

The MegaScan system is fast and affordable. Even if you need just part of the system. For more information fast, call or write

MegaScan and MegaBuffer are trademarks of Advanced Vision Research, Inc. GEM is a registered trademark and GEM Desktop Publisher is a trademark of Digital Research, Inc. ©1988 Advanced Vision Research, Inc.



President Computers have installed complete Desktop Publishing Systems into many Corporates and small businesses throughout Australia. The key to our success is that we provide a "complete tailored system" with the expertise and training which is so vital with these highly intergrated systems.

President have training centres in four states and are re-sellers of Xerox Ventura Publisher.

Demonstrations conducted daily.

* Softscribe Requirements :-

- 286 or 386 P.C. Compatible
- Minimum 512K Expanded Ram
- Softscribe Software
- AVR-MegaBuffer
- AVR-Laser Adaptor
- SX or CX engine base laser printer (with video port)



SYDNEY	4762700
MELBOURNE	3470555
BRISBANE	8462228
CANBERRA	804804
ADELAIDE	2313063
PERTH	2276603
GOLD COAST	374788

Please send more information to:

Name _____

Address _____

Suburb _____ P/C _____

Telephone _____

President Computers Pty. Ltd.
P.O. Box 203 Hornsby NSW 2077.

35 Fonts come standard with Softscribe™ which can be scaled from 0 point to whatever size you desire.

Additional font families can be added to your library which are available from **Compugraphics** and **Bitstream**.



Standard Fonts

Avante Garde

Palatino

ITC Bookman

Courier

Helvetica

Times Roman

ITC ZaftDingbats

ITC Zaft Chancery

Introductory Offer :-

\$950.00 ex tax.





The news is not all good...

APPLEWORKS GS has arrived in Australia – the one all GS owners have been waiting for. After having spent more time than I intended with a review copy of the program, I have good news and bad news. First the bad...

Initially I thought my copy might be faulty, but after talking to my colleagues, and even trying a second review copy, I'm convinced the software is faulty. The ironical part is that on the very day I'm writing this rather perturbing news, Dataflow, the Australian distributor, is releasing it. It was my rather unhappy task to alert Dataflow to the problems – the company has promised to follow up my comments.

I have also informed Apple Australia, which admitted to receiving similar comments from other reviewers. Normally, software bugs don't really rate as news; the bugs are either fixed or the software dies. But this package is the big one – so finding serious bugs is news.

The problems I have had range from the program actually hanging (this happened fairly regularly), to idiosyncratic behaviour. However, after substituting my GS/OS system disk for that supplied by Claris, things settled down a bit. There were still a few nasties, like graphics returning with some colours missing after saving the file, or slow operation when the function being performed was fairly basic, but at least it didn't hang. Unfortunately, my copy of GS/OS isn't configured to access the 5¼ inch drive in slot 6, so I was back to single disk operation, which created other problems.

Like any responsible writer, I am obliged to really test out software before commenting on its merits or faults. Credibility is the name of the game, and it requires a lot of time and effort. In this case, it paid off by highlighting problems that only tend to show up when files get large.

But what about the US? I've read several reviews from the American press, none of which refer to any problems. My only conclusion is that there is some subtle difference in GS computers shipped to Australia compared to those sold in the US. I have no idea what the differences, if any, might be. Maybe a ROM difference, or a hardware change that has only been implemented in recent times. My GS is one of the originals – a Woz limited edition in fact, although I have had the ROMs updated since then. Whatever the reason,

Credibility is the name of the game, and it requires a lot of time and effort.

Appleworks GS doesn't work on my GS. And nobody is more disappointed than I am...

Okay – that's the state of play at the moment I'm afraid. But behind these problems is a fabulous program – and that's the good news. The system disk needs an overhaul and the program needs some fine tuning. If all this is done then Claris have a winner. If not – a bomb.

Overview

Appleworks GS is actually a renamed version of GS Works; a program developed by Styleware. Claris bought Styleware before GS Works was ever released, then set about putting the program through 'extensive quality assurance' testing.

Basically, Appleworks GS (I'll shorten this to AW GS) is a six-application, fully integrated software package that uses the popular Mac-like interface (mouse driven and full colour) for the Apple IIGS. It comes on three 3½ inch disks, one disk containing the GS/OS system (modified by Claris), another the AW GS program, and

the third (the utilities disk), an 80,000 word spell checker and a 470,000 synonym thesaurus.

The program requires a minimum of 1 Mbyte of memory (make sure the RAM disk is set to zero) and, ideally, two 3½ inch drives. A hard disk is really the best way to go, as this is a large program – beyond the capabilities of a single drive machine. It also needs a colour monitor, and, so far, only supports the Imagewriter or Apple Laser printers.

It comprises a word processor, data base, spreadsheet, page layout, graphics designer and a communications module. The program is compatible with Appleworks, although the extra features of AW GS mean the compatibility is one way only.


Everything is mouse operated, in colour and is based on the concept of complete integration between the six applications. Appleworks always boasted this feature for its three applications, but it was really a bit awkward at times. With AW GS, sections of files can be easily transferred from one application to another using the clipboard, or by 'dragging' between windows. There are some limitations, but it is generally excellent.

I don't intend to review the package fully, due to space limitations. Also, I would be duplicating effort being expended by other writers for *Your Computer*. So, just a quick rundown.

The main three

Users of Multiscribe or MacWrite will notice some similarity to the word processor in AW GS. In fact, Multiscribe files are compatible with AW GS, as are ASCII files and Appleworks files. Text formatting is done with 'rulers', which display the margins, tab settings, and hanging indents with pointers on a scale marked in inches. Icons for centering, justifying and line spacing are also on the ruler. To format a section of text, you simply 'select' it by dragging the cursor over the text, then adjust pointers on the ruler, and/or click the appropriate icon. Because the processor is a WYSIWYG, you can't go wrong.

Spelling and synonym checks are built in, although I got a bit lost with all the disk changing. In fact, the whole spelling and synonym section of the program needs some fixing. For example, when spelling is requested, it asked for disk '//,



Appleworks GS is a renamed version of GS Works, developed by Styleware. It is a six-application, fully integrated package that comes on three 3½ inch disks, one disk containing the GS/OS system (modified by Claris), another the program, and the third (the utilities disk), an 80,000 word spell checker and a 470,000 synonym thesaurus.

which I figured, by trial and error to be the AW GS Program disk. Sometimes I had no problem, other times it misbehaved sumpin' awful. A nice feature is 'statistics', which gives a character, word, line, paragraph and page count of the document.

I have always been a great fan of the Appleworks database so I applied the test of loading in an Appleworks data base file with some 800 entries. The first time round I was told there wasn't enough memory (this never happened in Appleworks), even after emptying the desktop. I figured I had too many application programs in memory and decided to reboot. This time, after a bit of fiddling around, I was successful.

Most of the original Appleworks functions are incorporated, enhanced now by mouse operation. I soon learnt how to edit, add data, arrange categories, search, delete and do all the things that previously required the pressing of two keys (if I could remember them).

What I particularly liked was the ease of taking data from the data base to the word processor. All you need do is select the desired text and paste it to the clipboard for later retrieval in the word processor document.

I applied a similar test to the spreadsheet, by loading in a fairly large file. There were no problems this time and the usual easy transfer of text to the word processor was again a great feature.


Although I didn't try it out, it is possible, according to the manual, to type data into the word processor for use in either the data base or the spreadsheet. All you do is space each cell or field with a tab space, then copy the text to the clipboard for subsequent retrieval in the other applications.

Additional features compared to the Appleworks spreadsheet include trigonometric maths functions and chart generation, which allows you to generate a pie chart, bar graph or line graph from the spreadsheet data.


Large spreadsheet documents can be printed either by using the sideways print orientation, or by splitting the document into 'pages' that can be printed separately then joined together afterwards.

The graphics


I'm lumping the page layout application and the graphics module together here, although they are separate modules. Most GS graphics packages are similar in operation – almost a case of seen one, seen 'em all. The graphics application in AW GS is



Up to 14 files (windows) can be present on the desktop, and selection is made with the mouse and a pull down menu. You can have several windows (reduced in size) on the screen at once, and can 'drag' text or graphics between them. It is therefore theoretically possible to be simultaneously involved in any or all of these applications; integrate nicely into the page layout module, which is virtually a desktop publisher.



Appleworks desktop publishing module is amazingly versatile, because, in effect, the entire package supports the page layout module. For example, you can draw a picture in the graphics module, prepare text in the word processor, set up a table in the spreadsheet, and combine the lot in the page maker. The program allows you to work with sections of the page, or to view the whole page in a reduced form.



The graphics module was the worst behaved of the six, in that it hung the most, or took forever to fulfill the function.

no exception, although the colour palette editor takes some getting used to.

The usual tools are available, such as a pen, brush, eraser, spray can and a magnifier. A lasso and a 'select' rectangle are used to delete, copy or cut sections of the picture. In general, all the features you would expect, and some besides.

I imported a picture done in Paintworks Plus, although the colour palette didn't come with it, giving rise to rather weird colours. Claris state that most of the graphics programs for the GS are compatible with AW GS.

I found the graphics package the worst behaved of all the modules, in that it hung the most, or took forever to fulfill the func-

tion. However, if Claris attend to this, the graphics section should prove to be most versatile and useful.

Desktop publishing is very popular these days, and having this application in AW GS seems almost too good to be true. It is amazingly versatile, because, in effect, the entire AW GS package supports the page layout module. For example, you can draw a picture in the graphics module, prepare text in the word processor, set up a table in the spread sheet, and combine the lot in the page maker.

The program allows you to work with sections of the page, or to view the whole page in a reduced form. The program decided to visit the never-never land a few

times, but was better behaved when I used my own system disk. Despite this, I am very impressed with this module.

Communications

None of my old communications programs seem to work with the GS, even with an original card in place of the in-built GS serial port, so the communications application was actually the first one I tried.

I hooked up a null modem connection between my GS and IBM computers, and soon had them talking to each other. I was then able to transfer Appleworks files and any ASCII file using various baud rates without any problems.

The communications package seems quite powerful, and supports various protocols. Auto dial and redial is supported, as are Hayes and Apple modems. Xmodem, Ymodem, Binary II and ASCII file transfer formats are also available.

Summarising

I will leave it to other reviewers to expand on my summary of this mammoth program as there will undoubtedly be a lot said in coming months. I believe the program is fantastic, despite the problems that I have had. It has so much potential and is so bloomin' easy to use.

The program is being distributed in Australia by Dataflow, which supplied the review copies and support information. The recommended retail price is \$396, and \$299.95 for schools. However, you can upgrade your old Appleworks or Multiscribe disks to AW GS for \$249.95 (\$159.95 for schools).

What ever the problems are, they must, and no doubt will be fixed (Dataflow has advised me that Version 2.0 is now available). My advice is wait – give Claris a chance to get it right. □

SHADOW COPY

IIGS
Version 1.2

EASY TO USE & POWERFUL DISK UTILITY PROGRAM THAT INCLUDES:

- * Disk Editor with many useful and original functions to choose from
- * Mass Producing Disks
- * Scan Hexadecimal and Positive/Negative ASCII 2-3x faster than copy II plus
- * Backing up disks with less user involvement
- * Backing up any portion of a disk, accurately involving blocks not tracks
- * Independent option for multi-formatting disks

AND

Parameters for backing up protected software to run on hard disk, RAM disk or 3.5 inch 800k disk. Updates for extra parameters available soon. Registered owners may update for \$15 + \$5 P/H (\$10 overseas). To order send cheque/bankcard/visa/M/O to **GREAT ACE SOFTWARE, PO BOX 55, EARLWOOD, NSW 2206**, or phone (02) 558 6054 Monday-Fridays 8.30-12.00am. **Shadow Copy is priced at \$65.00 * include \$5.00 for P/H (\$10.00 overseas).**

WARNING

Great Ace Software are the sole distributors of Shadow Copy. If you have purchased this program elsewhere then it's likely you have purchased a pirated copy of Shadow Copy. If so please notify us. Thank you for your co-operation.

NEW**NEW ADDRESS****NEW PRODUCTS****NEW LOW PRICES****Ph: (02) 681 2722 9am to 7pm • Fax: (02) 632 5298**

VAPORWARE

A Division of Halldale Technologies Pty Ltd

Shop 6 • 282 Guildford Road • Guildford • NSW 2161**CAD PACKAGES**

GENERIC CADD Level 3 **NEW** \$299
GENERIC 3•D & Rendering \$450
 CADD Symbol Libraries available from \$60

COMMUNICATIONS

Brooklyn Bridge 2.0 (NEW Version) \$179
 Carbon Copy Plus (Version 5) \$262
 DeskLink \$242
 LapLink Plus (NEW Version 2) \$202
 Mirror III (NEW Version includes PRISM) \$120
 PC Anywhere III \$188

DATABASE

DBASE IV **NEW** \$CALL
DB FAST Compiler \$210
DBXL Ver 1.2 \$249
Q & A Version 3 \$480
 Quicksilver Compiler Ver 1.2 \$679
 XDB SQL / XDB C / XDB Forms \$CALL

DESKTOP PUBLISHING

Ventura Publisher 2.0 (See New Products) \$1250
 NewsMaster II (NEW Version) \$125
 PageMaker 3.0 (NEW Version) \$1333
 Pizazz Plus \$189
 PFS First Publisher V2.0 \$180
 Publisher's Paintbrush (& FREE Book *) \$385

ENTERTAINMENT

Leisure Suit Larry II \$69
 Police Quest II \$71
 Space Quest II or III ea \$75
 Microsoft Flight Simulator 3.0 \$75
 Kings Quest 1, 2 or 3 ea \$65
 Kings Quest 4 \$75

MICROSOFT SPECIALS

QuickC 2.0 \$110
 QuickBasic 4.5 \$110
 Microsoft MacroAssembler 5.1 \$199
 Microsoft C Compiler Ver. 5.1 \$599
 Microsoft Fortran Compiler V4.1 \$599
 Microsoft Windows 286 \$149
 Microsoft Windows 386 \$289
 Microsoft Works \$260

NEW PRODUCTS**ATHENA BIOS** *only \$95*

Runs CGA programs on Hercules.

3-2-1 BLASTOFF *\$220*

1-2-3 Worksheets recalculate 3 to 15 times faster !! Also provides Minimal Recalc.

1 TO C COMPILER *\$450*

Lotus-to-C Spreadsheet Compiler

THE BALER *\$750*

Compiles Lotus 2.01 Spreadsheets into Microsoft QuickBASIC Programs

DB FAST *only \$210*dBASE Compiler. Faster than Clipper
No Run-time licensing fees.**SOFTSAFE** *\$165*

Auto File Encryption, Hard Disk Access Control, Virus Detection, Screen Privacy.

PROJECT CALC *\$269*

A Project Management add-in for 1-2-3. Produces Gantt & PERT charts. Has full power scheduling, critical path analysis, flexible reports & high quality graphics.

ALLWAYS *\$189*

1-2-3 Spreadsheet Presentation Package.

LOOK & LINK (for Lotus 1-2-3) *\$139***Ventura Publisher 2.0** *\$1250*

Buy 2 or more copies of Ventura 2.0 and get a FREE WordPerfect 5.0. Limit 1 per customer

SIDEKICK PLUS *\$240***SPRINT** (New from Borland) *\$298***Turbo Assembler/Debugger** *\$185***Turbo Pascal 5.0 or C 2.0** *\$185***Turbo Professional** *Pascal 5.0 or C 2.0 \$315***Turbo Prolog 2.0** *\$185***SPREADSHEET**

LOTUS 1-2-3 (Free copy of ALLWAYS) \$590
PC EXCEL \$659
QUATTRO \$279
 VP-Planner Plus (Lotus 2.01 compatible) \$245

SPREADSHEET Add-ons

101 Macros for Excel, 1-2-3, Symphony, SuperCalc, WordPerfect & more ea \$91
IMPRESS (New from PC Publishing) \$199
Allways (New from FUNK Software) \$189
 3-2-1 Blastoff (Lotus Accelerator & Security) \$220
 ProjectCalc (Project Manager Lotus Add-in) \$269
SQZ! Plus (NEW Version) \$139
Worksheet Utilities (5 Lotus Add-ins) \$129

WORD PROCESSING

MS WORD 4.0 (FREE Pageview *) \$499
WORDPERFECT 5.0 \$555
SPRINT (from Borland) \$298
Gram•mat•ik III (Style Checker) \$130
 Legal or Medical Spell Dictionary ea \$125

UTILITIES

Above Disc Version 2.0B \$150
Copy II PC Ver. 5.0 * SPECIAL ***** \$51
Copy II PC Deluxe Option Board \$199
DESQview 2.2 (New Version) \$165
Disk Technician Advanced \$250
D U E T (Print Spooler & sideways printing) \$118
Fastback Plus (NEW Version) \$230
FormTool with Free Greatest Hits \$187
MACE Utilities (New Version 5.0) \$157
MACE Utilities Gold Edition \$225
Memory Mate (Information Manager) \$120
Norton Editor \$92
Norton Commander 2.0 \$108
Norton Utilities Advanced Ver 4.5 \$173
PC Tools Deluxe (NEW Version 5.0) \$110
Print Q (NEW Version 4.0) \$169
PrintMaster Plus \$88
Q.E.M.M. 386 (Expanded Memory Manager) \$90
QDOS II \$90
SoftSafe (PC Data Security) **NEW** \$175
Take Charge \$180
X-Tree \$88
X-Tree Professional \$165

Send Orders

VAPORWARE

to:

P.O. Box 286 • Guildford • N.S.W. 2161Please Tick
Payment Method

- ☐ Bankcard
☐ Mastercard
☐ VISA
☐ Cheque

Expiry Date: ____/____/____

Shipping

\$8.00

TOTAL

Name

Signature

Address

P/CODE

Phone ()

YC 3/89

(All Products are subject to availability and Prices are subject to change without notice)

* While Stocks Last

COMPUTER BOOKS

WordPerfect 5: The Complete Reference \$48.50
 Turbo Pascal: The Complete Reference \$49.50
 DOS: The Complete Reference \$49.50
 dBASE III+: The Complete Reference \$42.50
 PARADOX 2: The Complete Reference \$42.50
 1-2-3: The Complete Reference \$42.50
 1-2-3: Made Easy or DOS 4: Made Easy ea \$35.50
 Using Quick C 2.0 or Using QuickBasic ea \$37.50
 Using Turbo C 2.0 or Using Turbo Pascal 4 ea \$37.50
 Using Turbo Basic or Paradox 2: Made Easy ea \$37.50
 Word 4: Made Easy or W'Perfect 5: Made Easy ea \$36.50
 Advanced Turbo C, Turbo Pascal 4 or QuickC ea \$41.50
 Using EXCEL or Advanced EXCEL for the PC ea \$41.50
 Using QUATTRO: The Professional Spreadsheet \$41.50
 Microsoft Works for the PC \$38.50
 The ABC's of AUTOCAD \$41.50
 Mastering Turbo Pascal 5 (SYBEX) \$41.50
 The Official Book of King's Quest \$24.50
 dBLX and QuickSilver Programming \$46.50
 The Paul Mace Guide to Data Recovery \$44.50

NEW

- the fascinating Chinese game.
- an educational tool for students of all ages.
- an incredible memory resident post code and postage rate calculator.

Expiry _____ Signature _____



A PCW8256 owner, J. Bell, from Engadine, NSW, says that Grace Brothers, in Sydney and Roselands, have a limited range of OCW software. This includes Computer One Spelling Checker, a dictionary with over 63,000 words, and the ability to add more; Iankey, a 'crash-course' in typing, and a two-cassette product called Reel Time, which is designed to teach a beginner to use the Locoscript word processing program.

Strategy Software, PO Box 11, Blackman's Bay 7052 Tasmania, sells a wide range of Amstrad software CPC and PCW software. Write and ask for its latest catalog.

Automatic Basic

From Condobolin in NSW, Bob Abel, writes that after five years of using his Microbee, he finally decided to invest in a PC1512. 'Until recently I had programmed mostly in Basic,' writes Bob, adding that he has purchased GWBasic for his computer. 'The bookkeeping program I have written for my own use is as old as my Microbee.'

'At present, under MS-DOS and GWBasic, my program is much more sophisticated than it used to be, and the following idea was developed in order to speed up access from one part of the system to the other.'

'Briefly, I put a line in the CONFIG.SYS file, DEVICE=RAMDRIVE.SYS 128; when executed on bootup, this installs a 128 K ramdrive, which will be known as drive C: if you don't have a hard disk, and as drive D: if you do.'

```
10 REM FLIPPER
20 DIM A(10),F(4)
30 M = -1:Q = 42:X = 88:P = 0
40 FOR C = 1 TO 9
50 A(C) = Q
60 IF INT(RND(1) + .5) = 0 THEN A(C) = X
70 NEXT C
80 GOSUB 260
90 M = M + 1
100 N = 0
110 FOR C = 1 TO 9
120 IF A(C) = X THEN N = N + 1
130 NEXT C
140 IF N = 1 AND A(5) = X THEN 340
150 IF M > 0 THEN PRINT:PRINT "That was move" M
160 PRINT:PRINT "Number of X is" N
170 PRINT:PRINT "You only need one - in
```

You enter the number of the place you want to 'hit' with your flipper.

```
the middle square"
180 PRINT:PRINT "Which one do you want to flip?"
190 IF INKEY$ (<) "" THEN 190
200 A$ = INKEY$
210 N = VAL(A$):IF N(1 OR N)9 THEN 200
220 P = N
230 GOSUB 370
240 GOTO 80
250 END
260 CLS:PRINT:PRINT
270 IF P (<) 0 THEN PRINT "You flipped" P
280 PRINT:PRINT:PRINT "1 2 3",CHR$(A(1));"
";CHR$(A(2));" ";CHR$(
290 PRINT
300 PRINT "4 5 6",CHR$(A(4));" ";CHR$(A(5));"
";CHR$(A(6))
310 PRINT
320 PRINT "7 8 9",CHR$(A(7));" ";CHR$(A(8));"
";CHR$(A(9))
330 RETURN
340 PRINT:PRINT
350 PRINT "You solved it in just" M "moves"
360 END
370 IF A(N) = X THEN RETURN
380 IF N = 1 THEN F(1)=2:F(2)=4:F(3)=5:F(4)=10
390 IF N = 2 THEN F(1)=1:F(2)=3:F(3)=10:F(4)=10
400 IF N = 3 THEN F(1)=2:F(2)=5:F(3)=6:F(4)=10
410 IF N = 4 THEN F(1)=1:F(2)=7:F(3)=10:F(4)=10
420 IF N = 5 THEN F(1)=2:F(2)=4:F(3)=8:F(4)=6
430 IF N = 6 THEN F(1)=3:F(2)=9:F(3)=10:F(4)=10
440 IF N = 7 THEN F(1)=4:F(2)=5:F(3)=8:F(4)=10
450 IF N = 8 THEN F(1)=7:F(2)=9:F(3)=10:F(4)=10
460 IF N = 9 THEN F(1)=8:F(2)=5:F(3)=6:F(4)=10
470 FOR G = 1 TO 4
480 F = 0
490 IF A(F(G)) = X THEN F = 1
500 IF F = 1 THEN A(F(G)) = Q
510 IF F = 0 AND A(F(G)) = Q THEN A(F(G)) = X
520 NEXT G
530 A(N) = X
540 RETURN
```

Listing 1. Flipper is a rather intriguing game which can provide you with a

considerable degree of mental stretching. When you run the program, you'll see a mix of X and * on a three by three grid. You have to end up with an X in the middle, and eight * surrounding it. Enter the number of the place you want to 'hit' with your flipper. Flipping a corner piece causes those adjoining it to change into their opposites (that is, an X becomes an *, and an * becomes an X). Hitting the middle piece on a side with your flipper causes the two on either side of it to change, and hitting the middle piece changes the middle pieces on each of the sides. The piece you hit always changes in each case. This listing is for CPC machines.

'My AUTOEXEC.BAT file then orders the copying of GWBasic and the menu of the book-keeping system (all of which is also on the disk) into the new drive 'C:', then changes the default drive to C: and issues the command GWBasic MENU.'

Bob points out that any Basic program can be used instead of the MENU.BAS he uses, so long as its size permits it to co-exist in the ramdrive along with GWBasic. He concludes with the advice: 'If you do use a menu in this way, make sure the programs on the menu know where to find MENU.BAS themselves when they are finished. They should all exit with the line RUN C:MENU.'

If you have expanded memory, and you put the whole system in ramdrive, the speed increase is phenomenal.

```
"FLIPPER- Amstrad PC
DIM a(10),f(4)
m = -1:q = 42:x = 88:p = 0
FOR c = 1 TO 9
a(c) = q
IF INT(2*RND) = 1 THEN a(c) = x
NEXT c

LABEL start_here
GOSUB print_out
m = m + 1
n = 0
FOR c = 1 TO 9
IF a(c) = x THEN n = n + 1
NEXT c
IF n = 1 AND a(5) = x THEN GOTO solved_it
IF m > 0 THEN PRINT:PRINT " That was move" m
PRINT:PRINT " Number of X is" n
PRINT:PRINT " You only need one - in the
middle square"
```



```

PRINT:PRINT " Which one do you want to flip?"
LABEL get_input
IF INKEY$ {} "" THEN GOTO get_input
LABEL read_it
a$ = INKEY$
n = VAL(a$):IF n<1 OR n>9 THEN GOTO read_it
p = n
GOSUB make_move

GOTO start_here
END

LABEL print_out
CLS:PRINT:PRINT
IF p {} 0 THEN PRINT " You flipped"p
PRINT:PRINT:PRINT " 1 2 3",CHR$(a(1));"
      ";CHR$(a(2));" ";CHR$(a(3))
PRINT
PRINT " 4 5 6",CHR$(a(4));" ";CHR$(a(5));"
      ";CHR$(a(6))
PRINT
PRINT " 7 8 9",CHR$(a(7));" ";CHR$(a(8));"
      ";CHR$(a(9))
RETURN

LABEL solved_it
PRINT:PRINT
PRINT " You solved it in just"m"moves"
END

LABEL make_move
IF a(n) = x THEN RETURN
IF n = 1 THEN f(1)=2:f(2)=4:f(3)=5:f(4)=10
IF n = 2 THEN f(1)=1:f(2)=3:f(3)=10:f(4)=10
IF n = 3 THEN f(1)=2:f(2)=5:f(3)=6:f(4)=10
IF n = 4 THEN f(1)=1:f(2)=7:f(3)=10:f(4)=10
IF n = 5 THEN f(1)=2:f(2)=4:f(3)=8:f(4)=6
IF n = 6 THEN f(1)=3:f(2)=9:f(3)=10:f(4)=10
IF n = 7 THEN f(1)=4:f(2)=5:f(3)=8:f(4)=10
IF n = 8 THEN f(1)=7:f(2)=9:f(3)=10:f(4)=10
IF n = 9 THEN f(1)=8:f(2)=5:f(3)=6:f(4)=10
FOR g = 1 TO 4
  f = 0
  IF a(f(g)) = x THEN f = 1
  IF f = 1 THEN a(f(g)) = q
  IF f = 0 AND a(f(g)) = q THEN a(f(g)) = x
NEXT g
a(n) = x
RETURN

```

Listing 2. Flipper for PCs running Basic2.

Re-inking ribbons

Allan Barry in Yellow Rock, NSW, has discovered a low-cost way of getting around

the fast-fading print from a used ribbon on the Amstrad DPM2000 printer.

Allan writes: 'After the excitement of having the first printout from your computer on the DPM 2000 has worn off comes the realisation that the print quality from that skimpy band of ink ribbon on the printer also soon begins to fade, and its time to pay another \$15-\$20 for a new ribbon.

'I think, however, I have now found an economical solution – re-inking. I found a source of 'lubricant ink for the dot matrix' in Aussoft, Cleveland in Queensland. The company informed me that the re-inking devices which it had were unsuitable for the DPM 2000, and suggested how to go about re-inking the ribbon myself. For under \$10, the helpful staff posted me a small plastic bottle of ink.

'To actually apply the ink to the ribbon, proceed as follows. First, set the computer to get the printer busy for a while. Load the printer with several pages of scrap computer paper, then boot up the computer, type <graphics/r>, and then with a suitable graphics program loaded to a < Shift Prt Sc> screen dump.

'Once this is underway, and the ribbon is moving in the printer, comes the time to actually apply the ink! The ink comes with a special top which, when twisted carefully, allows a small amount of ink to be applied directly to the ribbon. I decided that the best spot was on the right hand side of the print head.

'So you apply the ink directly to the moving ribbon, smoothing out any of the bigger blobs with a match. Keep at it until it looks fairly even around the entire ribbon. The print out looks pretty messy, but once the ink has been absorbed by the ribbon, it evens up very well.

After all this marathon work, Allan reports that his current ribbon is still working well after five complete 're-inks', and shows no sign of wearing out.

We'll be including 'Your Amstrad' in future issues of the magazine. I'd be interested in hearing from any companies making, or importing, software and/or hardware for any of the Amstrad computers. As well, I'd be more than happy to share any of your discoveries, hints, tips, comments and programs with other users, along with details of any Amstrad-specific user groups. A copy of my 'Amstrad PC Users Companion' (disk and manual) will be given to anyone supplying PC hints which are used in this column. I also have some CPC software to provide in return for CPC hints. Please write to 'Your Amstrad', Tim

Hartnell, *Your Computer*, PO Box 227, Waterloo, NSW, 2015. □

```

10 REM MULTIPRECISION FACTORIALS
20 REM FACTOR.BAS
30 CLS
40 DIM Z(3000),M(3000)
50 INPUT "WHICH NUMBER";A
60 B=1:Z(1)=1
70 PRINT:PRINT "Please stand by..."
80 FOR C=1 TO A
90 D=0
100 FOR E=1 TO B
110 Z(E)=Z(E)*C+D
120 D=INT(Z(E)/10):Z(E)=Z(E)-10*D
130 NEXT E
140 IF D=0 THEN 170
150 B=B+1:Z(B)=D:D=INT(Z(B)/10)
160 Z(B)=Z(B)-10*D:GOTO 140
170 NEXT C
180 PRINT:PRINT "Please stand by..."
190 T$=""
200 K=0:M=-1
210 FOR J=1 TO B
220 K=K+1
230 M=M+1:IF M=3 THEN M(K)=44:M=-1:GOTO 220
240 P=Z(J)+48
250 M(K)=P
260 NEXT J
270 PRINT STR$(A);"! IS ";
280 FOR J=K TO 1 STEP-1
290 PRINT CHR$(M(J));
300 NEXT J

```

Listing 3. The exclamatory factorial – I have previously pointed out how calculations of virtually any degree of precision could be carried out if they were done one digit at a time, and each digit was saved in its own element in an array. As a further development of that idea, this listing (which runs on both the CPC and PC models) can be used to calculate factorials. As you probably know, a factorial number is shown by following the number with an exclamation mark, so 5! is factorial 5, and 27! is factorial 27. To work out a factorial number, you calculate the product of all the numbers starting at 1 up and including the number itself. Factorial numbers grow at a distressing rate. While 5! (which is 1 x 2 x 3 x 4 x 5) is just 120, 9! is 362,880. And 99! is 156 digits long, with 768! some 1882 digits long (and taking several hours of computer time to calculate). You can prove this with our program.

DICK SMITH ELECTRONICS

Great Savings All This Month On Computer Peripherals!



**\$10 OFF
All 3-in-One
Software!**

**Suits IBM, Apple
& Commodore!**

Were \$29.95 Now **\$19.95** ea

Note: IBM titles listed. Titles may vary in other formats.

ARCADE GAMES - Red Baron, Paratrooper, Frogger, Cue, Invader, Golf, QBC and Archery in one Pack! Cat X-9025


CHALLENGER PACK - Chess, Backgammon, Yahtzee, Flip-It, Space Trek, Flight Mare, Space Bugs and Round 42! Cat X-9026

VEGAS GAMES - Blackjack, Poker, Craps, Roulette and Solitaire. Cat X-9027

ADVENTURE QUEST - Computer Battleship, Hi-Cue, Flipper and Fire Out! Cat X-9028

**SPECIAL OFFER!
Working Without Strain**

Like to have the resolution, the clarity of a TTL monochrome monitor but your machine only has a CGA card fitted? Well get in for our amazing special offer! Paper white TTL monitor and Hercules compatible MGA card at this once only low price. **Monitor** Cat X-2400 **MGA Card** Cat X-8141




Both For Only

\$249

Save \$99


**Suits Atari,
Commodore,
Sinclair, etc.
Fast
Action
Joystick**



A low cost joystick that gives high quality performance. Uses microswitches instead of contacts, so it's ultra reliable! Cat X-3830

\$29.95

Just



DISK-KIT!

Software And storage In One Hit.

It's by far the best way to buy your floppy disks. Disk-Kit comes with 50 high quality Xidex DS/DD 5 1/4" diskettes, impact resistant plastic storage box with lockable lid....Plus Data Manager PC software. Cat X-3522


Unbelievable Value! Only

\$149

SPECIAL PURCHASE!

Top Name Internal

Modem. The manufacturer blew-it, so you've got the chance to get the amazing Bit Blitzer Internal Modem at a fraction of its normal cost. Comes with full guarantee and all the Bit Blitzer features. Cat X-3304



\$199

ENORMOUS SAVINGS - LIMITED STOCK ITEMS!

- Baby AT Motherboard 6/8/10/12MHz Cat X-1000 Save \$150 **\$399**
- XT/AT 360/1.2M Floppy Disk Controller Cat X-2014 Now Only **\$89**
- DSE V21/V23 Modem Cat X-3300 **\$50 OFF \$149**
- RS232 Breakout Box Cat X-3568 Near 1/2 price! **\$14.95**
- Backgammon IBM Software Cat X-9016 **\$20 OFF \$49.95**
- Mouse Systems PC Paint Plus Cat X-9500 Only **\$49.95**
- GW BASIC for Multitech Computer. Genuine Microsoft Version. Limited Stocks Only. Cat X-5249 Outstanding Value! **\$19.95**

Cable Savers!

- Serial Cable 25FM - 25M Cat X-3564
- Serial Cable 25M - 25M Cat X-3574
- Parallel Printer Cable. Suits IBM Compatibles. Cat X-8614

**All Just
\$24.95ea**

• NSW • Albury 21 8399 • Bankstown Square 707 4888 • Blacktown 671 7722 • Bondi Junction 387 1444 • Campbelltown (046)27 2199 • Chatswood Chase 411 1955 • Chullora 642 8922 • Gore Hill 439 5311 • Gosford 25 0235 • Hornsby 477 6633 • Liverpool 800 9888 • Maitland 33 7866 • Miranda 525 2722 • Newcastle 61 1896 • North Ryde 88 3855 • Parramatta 689 2188 • Penrith (047)32 3400 • Railway Square 211 3777 • Sydney City 267 9111 • Tamworth 66 1711 • Warringah Mall 905 0441 • Wollongong 28 3800 • ACT • Fyshwick 80 4944 • VIC • Ballarat 31 5433 • Bendigo 43 0388 • Box Hill 890 0699 • Dandenong 794 9377 • East Brighton 592 2366 • Essendon 379 7444 • Footscray 689 2055 • Frankston 783 9144 • Geelong 43 8804 • Melbourne City 326 8088 • Richmond 428 1614 • Ringwood 879 5338 • Springvale 547 0522 • QLD • Brisbane City 229 9377 • Cairns 311 515 • Chermide 359 6255 • Redbank 288 5599 • Rockhampton 27 9644 • Southport 32 9863 • Toowoomba 38 4300 • Townsville 72 5722 • Underwood 341 0844 • SA • Adelaide City 223 4122 • Beverley 347 1900 • St. Marys 277 8977 • Elizabeth 255 6099 • Enfield 260 6088 • WA • Cannington 451 8666 • Fremantle 335 9733 • North Perth 328 6944 • Perth City 481 3261 • TAS • Hobart 31 0800 • NT • Stuart Park 81 1977

ORDER BY PHONE TOLL FREE (008) 22 6610 FOR 24 HOUR DESPATCH



SCSI, transputers and the 500!

AS I PROMISED last month, I'll start this month with a report on the meeting I enjoyed with Tony Cuffe, Commodore's Amiga Product Manager for Australia. To my delight I discovered that Cuffe is not merely a 'marketing type' but is a real computer (read Amiga) enthusiast. He speaks proudly of the 'super Amiga' which lives on his desk, with its multiple hard drives, massive memory, flicker-fixer card.

The keynote of the discussions with Cuffe was the restructuring of the Commodore organisation in this country. Commodore will continue to market the C64, C128 and Amiga 500 through its established dealers as well as through mass outlets such as K-Mart and Grace Brothers. In Cuffe's words, these machines will be sold 'the same way as a box of chocolates or a pair of socks'. The huge sales volumes anticipated should enable the Amiga 500 price to remain stable or even drop in the forcible future.

The Amiga 2000, 2500 and forthcoming Amigas and Commodore's IBM compatible machines will be distributed by Commodore Business Machines, and will be retailed only through carefully selected specialist outlets. Commodore Business Machines (hereafter called CBM) are very serious about attacking the business and Government markets. Its strategy is quite straightforward.

The Commodore 80286 and 80386 powered IBM compatibles will spearhead the business thrust. Amigas will be introduced into market niches where their graphics, desktop publishing and animation capabilities are best suited. CBM is confident that once business users are exposed to the Amiga's multi-tasking operating system and friendly workbench interface, they will become hooked.

The Amiga 2500 in a form known to the Australian Public Service as the CBM A2020 is one powerhouse machine. Based on the Amiga 2000, it uses the 68020 chip running at 20 MHz on the Amiga side and a 80286 chip to power the PC/AT bridge-board. This machine is now available on the Public Service's PE 30 Panel Period Contract (listed at \$7373 complete - makes you weep!) and is selling like hotcakes to various Departments.

I, for one, hope it succeeds. After a year or so of using the 2000 in my day to day work I would be totally lost without it. In fact I became so keen on the 2000 that I

A 68030/68882 board for the Amiga 2000 (and upwards) which supports a megabyte or two of 32 bit memory will produce performance comparable to a VAX minicomputer.

recently sold my old faithful 1000 and moved up to the 2000.

Ripped-off (almost)!

I had lodged an advertisement in my local fishwrapper for my 1000. The advertisement was due to be published on Saturday and I planned to go about shopping for my 2000 during the following week. At lunchtime Friday, my mate George phoned me and, in the course of conversation, asked what I thought about the price increase for the 2000: 'What are you talking about, George?'

George informed me that he had been talking that morning to X (a Commodore staffer who shall remain unnamed) who had told him about the price rise scheduled to take effect from the following Monday: old price \$2995, new price \$4995. What to do? A quick phone call to my (then) favourite dealer: 'Do you have an Amiga 2000 B model in stock and how much is it, please?'

The gentleman on the other end of the phone informed me that the price was \$4995. 'What!!' said I. 'Isn't the 2000 about \$3,000?' 'Oh, no,' said he. 'There was a price increase last Monday.' I

It's blatant lies like that which convert favourite dealers to ex-favourite dealers in double quick time! When I pursued the matter, he offered to check whether they might have one machine left at 'the old price'. After five minutes or so he returned to the phone to tell me that I could buy one at the 'old price' if I hurried in and bought it that very day. (I won't bore you with the details of my begging and crawling on the floor of the loans department at Commonwealth Bank Woden. Suffice it to

say that I scraped together the necessary and rushed to Fyshwick *tout de suite*.)

The moral of the story involves the timing of the price rise. According to my reliable sources, CBM raised the price of the A2000 effective Monday the 19th. The salesman tried to convince me that the price rise was effective Monday the 12th. I wonder how many less well informed purchasers were ripped off by the same sort of sales ploy. This sort of practice doesn't do the industry any good at all and it may be some time before I do any further purchasing from that store.

As for the price rise itself, CBM inform me that, due to the very high price of Dynamic RAM chips for the Amiga 2000's megabyte of memory, they have been operating on a very slender margin for some time and a price rise was way overdue. The higher priced machines are also supplied with two internal floppy drives instead of the original one.

(Another whisper I heard has it that CBM became aware that a 2000 at \$2995 could be upgraded to the same specs as an Amiga 2500 for rather less than the cost of a 2500.)

I have my own theory about the new pricing. As CBM move into more aggressive marketing of the 2000s it intends to retail the machines in direct competition with the Apple Macs and the IBM PS/2s. At \$4995 the Amiga 2000 still represents pretty good value compared to these other machines, and at that price CBM can offer the retailer a fat enough commission to make it well worth their while to push the Amigas. There might even be enough left over for CBM to make some more of those atrocious and grossly overpriced ads unnecessarily featuring J. Laws Esq.

If I could be so bold as to make a suggestion about advertising, Messers CBM. How about a nice simple ad showing an Amiga 2000 doing what it does best - running multiple tasks simultaneously. Show its fantastic graphics and animation. Show it producing brilliant full-colour desktop published documents. Show how an IBM PC/AT compatible computer can be run as just one of several simultaneous tasks under AmigaDOS. Let the damned thing sell itself and forget the idea that you need a 'credibility' figure like John Laws. With the money you save (and we're talking seven digits here!) invest in improved customer support and maybe even a remodeled Club Amiga.

Give me a minute to climb down off my soapbox and I'll continue with the news about my meeting with Tony Cuffe. There was some interesting news for Amiga 500 owners. A couple of exciting peripherals to add speed and power to your machine when you're ready to move up from playing games. One device is a box which will plug onto the expansion port on the left end of your 500. The box will contain an extra megabyte of RAM and a controller for SCSI devices.

SCSI

SCSI (pronounced 'scuzzy') is an abbreviation for Small Computer Systems Interface and it has become the most popular way of connecting such things as hard disks, optical disks and exotic tape drives to a microcomputer. A SCSI interface opens up a whole world of available (and reasonably priced) peripherals. SCSI peripherals can be daisy-chained so that up

It's blatant lies like that which convert favourite dealers to ex-favourite dealers in double quick time!

to eight devices can be strung off one controller.

If Commodore can release the device at a competitive price it should make a killing and a whole lot of happy customers at the same time.

Other soon to be released peripherals include a large screen non-interlaced hires monochrome monitor – just the thing for desktop publishing specialists. The large screen should permit full-page or

even double page display *a la* the large screen Macintosh display.

A 68030/68882 board for the Amiga 2000 (and upwards) which supports a megabyte or two of 32 bit memory will produce performance comparable to a VAX minicomputer. Commercial animators and video production facilities will appreciate the incredible graphics handling power of this combination. Complex ray-traced images will be produced in a small fraction of the time required by the standard 68000 powered machines.

For those whose need is for speed, a Transputer card is soon to be available for the 2000 range. Forget about minicomputer speeds. The world of transputers takes micros well into the realm of mainframe crunching capability. Of course it all comes at a price and I doubt we'll see too many home Amigas sporting Transputer cards – well not those of us who have to work for a crust anyway.

The importance of all this exotic carry-on is related to the ever increasing number and range of uses to which Amigas are being put. Every time someone finds a new application for the Amiga, all Amiga owners benefit from the increased range and choice of software which becomes available.

Obviously, some software developed for use on an Amiga 2500 with a Transputer card will not be usable on a 500 with standard 512 Kbyte memory, but some will be. And the sort of people who will be developing software for such a machine are likely to be involved in some pretty interesting fields. The prospect for some very exciting new software looks good.


Comic Setter

Back to earth, Gregg. This month's images were produced by a rather neat package called Comic Setter from Gold Disk, the makers of Page Setter and more recently Professional Page (reviewed by Robert Thirlwell in the January issue).

Comic Setter allows the production of traditional style comics using the familiar frame and speech bubble presentation. As you would expect from Gold Disk, the quality is good. The package does what it does very well, without drama, and the manual is easily readable and understandable.

As is obvious from the images, colour is well supported and, of course, the package talks IFF graphics format. Lots of fun for those of us who have always wanted to create comic style presentations but were not blessed with Da Vinci's ability.

Cheers for now. □



Comic Setter allows the production of traditional style comics using the familiar frame and speech bubble presentation. The package talks IFF graphics format and does what it does very well, without drama, and the manual is easily readable and understandable.

Faster STs!



THE ATARI ST has an inbuilt accessible palette of 512 colours. There are various art programs on the market that increase the colour range even further, but unless your colour monitor is set to distinguish between each one of these colours you do not have access to the full range of colours possible, regardless of the number of colours the computer can generate. There is no point having the colours available if your monitor cannot or does not show them.

Most colour monitors (regardless of make or model) have been set too high, that is, they do not show the bottom end of the colour range. You can check this yourself by loading in a paint program and setting the RGB values (red, green, blue) for eight colours as follows – 000, 111, 222, 333, 444, 555, 666, 777. This gives you six shades of grey, plus black and white.

Draw a large rectangle, divide it into eight areas and fill each area in the sequence shown above. You should be able to distinguish each shade from its neighbour. If you can't, then adjust your colour settings (brightness, value and so on) until you can.

For real accuracy check the four bottom values. Set another three palette spots to RGB values of 100, 010, 001. (The darkest red, the darkest green, the darkest blue). Draw another rectangle or box and divide it into four. Fill these boxes with black, dark red, dark green and dark blue. It may be difficult to see the differences in the colours, but they should be there. You should not have a solid black area but differing shades of very deep dark colours. If you cannot tell the difference between these colours, then your monitor is not giving you access to all the colours available on your standard ST.

This problem, together with the horizontal vertical aspect ratio mentioned in the January column, is not specific to Atari. You will find, if you check, that most monitors, regardless of the computer they are hooked up, to have not been adjusted correctly. It is usually a case of near enough is good enough when they leave the factory, and very few people bother to check and adjust the original settings.

The soft blitter and the blitter chip

We have been hearing about the fantastic blitter chip for some years now. I have yet to fully appreciate the powers of this won-

I have yet to fully appreciate the powers of this wonderful chip, but I doubt that I will ever have one installed in my 1040ST.

derful chip, but I doubt that I will ever have one installed in my 1040ST. It's not that I am a doubting Thomas (I know the Megas have the blitter installed these days), it's just that for my purposes I found an alternative.

Turbo ST (by SoftTrek) is a piece of software that gives you the speed of the blitter chip without having to go to the expense or the trouble of having it and the new ROMs to access the chip, installed.

Turbo ST speeds up the display of characters, which means that any program that puts text on the screen without bypassing the operating system will run faster. This is very noticeable when flipping through pages of text.



Turbo ST speeds up the display of characters, which means that any program that puts text on the screen without bypassing the operating system will run faster. This is very noticeable when flipping through pages of text. ST Writer's paging and scrolling speed is increased by 100 per cent (but there is no difference in the speed of graphics handling).

The reason Turbo ST increases the speed of text operation is that it optimizes GEM (the operating system of the Atari ST). The GEM environment is written in C, and although it is a powerful and user friendly interface, it is not as fast as it could have been. Turbo ST is written in 68000 Assembly language and intercepts some of the slower C-written GEM routines and reroutes them to the assembly code, thereby speeding up the process. And it works – I can see the difference (with my naked eye) between a Turbo power up and a non-Turbo power up.


This nice piece of programming sits on the desktop as a desk accessory and is loaded in at bootup. Which means if you power up with Turbo ST and then find you don't want it around, just access the desk accessory and turn it off.

The blitter chip itself, once installed, also sits on the desktop and can be turned on or off as required (this option is provided as it is reported that some packages will not run with the blitter installed). The chip's main function seems to be graphics oriented in as much as it increases the speed (up to 25 per cent) of the GEM functions associated with line and box drawing. It takes over the block graphics manipulation tasks from the CPU. This, in turn, speeds up the block cut and paste operations, and allows faster work on programs such as Cad, drafting and art packages.

On reflection, perhaps one needs both the soft blitter (Turbo ST) for text manipulation and the hard blitter (blitter chip) for graphics manipulation. The only way to be sure about this is to test both and then decide what your main areas of use are and whether the associated costs of increased speed of operation will be cost effective.

How to get faster, cheaper

If you are not into spending money but still want the speed, try running your programs from a RAM disk. This is a good al-



The main function of the blitter chip (labeled S8824 in the photo) seems to be graphics oriented in as much as it increases the speed (up to 25 per cent) of the GEM functions associated with line and box drawing. It takes over the block graphics manipulation tasks from the CPU.

ternative for those who cannot afford the luxury of a hard disk drive. There are a number of Public Domain and commercial RAM disks available.

Set up your RAM disk, allow sufficient

room to load in your application program (word processor, art package, database, whatever, plus enough room for your own files) and then start working. The speed of the program won't change, but every time

you access the drive for reading or writing to disk it will be done with incredible speed.

Using a RAM disk is also an extremely good idea if your application program constantly reads or writes to disk (some data base programs are notorious for this). Not only does it save you time, but also wear and tear on your drive. The only problem is that you have to remember to save everything off the RAM disk back to your floppy disk before turning off the computer.

Hard drives

If you are into spending real money for speed and storage, then keep reading. The SH205 20MB hard drive has been superseded by the Megafile 30 (\$1415) and the Megafile 60 (\$1695). These units replace the original Chinon drive with a Miniscribe mechanism. Apart from giving you more storage capacity the speed of operation has also increased - 40 ms against 65 ms. □

New product lines

March 1989 at the Sydney PC89 show has been designated as the official Australian release for a variety of new product hardware lines. These include an Atari pocket PC, the Atari ST laptop, a 32-bit Unix workstation based on the Motorola MC68030 (TT68030 Unix Workstation) and the ATW Workstation.


The ATW (Atari Transputer Workstation) using the Inmos T800-20 processor and the Helios operating system with an estimated price tag of under \$10,000 (no, that is not a misprint!) is designed for applications requiring accelerated high resolution graphics, lots of memory, fast storage and networking capabilities. The

main areas of use seem to be Cadd, animation, 3-D modelling, desktop publishing and artificial intelligence, but as the workstation's strengths and limitations are tested through usage, I'm sure this list will expand to encompass many more areas.

If all does go to plan and these products do make it to these shores in time for the Sydney PC89 show, go take a look at them. With this type of extension to the Atari line it looks as if someone up there is really serious about getting into the commercial and upper education markets. If Atari can pull this off, then watch them fly!

STEWART FIST

SPLITTING THE II?



I'VE JUST SPENT a lot of time reviewing the new AppleWorks GS and, to put it mildly, I'm not impressed. There will be a lot of people who will think that I'm being overly harsh. 'You've got to expect a few bugs with a program that complex,' is what they will say.

But I think this is missing the point entirely. The program is too complex, not only for the programmers, but also for the computer and the users. And, to add to the problems, I could also make a case for saying that the computer is also getting too complex for the user – it is getting to the point where you need a couple of megabytes of memory and a 40 Mbyte hard disk!

Imitating the Mac

If the Apple II series was the company's only product line, then you could accept and comprehend the direction that Apple has been taking with the GS. But with the Macintosh now a substantial player in the corporate market, and a raging success even from the company accountant's point of view, it is hard to see why Apple are trying so hard to imitate the Mac.

It is almost as if they see the GS as a junior-Mac-with-training-wheels, and this

The program is too complex, not only for the programmers, but also for the computer and the users.

is a mistake: the Apple II series has always had a character of its own.

Not every car has to look like a Holden Commodore, and the unisex fashion is no longer *de rigueur* among the trendies, so why do Apples and Macs need to look and function alike. Why not just say *Vive la difference* and recognise the II series for what it is?

It seems to me that the Apple IIe, IIc and IIGS fit into a market range which broadly extends from the home hacker (in the original sense of the word) to the small business, with general-purpose home and educational use in between.

There are some isolated pockets of Apple II use in the wider computer market

as well. For instance, the IIe is a favourite in universities and scientific research establishments because it is easy to design and make specialised plug-in boards for it, and so it is widely used for data capture in scientific experiments.

There is a similar application in electronic communications, and to a degree for machine control: it is an easy machine to adapt to a wide variety of specialised applications and, what is more, it is *reliable*. Telecom, for instance, use them for clocking up long-distance telephone charges because, as one technician put it, 'you can tap dance on the lid and they still keep running.'

And Apple IIs are reliable because they are relatively simple. I'm not talking just about the number of components, although this is a factor, but about the use of tried and tested, old-fashioned 8-bit technology – until the GS came along.

Reliability . . .

Reliability isn't only in the hardware either. As a consequence of the limited addressable memory (theoretically 64 kilobytes, although this was partly overcome by bank-switching), Apple II programmers generally take the simple and straight-for-

ward way out. They use character-based screens rather than the memory-hogging graphic-based ones, and they keep applications small so that it is no big deal that the processing chip churns along at only 1 MHz.

And, so far, we've had no real hassles with the operating system. The old DOS 3.3 was reliable but antiquated, and the new ProDOS 8 chugs along pretty well. Personally, I think the present IIe with perhaps a bit more memory (512 Kbyte would be ideal) and at least one 3½ inch drive is pretty much all that's needed for a ideal general-purpose home, education or small-business computer.

I don't go along with the need for colour (although its nice to have for game-playing), and I think swinging hard disks on this machine is crazy – especially nowadays when you can put 1.4 Mbytes on a 3½ inch floppy. Also: mice are nice – sometimes – but, generally, keyboards are better.

I've never yet found a Macintosh program that is as simple and easy to use as AppleWorks. Even MacWrite, the most basic of all Mac programs does little more of substance than the W/P module in AppleWorks, but it needs an application size of 80 Kbyte, plus a big Finder, an enormous System, and 256 Kbyte of ROM to do it.

At present, there are strong rumours around that Apple are working now on a

Super IIGS machine based around Western Design's new 65832 processing chip. The present IIGS uses the 65816 chip which gives it the hybrid 8/16-bit functions, and the new chip is said to extend this up to the 32-bit range.

What is more, the 65832 (which won't be in production until 1990) is said to be capable of running 8-bit, 16-bit and 32-bit programs, and have an addressable memory space in the multi-gigabyte range. So, finally, the Apple II line will be stretched to the level of the Mac.

But think about it! Any machine that has 8, 16 and 32-bit capability is necessarily going to be much more complex 'hardware-wise' than a straight 32-bit machine. And think about the necessary complexity of the operating system; or perhaps the term 'systems' is more appropriate. What is this going to do to the legendary reliability?

I think the designers and philosophers (at Apple and at many computer companies) get carried away with the idea of the 'universal machine', and with the need to constantly upgrade speed and memory size. They often can't leave well enough alone, and they think that it is far better to jam two functions into one machine, rather than have two machines each specialising in the one function.

Fax boards

You can see this with facsimile at the pre-

sent moment. Any reasonable plug-in fax board is going to cost you more than a cheap standalone fax machine, and it will only ever have half the functions – and even less functionality. One of the values of fax is that it is capable of transmitting handwritten notes, annotated copy, plans, drawings and so on; you can only get this with your PC if you have an optical scanner attached.

On the output side you've only got fax quality if you are feeding a laser printer. And then in terms of availability you will need to leave your computer linked permanently to its own phone line, ready to take incoming messages at any time. And you will only get this if you dedicate the machine or do all your work on a multi-megabyte PC with a Intel 386, or a Mac II with the Motorola 030 chip.

You need this level of machine to run a true multi-tasking operating system like OS/2 or the coming versions of the Mac's Multifinder. What you've had to do is quadruple your processing power to gain 10 per cent functionality for 1 per cent of your working time.

And remember. You are doing all this to avoid buying a standalone unit for about \$2000 – which, incidentally, would also double as an multi-memory automatic dialer, second telephone, and (with some) a phone answering machine.

This 'universal machine' cult has gone too far already. I am quite happy to have

Update

I RECENTLY obtained another copy (still supposedly version 1.0) of AppleWorks GS, and I've looked at it again. A number of people, whose opinions I respect, have used the program and don't think it's as bad as I do.

The second copy works much better than the first. It certainly doesn't hang consistently, but it exhibits a couple of other minor (but worrying) faults that I didn't see the first time.

On carefully comparing the two sets of disks, it appears that the system disk has been modified; the Last Modification dates don't match on a number of system files. Also note that the AppleWorks GS system disk has been greatly modified from the original GS/OX, which is the reason why phantom files appear (or disappear) depending on which system you've loaded. There are

a whole mass of special files in the system-setup folder on the AppleWorks system disk that don't exist on the standard one.

My problems with the communications module seem to stem from the program not liking the NetComm Pocket Modem (although all my other programs do), and a couple of other 'hangs' may have been due to the program looking for a data disk and not finding one; but these are still genuine faults – the program shouldn't hang.

AppleWorks GS is a very complex program with all these modules and there are literally thousands of permutations, combinations and sequences of use, so no two systems (or one system used twice) will act the same. You'll find variations depending on how the startup was configured, how

much RAM you've got and so on. It also doesn't work well with some third party RAM expansion cards, I hear.

I think some of my other problems came from loading four modules at start-up, and not leaving enough RAM space – but still, it shouldn't hang. Others were undoubtedly caused by the original system disk and/or the alignment of the planets that week!

This new version, I stress, is much more reliable than the first, especially when you give it space to work. But it still doesn't alter my overall impression of the program.

Peter Beard, manager of Claris Australia, advises that Version 1.1 was to be released in late February. Free upgrades will be available to those who have purchased AppleWorks GS Version 1.0.

my telephone as a standalone unit; I don't need it built-in to a Super IIGS. I would only buy a fax board if it were a fraction of the price of a comparable stand-alone unit. And I'm quite happy now to have my CD Audio player (at \$199) as a separate unit to my CD ROM, and to feed my music through a standard amplifier, rather than through some multi-mega MIDI computer program which requires Multifinder to play music while I work.

I'm not objecting to all these programs and toys existing as add-ons to any computer, but they are novelties for hackers to play with, or status-symbols for businessmen, rather than serious applications or peripherals for workers.

So frankly, I'm quite happy to see Apple working on a Super GS with 32-bit capability, with total graphic/desktop screens in 16 million shades of colour and builtin MIDI quadraphonic sound with both hot and cold running water, but let's break it away from the Apple II line and not allow it to destroy what we've already got – a good, simple, fairly basic workhorse.

Instead of concentrating on deluxe refinements, I'd much rather see them

What is the use of Multifinder when three-quarters of your programs need different system version numbers?

looking at modular programming that will let me customise programs like AppleWorks – dispensing with features that I don't use, and adding things like simple macros and communications, that I do. We are still a long way from getting the IIe up to its full potential in a simple way, so why make life more complicated?

System and Finder

Next year Apple will finally come to the crunch with the Macintosh operating system. It's tried desperately to hold the Mac

range together by additions and clever modifications to their System and Finder, but the present Version 6.0 for the Mac II seems to be as far as it can go. It has reached the stage where hardly any of the old programs work on the new system any more. What is the use of Multifinder when three-quarters of your programs need different system version numbers?

Apple now need to strike too many compromises to keep the old and the new Macs with the same system, and this is seriously limiting the way the Macintosh II can develop. Apple can't get the machine to anywhere near its full potential without discarding compatibility with the old Macs, so this year the operating system must undergo fission into two distinct entities. From here on, the Mac will effectively be run as two distinct computer lines.

It could be that we've reached this stage of development with the Apple II line as well, with the old 8-bit Apple IIs remaining behind while the 16/32-bit GS goes its own way. If this is so, then the quicker the Siamese Twins are separated, the better. □


CONTROL FROM YOUR PC!

FEATURES

- ★ IBM-PC SOFTWARE INCLUDED
- ★ 8 Isolated 24V AC or DC inputs
- ★ 8 SPDT long-life relay outputs
- ★ 1,000 Volt rms isolation
- ★ Screw terminals accept 1.5mm wire
- ★ LED's indicate input/output state
- ★ Powered from 5VDC or 9VAC source
- ★ Relays remain off when powering up

- ✱ Operated through any IBM-PC Printer Adapter
- Externally mounted, expands to 240 I/O

*Other input/output options available.



APPLICATIONS

- ★ Home/Business security systems
- ★ Process monitoring and control
- ★ Laboratory automation
- ★ Quality Control testing
- ★ Environmental switching
- ★ Energy management

I/O Board shown*
PC-IO-NR-24VAC



PROCONtechnology

BOX 43, ESSENDON 3040, VIC.

AUSTRALIA. TEL. (03) 336 4956

FREE READERS' CLASSIFIEDS

Atari

Atari ST contacts wanted. Guaranteed reply. Please write to Graham Matthews, PO Box 194, Doveton 3177 Victoria.

Apple IIe

Apple IIe software for sale. \$4 a disk. Phone (068) 22 1113

Printer buffer

New 64-256 Kbyte printer buffer design release. Ver. 4.0 and REV G boards now available. Double sided PCB, EPROM and instructions \$39. Optional additions include 2 x 7 SEG LED front panel display of per centage full, 1 to 99 copies select, 3 polled computer inputs, printer switched, computer switches and serial converter boards. For a fee catalog send a 39c stamp to Don McKenzie, 29 Ellesmere Crescent, Tullamarine 3043 Victoria.

For sale

Microbee 64 Kbyte computer with twin disk drives, Beethoven music device, new amber monitor and lots of software. \$600

ono. Phone Jonathan on (047) 58 6731.

Accessories

RS 232C accessories. From \$14.95. For details write to Mr R. J. Jaunay, 21 Grove St, Unley Park 5061 SA. Include ssae.

DEALERS, distributors, mail-order houses and other commercial organizations or individuals who have a message to spread can take advantage of our Market Directory - small ads to help those searching for outlets, services and equipment. For details contact *Your Computer* on (02) 693 6626 or write to PO Box 227, Waterloo 2017 NSW. DISPLAY ADVERTISEMENTS (50mm deep x 60mm wide) in the Market Directory are \$125 per insertion if finished artwork is supplied (Set and Makeup is \$40 extra for the first insertion only). Payment must accompany copy. Closing date is 6 weeks prior to the month of publication.

Being at home is better than being in one.

Some people with multiple sclerosis are forced to seek admission to a nursing home when, with the right services and financial support, they could continue living in their own homes.


So your gift support is as important as your understanding.

MS

For more information about multiple sclerosis contact the MS Society in your state.

market directory

File transfers from
\$20 a disk



Blue Mts.
Desktop

79 Winbourne Rd
Hazelbrook 2779
Ph: (047) 58 6731

COMPUTER BOOKS

Over 2500 book titles for the hobbyist and professional.
Ask for our free catalogue.
Call or send \$5 for Disc 5 1/4" IBM

Machine
Language P.O. Box 36,
Brooklyn Pk. S.A. 5032.

(08) 353 4679

For All Your Manuals Call:

Hotline

Hotline n.

1. Popular Sydney Book Shop specializing in Computer Books, Text Books and Technical Books:
**693 George Street
HAYMARKET N.S.W. 2000**
2. Important telephone number for Book Information:
(02) 212 6077

Book Hotline n.

1. For fast service: (02) 212 6077
2. Facsimile: (02) 281 2151
3. Books Bulletin Board:
(02) 281 4791

SERVICES PAGE

LETTERS TO THE EDITOR

We are happy to receive your comments and, if they are of interest to other readers, publish them. Letters will only be considered for publication if they include your name and address, although we can withhold such details from publishing on request. Note that we reserve the right to (and probably will) edit all letters for the sake of brevity, clarity or accuracy.

SUBSCRIPTIONS

Standard 12-issue rate within Australia: \$42. Standard 24-issue rate within Australia: \$79.80. Surface rate for New Zealand and Papua New Guinea: \$51.80; airmail rate: \$57. Rates for other countries on application. All overseas rates quoted are to be paid in Australian dollars. Allow up to eight weeks for subscription processing.

BACK COPIES

Back copies of *Your Computer* are available from The Federal Publishing Co, PO Box 227, Waterloo 2017 at A\$4.00 each, including postage for Australia and New Zealand. We will supply photostat copies of articles where a back issue is not available, at the single-magazine price for each feature copied. A special service is offered for Tutorials: see below.

TUTORIALS

All Parts of Tutorials published within the last 2 years are available as photocopies for a charge of \$0.50 per Part plus \$4.00 for postage and handling within Australia (overseas postage additional). Please identify the Tutorial by its complete name and specify the Parts by number or the issue of publication. All but the latest of our Tutorials are listed in our 5-Year Index, published with our July 1986 issue.

READERS' ENQUIRIES

We will make every effort to answer readers' written enquiries, if accompanied by a stamped, self-addressed envelope, although staff shortages and deadline pressures may cause delays. Please include your telephone number(s) with any enquiry. Phone enquiries not related to subscriptions, readers' advertisements, or other 'service information' cannot be accepted.

COPYRIGHT

All material appearing in *Your Computer* magazine is copyright and cannot be reproduced in part or in full, by any means, without the written permission of the Publisher or Managing Editor. Computer clubs and schools can, however, apply for restricted permanent reproduction rights for non-commercial, limited-circulation use (for example, newsletters and class instruction). Given that it sometimes takes us a while to answer such requests, you can consider that restricted permanent rights apply in these cases from the day you send in your letter, and will later be confirmed (or withdrawn) by our reply.

LIABILITY

Although it is policy to check all material used in *Your Computer* for accuracy, usefulness and suitability, no warranty, either expressed or implied, is offered for any losses due to the use of any material from this magazine.

EDITORIAL CONTRIBUTIONS

Contributions to *Your Computer* are welcomed and will be given every consideration. Although the greatest care will be exercised with contributions, no responsibility can be accepted for the safety or return of any letters, manuscripts, photographs or other materials supplied to *Your Computer* magazine. If return is desired, you should include a stamped, self-addressed envelope. If return is critical – say it's something you can't afford to lose – then don't send it; we *are* careful, but we're not perfect. Please read these notes carefully to get an idea of the style and format we prefer.

All Contributions: should include your name, address, and home and office phone numbers (in case we need to check details). Each page of your submission, and any material sent with it, should also carry your name.

Contributions by Telephone: Contributors who have modems and suitable software (in the MODEM7/YAM mould – see our stories on Christensen Protocols in the May and June 1983 issues) can arrange direct transfer to our com-

puters through our Bulletin Board system, which is on-line 24 hours a day, seven days a week. Contact our office by phone for details on transferring material in this way.

Contributions on Disk: Contributions can be accepted in most disk formats, although some have to be converted outside our offices, which will add to the (often lengthy) delay between receipt and acknowledgment. The preferred medium is IBM standard format single-sided, single-density, 20 cm CP/M disks or IBM PC-DOS minifloppies. We can also handle, in-office, most soft-sectored 13 cm disks, thanks to PC-Alien – so unless you have a particularly strange format, send it on disk straight from your machine. Please pack them extremely carefully if posting and label all disks with your name, address and phone number.

Listings: Unless it is absolutely impossible, we want listings produced on the computer. This reduces the risk of error – if the computer typed it, the computer probably accepted it. Print listings with a dark – preferably new – ribbon on white paper, and try to format the output to a narrow (40 characters) width. If they can't be produced on a printer, borrow a good typewriter – hand-written material is likely to sit around the office for a year before someone can find time to type it all out for you! Please provide an account of what the program does, how it works and so on. Any comments on the program should refer to the address, line number or label rather than to a page number. Any comments on modifying the program to work on other machines will be appreciated. Try to include a printout of at least part of a sample run if possible.


Style: All items should be typed (or printed) and double-spaced on plain white paper. We will only accept original copies – no photostats. Include your name, address, telephone number and the date on the first page of your manuscript (all manuscript pages should have your surname and page number in the top right-hand corner). Be clear and concise, and keep jargon and adjectives to a minimum. □

AD INDEX

AES	6	CC Data	121	Hi-Tech C	89	PC Extras	36
Alfa Computers	OBC	Choice Marketing	95	Interface Publications	48	President	126,127
Attache	13	Computer Resources	IBC	Keylink	58,59	Proton	142
Avtek	57	Creem Corp	57	Living Image	102	Quercus	82
Brymar	9	DSE	30,135	Maestro	66	Ribbons, Rolls & Printers	25
		Electronic Solutions	54,55	Manacomm	132	Ritronics	78,79
		EME	IFC,3	Micro-Educational	90,91	Sancom	145
		Energy Control	101	Microsales	70,71	SME	77
		Everex	83	Minicom	15	Software Express	49
		Federal Marketing	50,51,98,99	Multiview	120	Telecom	10,11
		Fujitsu	69	Pactronics	97,107	Utilico	25
		Great Ace Software	130	Pantek	41	Vapourware	131

SANCOM COMPUTERS

AFFORDABLE EXCELLENCE




SANCOM AT 16MHz SPEED

12MHz 0 Wait State
640K RAM expandable
to 4M on board
1.2M Floppy
Parallel / serial ports
Battery backed clock
CGA or MGA card
101 keys Keyboard

20M H/D \$1990

33M \$2060 40M \$2130




SANCOM XT TURBO

10MHz V20 CPU
640K RAM
360K Floppy
Parallel / serial and
game ports
Battery backed clock
CGA or MGA card
101 keys Keyboard

20M H/D \$1490

33M \$1540 40M \$1630




SANCOM PORTABLE AT

16MHz SPEED
640K RAM expandable
to 4M on board
1.2M Floppy
Parallel / serial ports
Battery backed clock
Back lit supertwist LCD
20 x 24 x 40 cms

20M H/D \$2950

33M \$3020 40M \$3090



SANCOM NETWORK

File Server \$3100

SANCOM AT / 42M HD
Ethernet / Monitor

Work Station \$1600

SANCOM XT
Ethernet / Monitor

Novell Netware \$ 950


Ethernet Card \$ 490

60M Tape Drive \$1035


QUALITY SPECIALS

**SANCOM AT
42M Voice Coil HD
\$2450**

**SANCOM AT
EGA PACKAGE**
EGA Card, EGA Monitor
20M HD \$2820
40M HD \$2960



**400 DPI
Hand Scanner**
Half page scan width
OCR compatible
FREE DTP Software
\$395



MONITORS
14" monochrome \$200
Dual scan, Flat screen
Swivel & tilt base
Green, Amber or White
14" CGA color \$475
.39 phos, Swivel & tilt base

QUALITY SPECIALS

80286 SPEED CARD
10M Hz 80286
8K Cache Memory
Upgrade you PC/XT to
AT performance
Your 8088 will co-exist
\$395

OKI PRINTER
IBM compatible
80 Column, inc. Cable
\$375

BETTER QUALITY - Quality components throughout, Final assembly & testing in Australia, 48 hours burn in

12 months SANCOM Warranty on all computers

HIGHER PERFORMANCE - Our constant research helps to keep you in the forefront of technology

LOWER PRICES - Direct import & large buying power gives us an edge on pricing

FOR COMPUTERS, NETWORK & PERIPHERALS
visit a SANCOM COMPUTERS showroom near you or phone for quotation and discover
HOW AFFORDABLE EXCELLENCE IS

SHOWROOMS & SALES OFFICES

Suite 1 10 Woodville Street
The Mall 313 Macquarie Street
Shop 146 313 Harris Street
Wallaceway Center

**HURSTVILLE
LIVERPOOL
PYRMONT
CHATSWOOD**

(Mon-Fri 9:30am to 5pm Sat 9:30am to 3pm)

(Mon-Fri 9:30am to 5pm Sat 9:30am to 4pm)

(Tue-Fri 9:30am to 5pm Sat 9:30am to 3pm)

OPENING SOON

Tel: 579 3377

Tel: 602 9088

Tel: 552 1640

SERVICE CENTRE & HEAD OFFICE

43 COSGROVE ROAD ENFIELD N.S.W. 2136

Trade & dealer enquiries welcome

Tel: 02 - 742 5188 DEALER SALES 742 5455

Fax: 02 - 642 0228

All Prices include SALES TAX

Prices & Specification subject to change without notice



Cursory Glance

I WAS FLIPPING through a tech store's catalog the other day and spotted a radio with memory. Does that mean it plays only songs from the 60s?

■ The tutor for a course 'More about DOS' at Sydney Uni is Colin Mackintosh.

■ Will all this talk of viruses and worms lead to a new sort of warfare? While chemical warfare was in the news and biological warfare hid behind better-known forms of war, the computer germs were getting ready. Could Russia, China, Libya or any other country known to scare George Bush invade the commodity markets and wreak havoc? How long before insider trading is replaced by insider programming with the big investors using a run-time leverage to move the market their way? Could the money market be attacked by computer-generated trends fed in by financial or political foes? Sounds likely to me. Invest in gold bars and hide them under the bed, I say. Then again, send them to me for safekeeping. If nothing else they will go to a worthy cause.

■ The USA government is saving money on lighting office blocks by using a device which turns off all lights automatically. You have 12 minutes after all motion ceases in the office. If you fall asleep or leave, you will return to find that all is in darkness. Assuming you wake that is. Could be just the thing in some parts of our own government and some large moribund businesses – the ones which can't remember what the second part of Private Enterprise means.

■ A London TV shop owner had a problem with his display sets. He complained to a young beauty consultant who walked past his shop every day and apparently caused the interference. It turned out not to be her, but her bra. It was from a batch of 10,000 made with surplus electronic wire. This discovery solved thousands of Britons' problems with the Telly and their computer monitors. The combination of heat and movement of the wire's covering caused a static discharge sending things haywire.

■ A man phoned the San Diego Gas and Electric Co and asked that his electricity be cut off. As he was talking to the company, the area was blacked out. 'Not now!' he shouted.

■ Thurnham Hall, a stately 13th-century mansion near Lancaster in Britain has a modern touch. A two-metre robot dressed as an Elizabethan knight has replaced two human guides. Presumably the humans were more than a metre tall, otherwise it would have been a measure for measure. The owner, Stanley Crabtree, says kids used to get restless listening to humans and now they are attentive.

■ A Chinese appliance factory got sick of mice which were not being gobbled up by ordinary cats and solved the problem in an appropriate way. They invented the electric cat which zaps mice with a lethal jolt and then says 'Meow, Meow', or however that is written in Chinese.

■ Got your portable phone? Taken it to the beach yet? No? Boring, it's just the thing. And, if you have a pool, you can take calls in it with a new underwater swimming pool phone being sold in New York. You can take calls underwater, too. Great! Lots of people have difficulty communicating clearly at the best of times. Underwater, they wouldn't have a chance.

■ They renamed it before anyone noticed. AI 88 was once called the Australian Joint Artificial Intelligence Conference. Con-


pires up images of smoking illegal substances or of ASIO or ... Take your pick, there are plenty of possibilities.

■ Silicon Graphics is offering a new series of workstations including 3-D ones. The entry-level 3-D version costs just \$96,000. Start saving, by the time you have the money, you will be able to buy it for a song.

BOOTSTRAP: The latest service available from the computer chip is online at Rookwood, Sydney's historic and beautiful cemetery. You can now say goodbye to your loved one at the service, have the clouds hit the box and the gravestone in place all in one day. This means your fellow mourners don't have to wait to see what you're saying about the old lag. There it is in finely-chiseled marble, sandstone and so on. Of course there are the imitation stones made from the latest plastics, too. Just phone the agents for these computer-cut gravestones on the morning of the funeral, pick the size and shape of stone, the type of material, the wording and the typeface and have your credit card ready. On your arrival for the departure you will find the stone delivered to the graveside for no extra charge. The company to call is Deathtop Publishing. □



The Graphics Board You Can Afford



That's what the EGA game comes down to. 100% IBM® EGA compatibility is essential. But today you need more. So what does the Everex Micro Enhancer deliver?

How about extended EGA resolutions* like 752 x 410 and 640 x 480, and 132-column text modes? Or the ability to use those resolutions while running Microsoft® Windows, Lotus® 1-2-3®, Symphony®, AutoCAD®, GEM®, Ventura Publisher™, PC Paint™ and VersaCAD®?

That's nice. But what if your Hercules® and CGA applications ran on an EGA monitor? And what if an autoswitch feature automatically adjusted modes to the software running, so that you wouldn't have to hassle with switch settings? Or if there was an optional parallel port to save money and space? Wouldn't that be better?

This all comes from a leading supplier of EGA cards and costs so little that you wouldn't believe it's made in the United States. Everex has the graphics board you can afford.

It's simple. More features for less money. **Everex has the answer.**

* Micro Enhancer Deluxe supports additional 800 x 600 resolution with parallel port.

For more information or the name of your nearest Everex dealer please call:


Tel: 02-427-6111

Fax: 02-427-5948

EVEREX
EVER for Excellence®

Australia Everex Systems Pty Ltd. Unit 6, 12A Mars Road, Lane Cove, NSW 2066 Australia


EVER for Excellence is a registered trademark and EVEREX and Micro Enhancer are trademarks of Everex Systems, Inc. Hercules is a registered trademark of Hercules Computer Technologies, Inc. Lotus, 1-2-3 and Symphony are registered trademarks of Lotus Development Corporation. Microsoft is a registered trademark of Microsoft Corporation. AutoCAD is a registered trademark of Autodesk. GEM is a registered trademark of Digital Research, Inc. Ventura Publisher is a trademark of Ventura Software. VersaCAD is a registered trademark of VersaCAD Corporation. PC Paint is a trademark of MSC Technologies, Inc. IBM is a registered trademark of International Business Machines Corp. ©1988 Everex Systems, Inc. All rights reserved.




DELTA COM

AUSTRALIA

Authorised Distributors for:



Tseng Labs VGA cards




Panasonic
Office Automation



The power of 80386 computers built here in Australia.

The New Deltacom XT, AT & 386 machines offer performance, price and possibly the most marketable PCs to be released in Australia.



Call now for your nearest Deltacom dealer.

ALFA COMPUTERS PTY LTD

10 REGENT STREET,
SYDNEY 2000

Phone: (02) 281 2755 Fax: (02) 281 2765

DEALER ENQUIRIES WELCOME